

Licence Alteration Request

| Alteration Details | |
|---------------------|--|
| Licence | W0020-02 Scotch Corner Landfill |
| Licensee | Monaghan County Council |
| Title of Alteration | Removal of MRF from W0020-02 |

Screening Report

| No. | Question | Answer |
|-----|--|--------|
| 1 | Does the proposed alteration require a new class of activity or process? | No |
| 2 | Does the proposed alteration cause a new / additional main emission point? | No |
| 3 | Does the proposed alteration increase or change specified emissions significantly ? | No |
| 4 | Does the proposed alteration increase significantly the overall total emission from the installation/facility? | No |
| 5 | Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála? | No |
| 6 | Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority? | No |
| 7 | Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)? | No |
| 8 | Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here | No |
| 9 | Does the proposed alteration adversely affect the energy efficiency of the installation/facility? | No |
| 10 | Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ? | No |

Licence Alteration Request

| | | |
|----|--|----|
| 11 | Does the proposed alteration cause an increase above the capacity limitations specified in the licence? | No |
| 12 | Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension? | No |
| 13 | Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)? | No |
| 14 | Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact? | No |
| 15 | Does the proposed alteration constitute a substantial change? | No |
| 16 | Does the proposed alteration require a change to a condition or schedule of the Licence? | No |

Recommendation

Based on your responses to the forgoing questions, the recommended option is for you to submit a Request for Approval of your proposed change, under Condition 1 of your licence, to the Office of Environmental Enforcement. This 'Request for Approval' should be submitted to your OEE regional team via the 'Request Alteration' which can be accessed via your EDEN log-in in the LMA application.

By selecting the 'Proceed' button within the 'Request Alteration' option, you will find your proposed change listed in the 'Saved Application' list. By choosing the 'Request for Approval' option in this application, you will be directed to complete a 'Licensee Return' to request approval from OEE.

Note: The responses you have provided in this Screening Report will form part of the information record if you decide to progress with this alteration request.

Recommendation Date: 11/06/2018