

EPA Application Form

7.7 - Discharges to Storm Water - Attachment

Organisation Name:

Advanced Environmental Solutions (Ireland) Ltd.

Application I.D.:

LA001648



Amendments to this Application Form Attachment

Version No.	Date	Amendment since previous version	Reason		
V.1.0	July 2017	N/A	Online application form attachment		
		٠٥.			
		diletus			
		ses diff at			



Storm Water Discharge Points

Storm water is rain water run-off from roof and non-process areas

Complete the table below for all storm water discharge points – (one row per discharge point).

Note: This section is **NOT** for rain water run-off from areas used for the <u>outdoor storage of waste</u> **OR** <u>run-off from process areas likely to be contaminated</u>. (Process effluent discharges and emissions should be described in the **7.2 Emissions to Water** tab of the application form).

Discharge Point Code	Easting ¹	Northing ²	Discharges to? (enter relevant option) ³	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)
SW-1			Ditch	Silt trap and oil interceptor	Unnamed tributary of the Arderegane Stream	
				Out of the	or tr	
				ecitor pur leide		
				For its lift of		
				Consent of C		

¹ Six Digit GPS Irish National Grid Reference

² Six Digit GPS Irish National Grid Reference

Options: 'River', 'Ditch', 'Estuary', 'Lake', 'Land Drain', 'Foul Sewer', 'Percolation Area', 'Groundwater', 'Storm Sewer' or 'Other' (where 'Other' is selected please enter a description)



*add rows to the table as necessary

Consent of copyright owner required for any other use.



Storm Water Discharge Monitoring Points

Enter the Discharge Point Code, the associated Monitoring Point Code and the grid reference details for each Monitoring Point location.

Monitoring Point Code	Easting ⁴	Northing ⁵
SW-1		
		, 115e.
		ul: of other
	چ	orly air,
	authose	ieg
	ction of rest	
	inspectorial	
	FORTING	
	, of	
	SW-1	

fadd rows to the table as necessary

Six Digit GPS Irish National Grid Reference

Six Digit GPS Irish National Grid Reference



Storm Water Trigger Levels and Monitoring

Complete the table below with details of the trigger levels and proposed monitoring regime for each parameter.

Select parameters that are a good indicator of loss of containment on-site. Consult the EPA guidance in the setting of trigger values for storm water discharges to off-site surface wastes at EPA licensed facilities (2012).

(If different parameters or monitoring arrangements apply at different storm water discharge points include information on this within the table).

				Sampling / Monitoring	
Parameter	Trigger Level	How was the trigger level determined?	Proposed Monitoring Sample Method ⁷ Analysis Meth		Analysis Method and Technique 8
рН			Bimonthly	Standard	Standard
Conductivity			Bimonthly	Štandard	Standard
COD			Bimonthly 14. 17 office	Standard	Standard
Ammonia			Bimonthly Bimonthly	Standard	Standard
Suspended Solids			Bimonthly	Standard	Standard
Mineral Oils			Bimonthly	Standard	Standard
			ox its tho		
			CODY		

^{*}add rows to the table as necessary

If not provided for in the table above, upload a document that includes details of how storm water is proposed to be monitored (select Document Type: 'Storm Water Monitoring' in the application form).

Nonitoring document file name:	Storm Water M
--------------------------------	---------------

⁶ Option list: 'Continuous', 'Hourly', 'Daily', 'Weekly', 'Monthly', 'Quarterly', 'Biannually' OR 'Annually'.

⁷ Option list: 'Continuous', '24-hour Flow Proportional Composite', '24-hour Time Proportional Composite' OR 'Grab'.

⁸ Option list: 'Gravimetric', 'Online Calibrated Suspended Solids', 'Online Flow Meter with Recorder', 'Online pH electrode/probe Meter and Recorder', 'Online Temperature Probe with Recorder', 'Standard Method', 'Visual', OR 'To be agreed by the Agency'.