

Headquarters
P.O. Box 3000
Johnstown Castle Estate
County Wexford
Ireland

WASTE LICENCE

Licence Register Number:	W0291-01
Company Register Number:	551113
Licensee:	Forge Hill Recycling Limited
Location of Facility:	Forge Hill Waste Transfer Station Forge Hill Ballycurreen County Cork

For inspection purposes only.
Consent of copyright owner required for any other use.

HEADQUARTERS
JOHNSTOWN CASTLE ESTATE
COUNTY WEXFORD, IRELAND
PHONE: +353-53-9160600
FAX: +353-53-9160699

WASTE MANAGEMENT ACT 1996 AS AMENDED

WASTE LICENCE

Decision of the Agency, under Section 40(1) of the Waste Management Act 1996 as amended

Waste Licence Register No: **W0291-01**

Further to notice dated the 19th day of July, 2017, the Agency in exercise of the powers conferred on it by the Waste Management Act 1996 as amended, for the reasons hereinafter set out in the attached Decision, grants this waste licence to Forge Hill Recycling Limited, Forge Hill Waste Transfer Station, Forge Hill, Cork, CRO Number 551113 to carry on the waste activities set out below at Forge Hill Recycling Limited, Forge Hill, Ballycurreen, Cork, subject to twelve Conditions, as set out in the schedules attached thereto.

A copy of the Decision is attached.

Licensed Waste Activities

Waste Recovery Activities, in accordance with the Fourth Schedule of the Waste Management Act 1996 as amended:

Class R 3.	Recycling /reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes), which includes gasification and pyrolysis using the components as chemicals.
Class R 4.	Recycling/reclamation of metals and metal compounds.
Class R 5.	Recycling/reclamation of other inorganic materials, which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials.
Class R 12 (P).	Exchange of waste for submission to any of the operations numbered R 1 to R 11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as, amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, separating, blending or mixing prior to submission to any of the operations numbered R1 to R11).
Class R 13.	Storage of waste pending any of the operations numbered R 1 to R 12 (excluding temporary storage (being preliminary storage according to the definition of 'collection' in section 5(1)), pending collection, on the site where the waste is produced).


The carrying on of the following activity is refused:

Refused waste disposal activities, in accordance with the Third Schedule of the Waste Management Act 1996 as amended:

Class D 15	Storage pending any of the operations numbered D 1 to D 14 (excluding temporary storage (being preliminary storage according to the definition of "collection" in section 5(1)), pending collection on the site where the waste is produced.
-------------------	--

Sealed by the seal of the Agency on this the 21st day of August 2017

**PRESENT when the seal of the Agency
was affixed hereto:**


Dr Karen Creed, Authorised Person

*For inspection purposes only.
Consent of copyright owner required for any other use.*



For inspection purposes only.
Consent of copyright owner required for any other use.

INTRODUCTION

This introduction is not part of the licence and does not purport to be a legal interpretation of the licence.

This licence is for the operation of a dry recyclable waste recovery and transfer facility at Forge Hill, County Cork. Dry recyclable waste will be accepted from household and commercial sources. The type of recovery authorised by this licence is the sorting of mixed dry recyclable waste into single stream recyclable waste and preparing single stream recyclable waste for dispatch to authorised waste facilities. The maximum quantity of waste accepted will be 82,000 tonnes per annum.

All waste will be treated and stored indoors at this facility and there are no point source emissions to air from the waste treatment building. Storm water will discharge to the adjacent stream from non-process areas of the site. Run-off from process areas of the site will discharge to sewer.

The licence sets out in detail the conditions under which Forge Hill Recycling Limited will operate and manage this facility.

*For inspection purposes only.
Consent of copyright owner required for any other use.*

CE

For inspection purposes only.
Consent of copyright owner required for any other use.

Table of Contents

	Page No
Glossary of Terms	1
Decision & Reasons for the Decision.....	6
Part I Schedule of Activities Licensed	7
Part II Schedule of Activities Refused	7
Part III Conditions.....	8
Condition 1. Scope.....	8
Condition 2. Management of the Facility	9
Condition 3. Infrastructure and Operation	11
Condition 4. Interpretation.....	14
Condition 5. Emissions	15
Condition 6. Control and Monitoring	16
Condition 7. Resource Use and Energy Efficiency.....	19
Condition 8. Materials Handling.....	19
Condition 9. Accident Prevention and Emergency Response.....	21
Condition 10. Closure, Restoration and Aftercare Management	22
Condition 11. Notification, Records and Reports.....	23
Condition 12. Financial Charges and Provisions	26
SCHEDULE A: Limitations	28
SCHEDULE B: Emission Limits.....	29
SCHEDULE C: Control & Monitoring.....	30
SCHEDULE D: Annual Environmental Report.....	35

let

For inspection purposes only.
Consent of copyright owner required for any other use.

Glossary of Terms

All terms in this licence should be interpreted in accordance with the definitions in the Environmental Protection Agency Act 1992 as amended / Waste Management Act 1996 as amended, unless otherwise defined in the section.

Adequate lighting	20 lux measured at ground level.
AER	Annual Environmental Report.
Aerosol	A suspension of solid or liquid particles in a gaseous medium.
Agreement	Agreement in writing.
Annually	At approximately twelve-monthly intervals.
Application	The application by the licensee for this licence.
Appropriate Facility	A waste management facility or installation, duly authorised under relevant law and technically suitable.
Attachment	Any reference to Attachments in this licence refers to attachments submitted as part of this licence application.
BAT	Best Available Techniques.
Biannually	At approximately six – monthly intervals.
Biennially	Once every two years.
BOD	5 day Biochemical Oxygen Demand (without nitrification suppression).
CEN	Comité Européen De Normalisation – European Committee for Standardisation.
COD	Chemical Oxygen Demand.
Construction and demolition (C&D) waste	Wastes that arise from construction, renovation and demolition activities: Chapter 17 of the EWC or as otherwise may be agreed.
Containment boom	A boom that can contain spillages and prevent them from entering drains or watercourses or from further contaminating watercourses.
CRO Number	Company Register Number.
Daily	During all days of plant operation and, in the case of emissions, when emissions are taking place; with at least one measurement on any one day.

62

Day	Any 24 hour period.
Daytime	0700 hrs to 1900 hrs.
dB(A)	Decibels (A weighted).
Documentation	Any report, record, results, data, drawing, proposal, interpretation or other document in written or electronic form which is required by this licence.
Drawing	Any reference to a drawing or drawing number means a drawing or drawing number contained in the application, unless otherwise specified in this licence.
Emission limits	Those limits, including concentration limits and deposition rates, established in <i>Schedule B: Emission Limits</i> , of this licence.
EMP	Environmental Management Programme.
End User Agreement	An agreement between the licensee and Irish Water which provides for the contractual conditions and arrangements relating to the acceptance of, and treatment by, Irish Water of the licensee's trade effluent and wastewater.
Environmental damage	As defined in Directive 2004/35/EC.
EPA	Environmental Protection Agency.
Evening Time	1900hrs to 2300hrs.
Facility	Any site or premises used for the purpose of the recovery or disposal of waste.
Fortnightly	A minimum of 24 times per year, at approximately two week intervals.
GC/MS	Gas chromatography/mass spectroscopy.
Green Waste	Waste wood (excluding timber), plant matter such as grass cuttings, and other vegetation.
Heavy metals	This term is to be interpreted as set out in "Parameters of Water Quality, Interpretation and Standards" published by the Agency in 2001. ISBN 1-84095-015-3.
Hours of operation	The hours during which the facility is authorised to be operational.
Hours of waste acceptance	The hours during which the facility is authorised to accept waste.

ca

Incident	The following shall constitute as incident for the purposes of this licence: (i) an emergency; (ii) any emission which does not comply with the requirements of this licence; (iii) any malfunction or breakdown of key environmental abatement, control or monitoring equipment; (iv) any exceedance of the daily duty capacity of the waste handling equipment; (v) any trigger level specified in this licence which is attained or exceeded; and, (vi) any indication that environmental pollution has, or may have, taken place.
Industrial waste	As defined in Section 5(1) of the Waste Management Act 1996 as amended.
Irish Water	Irish Water, Colvill House, 24/26 Talbot Street, Dublin 1
K	Kelvin.
L_{Aeq,T}	This is the equivalent continuous sound level. It is a type of average and is used to describe a fluctuating noise in terms of a single noise level over the sample period (T).
L_{A,r,T}	The Rated Noise Level, equal to the L _{Aeq} during a specified time interval (T), plus specified adjustments for tonal character and/or impulsiveness of the sound.
Licensee	Forge Hill Recycling Limited, Forge Hill Waste Transfer Station, Forge Hill, County Cork, CRO Number 551113.
Liquid waste	Any waste in liquid form and containing less than 2% dry matter.
List of Waste (LoW)	A harmonised, non-exhaustive list of wastes drawn up by the European Commission and published as commission Decision 2000/532/EC, as amended by Commission Decision 2014/955/EU and any subsequent amendment published in the Official Journal of the European Community.
List I	As listed in the EC Directives 2006/11/EC and 80/68/EEC and amendments.
List II	As listed in the EC Directives 2006/11/EC and 80/68/EEC and amendments.
Local Authority	Cork County Council.
Maintain	Keep in a fit state, including such regular inspection, servicing, calibration and repair as may be necessary to perform its function adequately.
Mass flow limit	An emission limit value expressed as the maximum mass of a substance that can be emitted per unit time.

Mass flow threshold	A mass flow rate above which a concentration limit applies.
Monthly	A minimum of 12 times per year, at intervals of approximately one month.
Night-time	2300 hrs to 0700 hrs.
Noise-sensitive location (NSL)	Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other facility or area of high amenity which for its proper enjoyment requires the absence of noise at nuisance levels.
Odour-sensitive location	Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other premises or area of high amenity which for its proper enjoyment requires the absence of odour at nuisance levels.
Oil separator	Device installed according to the International Standard I.S. EN 858-2:2003 (Separator system for light liquids, (e.g. oil and petrol) – Part 2: Selection of normal size, installation, operation and maintenance).
PRTR	Pollutant Release and Transfer Register.
Quarterly	At approximately three – monthly intervals.
Residual waste	The fraction of collected waste remaining after a treatment or diversion step, which generally requires further treatment or disposal, including mixed municipal waste.
SAC	Special Area of Conservation designated under the <i>Habitats Directive</i> , Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora.
Sample(s)	Unless the context of this licence indicates to the contrary, the term samples shall include measurements taken by electronic instruments.
Sanitary effluent	Wastewater from facility toilet, washroom and canteen facilities.
SOP	Standard operating procedure.
Source segregated waste	Waste which is separated at source; meaning that the waste is sorted at the point of generation into a recyclable fraction(s) for separate collection (e.g., paper, metal, glass, plastic, bulk dry recyclables, biodegradables, etc.,) and a residual fraction. The expression 'separate at source' shall be construed accordingly.
SPA	Special Protection Area designated under the Birds Directive, Directive 2009/147/EC of the European Parliament and of the Council of 30 November 2009 on the conservation of wild birds.
Specified emissions	Those emissions listed in <i>Schedule B: Emission Limits</i> , of this licence.

Standard method	A National, European or internationally recognised procedure (e.g. I.S. EN, ISO, CEN, BS or equivalent); or an in-house documented procedure based on the above references; a procedure as detailed in the current edition of “Standard Methods for the Examination of Water and Wastewater” (prepared and published jointly by A.P.H.A., A.W.W.A. & W.E.F.), American Public Health Association, 1015 Fifteenth Street, N.W., Washington DC 20005, USA; or an alternative method as may be agreed by the Agency.
Storm water	Rain water run-off from roof and non-process areas.
The Agency	Environmental Protection Agency.
TOC	Total organic carbon.
Trade effluent	Trade effluent has the meaning given in the Water Services Act, 2007.
Trigger level	A parameter value, the achievement or exceedance of which requires certain actions to be taken by the licensee.
Water Services Authority	Cork County Council.
Weekly	During all weeks of plant operation and, in the case of emissions, when emissions are taking place; with at least one measurement in any one week.
WWTP	Waste water treatment plant.

For inspection purposes only.
Consent of copyright owner required for any other use.

Decision & Reasons for the Decision

The Environmental Protection Agency is satisfied, on the basis of the information available, that subject to compliance with the conditions of this licence, any emissions from the activities will comply with and will not contravene any of the requirements of Section 40(4) of the Waste Management Act 1996 as amended.

The Agency has accordingly decided to grant a licence to Forge Hill Recycling Limited to carry on the activities listed in *Part I, Schedule of Activities Licensed*, subject to the conditions set out in *Part III, Conditions*.

No objection having been received to the proposed decision, the licence is granted in accordance with the terms of the proposed decision.

In reaching this decision the Agency has considered the documentation relating to: the application, Register Number: W0291-01, and the supporting documentation received from the applicant; the submissions received from other parties; the Inspector's Report dated the 29th June 2017; the proposed decision dated 19th July 2017 and has carried out an Environmental Impact Assessment (EIA) and an Appropriate Assessment Screening of the likely significant effects of the activities on European Sites.

It is considered that the Inspector's Report contains a fair and reasonable examination, evaluation and analysis of the likely significant effects of the activities on the environment, and adequately and accurately identifies, describes and assesses those effects. The assessment as reported in that document is adopted as the assessment of the Agency. Having regard to this assessment, it is considered that the activities, if managed, operated and controlled in accordance with the licence will not result in the contravention of any relevant environmental quality standards or cause environmental pollution.

A screening for Appropriate Assessment was undertaken to assess, in view of best scientific knowledge and the conservation objectives of the site, if the activities, individually or in combination with other plans or projects are likely to have a significant effect on any European Site. In this context, particular attention was paid to the European Sites at Cork Harbour SPA (site code 004030) and Great Island Channel SAC (site code 001058).

The activities are not directly connected with or necessary to the management of any European Site and the Agency considered, for the reasons set out below, that it can be excluded, on the basis of objective information, that the activities, individually or in combination with other plans or projects, will have a significant effect on any European Site and accordingly determined that an Appropriate Assessment of the activities was not required. The reasons for this determination are as follows:

- a) There are no point emissions to air, ground or groundwater from this facility;
- b) All storage and treatment activities take place indoors at the facility;
- c) Storm water from clean yard areas and potentially contaminated yard areas is segregated and discharged to surface water and sewer respectively;
- d) Clean storm water (rainwater run-off from non-process areas) is the only discharge to surface water from this facility;
- e) The nearest designated site Cork Harbour SPA which is located approx. 4.4km downstream of the facility and the Great Island Channel SAC located approx. 11.4km downstream of the facility are unlikely to be impacted by rainwater run-off from non-process areas of the facility.

For inspection purposes only.
Consent of copyright owner required for any other use.

Part I Schedule of Activities Licensed

In pursuance of the powers conferred on it by the Waste Management Act 1996 as amended, the Environmental Protection Agency (the Agency), under Section 40(1) of the said Act hereby grants this Waste Licence to Forge Hill Recycling Limited, Forge Hill Waste Transfer Station, Forge Hill, County Cork to carry on the waste activities listed below at Forge Hill Recycling Limited, Forge Hill Waste Transfer Station, Forge Hill, Ballycurreen, County Cork subject to conditions, with the reasons therefor and the associated schedules attached thereto set out in the licence.

Licensed Waste Recovery Activities, in accordance with the Fourth Schedule of the Waste Management Act 1996 as amended

Class R 3.	Recycling /reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes), which includes gasification and pyrolysis using the components as chemicals.
Class R 4.	Recycling/reclamation of metals and metal compounds.
Class R 5.	Recycling/reclamation of other inorganic materials, which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials.
Class R 12 (P).	Exchange of waste for submission to any of the operations numbered R 1 to R 11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as, amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, separating, blending or mixing prior to submission to any of the operations numbered R1 to R11).
Class R 13.	Storage of waste pending any of the operations numbered R 1 to R 12 (excluding temporary storage (being preliminary storage according to the definition of 'collection' in section 5(1)), pending collection, on the site where the waste is produced).

Part II Schedule of Activities Refused

Refused Waste Disposal Activities, in accordance with the Third Schedule of the Waste Management Act 1996 as amended

Class D 15	Storage pending any of the operations numbered D 1 to D 14 (excluding temporary storage (being preliminary storage according to the definition of "collection" in section 5(1)), pending collection on the site where the waste is produced.
-------------------	--

Reason: The acceptance of waste for disposal is not authorised at this facility.

Part III Conditions

Condition 1. Scope

- 1.1 Waste activities at this facility shall be restricted to those listed and described in *Part I Schedule of Activities Licensed* and shall be as set out in the licence application or as modified under Condition 1.4 of this licence and subject to the conditions of this licence.
- 1.2 Activities at this facility shall be limited as set out in *Schedule A: Limitations* of this licence.
- 1.3 For the purposes of this licence, the facility is the area of land outlined in red on Drawing No. 4348-WL01 Revision 1 of the application. Any reference in this licence to “facility” shall mean the area thus outlined in red. The licensed activities shall be carried on only within the area outlined.
- 1.4 No alteration to, or reconstruction in respect of, the activity, or any part thereof, that would, or is likely to, result in
- (i) a material change or increase in:
- the nature or quantity of any emission;
 - the abatement/treatment or recovery systems;
 - the range of processes to be carried out;
 - the fuels, raw materials, intermediates, products or wastes generated, or
- (ii) any changes in:
- site management, infrastructure or control with adverse environmental significance;
- shall be carried out or commenced without prior notice to, and without the approval of, the Agency and, in relation to sewer discharge, Irish Water.
- 1.5 The facility shall be controlled, operated and maintained, and emissions shall take place as set out in the licence. All programmes required to be carried out under the terms of this licence become part of this licence.
- 1.6 This licence is for purposes of waste licensing under the Waste Management Act 1996 as amended only and nothing in this licence shall be construed as negating the licensee’s statutory obligations or requirements under any other enactments or regulations.
- 1.7 Waste Acceptance Hours and Hours of Operation
- 1.7.1 With the exception of emergencies or as may be agreed by the Agency, waste shall be accepted at or dispatched from the facility only between the hours of 06:30 and 23:30 Monday to Friday inclusive, 06:30 to 17:30 Saturdays and 08:30 to 17:30 Sundays and Bank Holidays.
- 1.7.2 The facility shall be operated only during the hours 06:00 and 24:00 Monday to Friday inclusive, 06:00 to 18:00 Saturdays and 08:00 to 18:00 Sundays and Bank Holidays.

Reason: To clarify the scope of this licence.

For inspection purposes only.
Consent of copyright owner required for any other use.

Condition 2. Management of the Facility

2.1 Facility Management

- 2.1.1 The licensee shall employ a suitably qualified and experienced facility manager who shall be designated as the person in charge. The facility manager or a nominated, suitably qualified and experienced deputy shall be present on the facility at all times during its operation or as otherwise required by the Agency.
- 2.1.2 The licensee shall ensure that personnel performing specifically assigned tasks shall be qualified on the basis of appropriate education, training and experience as required and shall be aware of the requirements of this licence.

2.2 Environmental Management System (EMS)

2.2.1 The licensee shall establish and maintain an Environmental Management System (EMS) within six months of the date of grant of this licence. The EMS shall be updated on an annual basis.

2.2.2 The EMS shall include, as a minimum, the following elements:

2.2.2.1 An environmental policy defined for the facility.

2.2.2.2 Management and Reporting Structure.

2.2.2.3 Schedule of Environmental Objectives and Targets.

The licensee shall prepare and maintain a Schedule of Environmental Objectives and Targets. The schedule shall, as a minimum, provide for a review of all operations and processes, including an evaluation of practicable options, for energy and resource efficiency, the use of cleaner technology, cleaner production and the prevention, reduction and minimisation of waste and shall include waste reduction targets, reduction and diversion of storm water run-off to sewer. The schedule shall include time frames for the achievement of set targets and shall address a five-year period as a minimum. As a minimum the Schedule shall include specific objectives for the control and minimisation as well as an annual review of the dust and noise nuisance potential of the site activities. The schedule shall be reviewed annually and amendments thereto notified to the Agency for agreement as part of the Annual Environmental Report (AER). The Schedule shall be submitted to Irish Water if requested.

2.2.2.4 Environmental Management Programme (EMP)

The licensee shall, not later than six months from the date of grant of this licence, submit to the Agency for agreement an EMP, including a time schedule, for achieving the Environmental Objectives and Targets prepared under Condition 2.2.2.3. Once agreed the EMP shall be established, maintained and implemented by the licensee. It shall include:

- designation of responsibility for targets;
- the means by which they may be achieved;
- the time within which they may be achieved.

The EMP shall be reviewed annually.

A report on the programme, including the success in meeting agreed targets, shall be prepared and submitted to the Agency as part of the AER. Such reports shall be retained on-site for a period of not less than seven years and shall be available for inspection by authorised persons of the Agency.

2.2.2.5 Documentation

- (i) The licensee shall establish and maintain an environmental management documentation system which shall be to the satisfaction of the Agency.

ca

- (ii) The licensee shall issue a copy of this licence to all relevant personnel whose duties relate to any condition of this licence.

2.2.2.6 Corrective and Preventative Action

- (i) The licensee shall establish procedures to ensure that corrective and preventative action is taken should the specified requirements of this licence not be fulfilled. The responsibility and authority for persons initiating further investigation and corrective and preventative action in the event of a reported non-conformity with this licence shall be defined.
- (ii) Where a breach of one or more of the conditions of this licence occurs, the licensee shall without delay take measures to restore compliance with the conditions of this licence in the shortest possible time and initiate any feasible preventative actions to prevent recurrence of the breach.
- (iii) All corrective and preventative actions shall be documented.

2.2.2.7 Awareness and Training

The licensee shall establish and maintain procedures for identifying training needs, and for providing appropriate training, for all personnel whose work can have a significant effect upon the environment. Appropriate records of training shall be maintained.

2.2.2.8 Communications Programme

The licensee shall establish and maintain a Public Awareness and Communications Programme to ensure that members of the public can obtain information at the facility, at all reasonable times, concerning the environmental performance of the facility.

2.2.2.9 Maintenance Programme

The licensee shall establish and maintain a programme for maintenance, inclusive of preventative maintenance, of all plant and equipment based on the instructions issued by the manufacturer/supplier or installer of the equipment. Appropriate record keeping and diagnostic testing shall support this maintenance programme. The licensee shall clearly allocate responsibility for the planning, management and execution of all aspects of this programme to appropriate personnel (see Condition 2.1 above).

2.2.2.10 Efficient Process Control

The licensee shall establish and maintain a programme to ensure there is adequate control of processes under all modes of operation. The programme shall identify the key indicator parameters for process control performance, as well as identifying methods for measuring and controlling these parameters. Abnormal process operating conditions shall be documented, and analysed to identify any necessary corrective action.

Reason: *To make provision for management of the activity on a planned basis having regard to the desirability of ongoing assessment, recording and reporting of matters affecting the environment.*

Condition 3. Infrastructure and Operation

- 3.1 The licensee shall establish and maintain, for each component of the facility, all infrastructure referred to in this licence in advance of the commencement of the licensed activities in that component, or as required by the conditions of this licence. Infrastructure specified in the application that relates to the environmental performance of the installation and is not specified in the licence, shall be installed in accordance with the schedule submitted in the application.
- 3.2 Facility Notice Board
- 3.2.1 The licensee shall, within one month of the date of grant of this licence, provide a Facility Notice Board on the facility so that it is legible to persons outside the main entrance to the facility. The minimum dimensions of the board shall be 1200 mm by 750 mm. The notice board shall be maintained thereafter.
- 3.2.2 The board shall clearly show:
- (i) the name and telephone number of the facility;
 - (ii) the normal hours of opening;
 - (iii) the name of the licence holder;
 - (iv) an emergency out of hours contact telephone number;
 - (v) the licence reference number; and
 - (vi) where environmental information relating to the facility can be obtained.
- 3.2.3 A plan of the facility clearly identifying the location of each storage and treatment area shall be displayed as close as is possible to the entrance to the facility. The plan shall be displayed on a durable material such that is legible at all times. The plan shall be replaced as material changes to the facility are made.
- 3.3 The licensee shall install on all emission points such sampling points or equipment, including any data-logging or other electronic communication equipment, as may be required by the Agency. All such equipment shall be consistent with the safe operation of all sampling and monitoring systems.
- 3.4 In the case of composite sampling of aqueous emissions from the operation of the facility, a separate composite sample or homogeneous sub-sample (of sufficient volume as advised) shall be refrigerated immediately after collection and retained as required for EPA use.
- 3.5 The licensee shall clearly label and provide safe and permanent access to all on-site sampling and monitoring points and to off-site points as required by the Agency. The requirement with regard to off-site points is subject to the prior agreement of the landowner(s) concerned.
- 3.6 Tank, Container and Drum Storage Areas
- 3.6.1 All tank, container and drum storage areas shall be rendered impervious to the materials stored therein. Bunds shall be designed having regard to Agency guidelines 'Storage and Transfer of Materials for Scheduled Activities' (2004).
- 3.6.2 All tank and drum storage areas shall, as a minimum, be bunded, either locally or remotely, to a volume not less than the greater of the following:
- (i) 110% of the capacity of the largest tank or drum within the bunded area; or
 - (ii) 25% of the total volume of substance that could be stored within the bunded area.
- 3.6.3 All drainage from bunded areas shall be treated as contaminated unless it can be demonstrated to be otherwise. All drainage from bunded areas shall be diverted for collection and safe disposal, unless it can be deemed uncontaminated and does not exceed the trigger levels set for storm water emissions under 6.13.
- 3.6.4 All inlets, outlets, vent pipes, valves and gauges must be within the bunded area.
- 3.6.5 All tanks, containers and drums shall be labelled to clearly indicate their contents.
- 3.6.6 All bunds shall be uniquely identified and labelled at the bund.

For inspection purposes only.
Consent of copyright owner required for any other use.

- 3.7 The licensee shall have in storage an adequate supply of containment booms and/or suitable absorbent material to contain and absorb any spillage at the facility. Once used, the absorbent material shall be disposed of at an appropriate facility.
- 3.8 Storm Water Management
- Storm water management infrastructure shall be provided and maintained at the facility during operation, closure and decommissioning of the facility. As a minimum, the infrastructure shall be capable of the following:
- the prevention of discharge of contaminated water into ground or surface water drains and courses;
 - the collection and diversion of run-off arising from paved areas.
- 3.9 Silt Traps and Oil Separators
- The licensee shall maintain silt traps and oil separators at the facility:
- (i) Silt traps to ensure that all storm water discharges, other than from roofs, from the facility pass through a silt trap in advance of discharge;
 - (ii) An oil separator on the storm water discharge from yard areas. The separator shall be a Class I full retention separator.
- The silt traps and separator shall be in accordance with I.S. EN-858-2: 2003 (separator systems for light liquids).
- 3.10 Fire-water Retention
- 3.10.1 The licensee shall carry out a revised risk assessment to determine if the activity should have a fire-water retention facility. The licensee shall submit a report to the Agency on the findings and recommendations of the assessment within three months of the date of grant of this licence.
- 3.10.2 In the event that a significant risk exists for the release of contaminated fire-water, the licensee shall, based on the findings of the risk assessment, prepare and implement, with the approval of the Agency, a suitable risk management programme. The risk management programme shall be fully implemented within three months of date of notification by the Agency.
- 3.10.3 In the event of a fire or a spillage to storm water, the site storm water shall be diverted for collection. The licensee shall examine, as part of the response programme in Condition 3.10.2 above, the provision of automatic diversion of storm water for collection. The licensee shall have regard to any guidelines issued by the Agency with regard to firewater retention.
- 3.10.4 The licensee shall have regard to the Environmental Protection Agency Draft Guidance Note to Industry on the Requirements for Fire-Water Retention Facilities when implementing Conditions 3.10.1 and 3.10.2 above.
- 3.11 All pump sumps, storage tanks or other treatment plant chambers from which spillage of environmentally significant materials might occur in such quantities as are likely to breach local or remote containment or separators, shall be fitted with high liquid level alarms (or oil detectors as appropriate) within three months from the date of grant of this licence.
- 3.12 The licensee shall, within three months of the date of grant of this licence, install in a prominent location on the site a wind sock, or other wind direction indicator, which shall be visible from the public roadway outside the site.
- 3.13 The provision of a catchment system to collect any leaks from flanges and valves of all over-ground pipes used to transport material other than water shall be examined. This shall be incorporated into a Schedule of Environmental Objectives and Targets set out in Condition 2 of this licence for the reduction in fugitive emissions.
- 3.14 Wellhead Reference No. GW1, as shown on Drawing Number 4348-WL11, shall be adequately protected to prevent contamination or physical damage.

- 3.15 Facility Security
- 3.15.1 Security and stockproof fencing and gates shall be installed and maintained. The base of the fencing shall be set in the ground.
- 3.15.2 The licensee shall install a CCTV system which records all truck movement into and out of the facility; the CCTV system shall be operated at all times and copies of recording kept on site and made available to the Agency on request.
- 3.15.3 Gates shall be locked shut when the facility is unsupervised.
- 3.15.4 The licensee shall remedy any defect in the gates and/or fencing as follows:
- (i) A temporary repair shall be made by the end of the working day; and
 - (ii) A repair to the standard of the original gates and/or fencing shall be undertaken within three working days.
- 3.16 Facility Roads and Site Surfaces
- 3.16.1 Effective site roads shall be provided and maintained to ensure the safe and nuisance-free movement of vehicles within the facility.
- 3.16.2 The licensee shall provide and maintain an impermeable concrete surface in all areas of the facility; the surfaces shall be concreted and constructed to British Standard 8110 or an alternative as agreed by the Agency. The licensee shall remedy any defect in concrete surfaces within five working days.
- 3.17 Facility Office
- 3.17.1 The licensee shall provide and maintain an office at the facility. The office shall be constructed and maintained in a manner suitable for the processing and storing of documentation.
- 3.17.2 The licensee shall provide and maintain a working telephone and a method for electronic transfer of information at the facility.
- 3.18 Waste Inspection and Quarantine Areas
- 3.18.1 Waste Inspection Area and a Waste Quarantine Area shall be provided and maintained at the facility.
- 3.18.2 These areas shall be constructed and maintained in a manner suitable, and be of a size appropriate, for the inspection of waste and subsequent quarantine if required. The waste inspection area and the waste quarantine area shall be clearly identified and segregated from each other.
- 3.18.3 Drainage from these areas shall be directed for collection and safe disposal.
- 3.19 Weighbridge and Wheel Cleaners
- 3.19.1 The licensee shall provide and maintain a weighbridge and wheel cleaners at the facility.
- 3.19.2 The wheel cleaner shall be used by all vehicles leaving the facility as required to ensure that no wastewater, waste or storm water is carried off-site. All water from the wheel cleaning area shall be directed for collection and safe disposal.
- 3.19.3 The wheel-wash shall be inspected on a daily basis and drained as required. Silt, stones and other accumulated material shall be removed as required from the wheel-wash and disposed of appropriately.
- 3.20 Waste handling, ventilation and processing plant
- 3.20.1 Items of plant deemed critical to the efficient and adequate processing of waste at the facility (including inter alia waste-loading vehicles and ejector trailers) shall be provided on the following basis:
- (i) 100% duty capacity;
 - (ii) 20% standby capacity available on a routine basis; and

- (iii) Provision of contingency arrangements and/or backup and spares in the case of breakdown of critical equipment.
- 3.20.2 The licensee shall prepare and maintain on site a record detailing the duty and standby capacity, in tonnes per day, of all waste handling and processing equipment to be used at the facility. These capacities shall be based on the licensed waste intake, as per *Schedule A: Limitations* of this licence.
- 3.20.3 The quantity of waste to be accepted at the facility on a daily basis shall not exceed the duty capacity of the equipment at the facility. Any exceedance of this intake shall be treated as an incident.
- 3.21 **Dust and Odour Control**
- The licensee shall maintain adequate measures for the control of dust and odour emissions, including fugitive dust emissions, from the facility. Installation of a dust and odour management system shall at a minimum include the following:
- Dust curtains (or equivalent approved by the Agency) shall be maintained on the entry/exit points from the waste treatment building;
 - Roller shutter doors shall be installed on all entry/exit points used by waste vehicles;
 - All doors in this building shall be kept closed when not in use.
- 3.22 **Operational Controls**
- The licensee shall provide and use adequate lighting during the operation of the facility in hours of darkness.

Reason: To provide for appropriate operation of the facility to ensure protection of the environment.

Condition 4. Interpretation

- 4.1 Emission limit values for emissions to sewer and waters in this licence shall be achieved without the introduction of aqueous dilution and shall be interpreted in the following way:
- 4.1.1 **Continuous Monitoring**
- (i) No flow value shall exceed the specific limit.
 - (ii) No pH value shall deviate from the specified range.
 - (iii) No temperature value shall exceed the limit value.
- 4.1.2 **Composite Sampling**
- (i) No pH value shall deviate from the specified range.
 - (ii) For parameters other than pH and flow, eight out of ten consecutive composite results, based on flow proportional composite sampling, shall not exceed the emission limit value. No individual results similarly calculated shall exceed 1.2 times the emission limit value.
- 4.1.3 **Discrete Sampling**
- For parameters other than pH and temperature, no grab sample value shall exceed 1.2 times the emission limit value.
- 4.2 Where the ability to measure a parameter is affected by mixing before emission, then, with agreement from the Agency, the parameter may be assessed before mixing takes place.
- 4.3 **Noise**
- Noise from the installation shall not give rise to sound pressure levels, measured at any noise-sensitive location, which exceed the limit values.

4.4 Dust and Particulate Matter

Dust and particulate matters from the activity shall not give rise to deposition levels which exceed the limit value.

Reason: *To clarify the interpretation of limit values fixed under the licence.*

Condition 5. Emissions

- 5.1 No specified emission from the facility shall exceed the emission limit values set out in *Schedule B: Emission Limits* of this licence. There shall be no other emissions of environmental significance.
- 5.2 No emissions, including odours, from the activities carried on at the site shall result in an impairment of, or an interference with amenities or the environment beyond the facility boundary or any other legitimate uses of the environment beyond the facility boundary.
- 5.3 There shall be no direct or indirect discharge to ground to groundwater.
- 5.4 No trade effluent, leachate or contaminated storm water shall be discharged to surface water courses.
- 5.5 No substance shall be discharged in a manner, or at a concentration, that, following initial dilution, causes tainting of fish or shellfish.
- 5.6 The licensee shall ensure that all or any of the following
- Vermin
 - Birds
 - Flies
 - Mud
 - Dust
 - Litter

associated with the activity do not result in an impairment of, or an interference with, amenities or the environment at the facility or beyond the facility boundary or any other legitimate uses of the environment beyond the facility boundary. Any method used by the licensee to control or prevent any such impairment/interference shall not cause environmental pollution.

5.7 Emissions to Sewer - Irish Water conditions

- 5.7.1 Other than the trade effluent authorised to be discharged under this licence, the licensee shall at no time discharge or cause or permit to discharge into sewer trade effluent or any other matter unless authorised in writing by Irish Water.
- 5.7.2 The licensee shall conclude an end user agreement with Irish Water.
- 5.7.3 The licensee shall ensure that any trade effluent generated from canteen activities shall pass through appropriate grease removal equipment prior to discharge to sewer.
- 5.7.4 The licensee shall carry out such sampling, analyses, measurements, examinations, maintenance and calibrations as set out below and as in accordance with *Schedule C: Control & Monitoring*, of this licence.
- Sampling and analysis shall be undertaken by competent staff in accordance with documented operating procedures.
 - Such procedures shall be subject to a programme of Analytical Quality Control using appropriate control standards with evaluation of test responses.
 - Where any analysis is sub-contracted it shall be outsourced to a competent laboratory.

- 5.7.5 The licensee shall maintain on-site a detailed programme for the maintenance of all plant and equipment related to the trade effluent discharge based on the instructions issued by the manufacturer, supplier or installer of the equipment or as otherwise approved in writing by Irish Water.
- 5.7.6 A summary report of volumes of trade effluent and other matter discharged to the sewer along with monitoring and analysis data as specified in *Schedule B: Emission Limits*, of this licence and *Schedule C: Control & Monitoring* of this licence, shall be forwarded to both the Irish Water and the Local Authority in a manner and timeframe specified by Irish Water.

Reason: *To provide for the protection of the environment by way of control and limitation of emissions and to provide for the requirements of Irish Water in accordance with Section 52 of the Waste Management Act 1996 as amended.*

Condition 6. Control and Monitoring

- 6.1 Test Programme
- 6.1.1 The licensee shall prepare a test programme for abatement equipment installed to abate emissions to atmosphere.
- 6.1.2 The programme shall be completed within three months of the commencement of operation of the abatement equipment.
- 6.1.3 The criteria for the operation of the abatement equipment as determined by the test programme, shall be incorporated into the standard operating procedures.
- 6.1.4 The test programme shall as a minimum:
- establish all criteria for operation, control and management of the abatement equipment to ensure compliance with the emission limit values specified in this licence; and
 - assess the performance of any monitors on the abatement system and establish a maintenance and calibration programme for each monitor.
- 6.1.5 A report on the test programme shall be submitted to the Agency within one month of completion.
- 6.2 The licensee shall carry out such sampling, analyses, measurements, examinations, maintenance and calibrations as set out below and as in accordance with *Schedule C: Control & Monitoring* of this licence.
- 6.2.1 Sampling and analysis shall be undertaken by competent staff in accordance with documented operating procedures. Unless otherwise approved by the Agency, sampling and analysis of emissions to atmosphere shall be carried out by ISO 17025 accredited persons/organisations, with accreditation for the relevant scope of sampling and analysis.
- 6.2.2 Such procedures shall be assessed for their suitability for the test matrix and performance characteristics shall be determined.
- 6.2.3 Such procedures shall be subject to a programme of Analytical Quality Control using control standards with evaluation of test responses.
- 6.2.4 Where any analysis is sub-contracted it shall be to a competent laboratory.
- 6.3 The licensee shall ensure that:
- 6.3.1 sampling and analysis for all parameters listed in the Schedules to this licence; and
- 6.3.2 any reference measurements for the calibration of automated measurement systems; shall be carried out in accordance with CEN-standards. If CEN standards are not available, ISO, national or international standards that will ensure the provision of data of an equivalent scientific quality shall apply.

- 6.4 All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activity is being carried on unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practicable, and alternative sampling and monitoring facilities shall be put in place. The use of alternative equipment, other than in emergency situations, shall be as agreed by the Agency.
- 6.5 Monitoring and analysis equipment shall be operated and maintained as necessary so that monitoring accurately reflects the emission/discharge (or ambient conditions where that is the monitoring objective).
- 6.6 The licensee shall ensure that groundwater monitoring well sampling equipment is available or installed at the facility and is fit for purpose at all times. The sampling equipment shall be to Agency specifications.
- 6.7 All treatment/abatement and emission control equipment shall be calibrated and maintained in accordance with the instructions issued by the manufacturer/supplier or installer.
- 6.8 The frequency, methods and scope of monitoring, sampling and analyses, as set out in this licence, may be amended as required or approved by the Agency following evaluation of test results.
- 6.9 The licensee shall prepare a programme, to the satisfaction of the Agency, for the identification and reduction of fugitive emissions using an appropriate combination of best available techniques. This programme shall be included in the Environmental Management Programme.
- 6.10 The integrity and water tightness of all tanks, bunding structures, containers and underground pipes and their resistance to penetration by water or other materials carried or stored therein shall be tested and demonstrated by the licensee within nine months of the date of grant of this licence. This testing shall be carried out by the licensee at least once every three years thereafter and reported to the Agency on each occasion. This testing shall be carried out in accordance with any guidance published by the Agency. A written record of all integrity tests and any maintenance or remedial work arising from them shall be maintained by the licensee.
- 6.11 The drainage system (i.e., gullies, manholes, any visible drainage conduits and such other aspects as may be agreed) and bunds, silt traps and oil separators shall be inspected weekly and desludged as necessary. All sludge and drainage from these operations shall be collected for safe disposal. The drainage system, bunds, silt traps and oil interceptors shall be properly maintained at all times.
- 6.12 An inspection system for the detection of leaks on all flanges and valves on over-ground pipes used to transport materials other than water shall be developed and maintained prior to the commencement of the activity.
- 6.13 Storm Water and Run-off Management
- 6.13.1 A visual examination of the storm water discharges shall be carried out daily. A log of such inspections shall be maintained.
- 6.13.2 The licensee shall, within six months of commencement of the activity, establish suitable trigger levels for conductivity, total suspended solids, BOD and mineral oils in storm water discharges, such that storm waters exceeding these levels will be diverted for retention and suitable disposal. The licensee shall have regard to the Environmental Protection Agency "Guidance on the setting of trigger values for storm water discharges to off-site surface waters at EPA IPPC and Waste licensed facilities" when establishing suitable trigger levels.
- 6.13.3 Run-off from process areas of the facility used for the holding, storage and treatment of waste shall be diverted for collection and safe disposal.
- 6.13.4 Run-off from process areas of the facility used for the holding, storage and treatment of waste shall not be discharged to the storm water drainage system.

6.13.5 The licensee shall ensure that:

- storm waters that have the potential to become contaminated through contact with waste,
are physically segregated from and managed separately to,
- storm waters that do not have the potential to become contaminated through contact with waste.

6.14 Noise

The licensee shall carry out a noise survey of the site operations as required by the Agency. The survey programme shall be undertaken in accordance with the methodology specified in the 'Guidance Note for Noise: Licence Applications, Surveys and Assessments in Relation to Scheduled Activities (NG4)' as published by the Agency.

6.15 Pollutant Release and Transfer Register (PRTR)

The licensee shall prepare and report a PRTR for the site. The substance and/or wastes to be included in the PRTR shall be as agreed by the Agency each year by reference to EC Regulations No. 166/2006 concerning the establishment of the European Pollutant Release and Transfer Register. The PRTR shall be prepared in accordance with any relevant guidelines issued by the Agency and shall be submitted electronically in specified format and as part of the AER.

6.16 The licensee shall, within six months of the date of grant of this licence, develop and establish a Data Management System for collation, archiving, assessing and graphically presenting the monitoring data generated as a result of this licence.

6.17 The licensee shall permit authorised persons of the Agency and Irish Water, to inspect, examine and test, at all reasonable times, any works and apparatus installed in connection with the process effluent and to take samples of the process effluent.

6.18 Operational Controls

6.18.1 The floor of the waste transfer building shall be cleaned on a weekly basis. The floor of the storage bays for recovered wastes shall be washed down and cleaned on each occasion such bays are emptied, or as a minimum on a weekly basis.

6.18.2 Scavenging shall not be permitted at the facility.

6.18.3 There shall be no unauthorised public access to the facility.

6.18.4 Refuelling of vehicles shall only take place within the waste treatment building.

6.19 Litter Control

6.19.1 All loose litter or other waste, placed on or in the vicinity of the facility, other than in accordance with the requirements of this licence, shall be removed, subject to the agreement of the landowners, immediately and in any event by 10.00 am of the next working day after such waste is discovered.

6.19.2 The licensee shall ensure that all vehicles delivering waste to and removing waste and materials from the facility are appropriately covered.

6.20 Dust/Odour Control

6.20.1 In dry weather, site roads and any other areas used by vehicles shall be sprayed with water as and when required to minimise airborne dust nuisance.

6.20.2 The licensee shall undertake regular sweeping of the yard and hardstanding areas using a mechanical sweeper.

6.20.3 The road network in the vicinity of the installation shall be kept free from any debris caused by vehicles entering or leaving the installation. Any such debris or deposited materials shall be removed without delay.

- 6.20.4 The licensee shall undertake, as required by the Agency, an odour assessment which shall include as a minimum the identification and quantification of all significant odour sources and an assessment of the suitability and adequacy of odour abatement systems to deal with these emissions. Any recommendations arising from such an odour assessment shall be implemented following approval by the Agency.
- 6.21 The licensee shall maintain a dust monitoring network as per *Schedule C: Control & Monitoring*, of this licence.
- 6.22 Nuisance Monitoring
- The licensee shall, at a minimum of one week intervals, inspect the facility and its immediate surrounds for nuisances caused by litter, vermin, birds, flies, wasps, mud, dust and odours. The licensee shall maintain a record of all nuisance inspections.
- 6.23 Vermin, Wasps and Flies
- Within three months of the date of grant of this licence, the licensee shall establish and maintain a programme for the control and eradication of vermin, wasp and fly infestations at the facility. This programme should include as a minimum, operator training, details on the rodenticides and insecticides, if any, to be used, mode and frequency of application and measures to contain sprays within the facility boundary.

Reason: *To provide for the protection of the environment by way of treatment and monitoring of emissions and to provide for the requirements of Irish Water in accordance with Section 52 of the Waste Management Act 1996 as amended.*

Condition 7. Resource Use and Energy Efficiency

- 7.1 The licensee shall carry out an audit of the energy efficiency of the site within one year of the date of grant of this licence. The audit shall be carried out in accordance with the guidance published by the Agency, "Guidance Note on Energy Efficiency Auditing". The energy efficiency audit shall be repeated at intervals as required by the Agency.
- 7.2 The audit shall identify all practicable opportunities for energy use reduction and efficiency and the recommendations of the audit will be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2 above.
- 7.3 The licensee shall identify opportunities for reduction in the quantity of water used on site including recycling and reuse initiatives, wherever possible. Reductions in water usage shall be incorporated into Schedule of Environmental Objectives and Targets.
- 7.4 The licensee shall undertake an assessment of the efficiency of use of raw materials in all processes, having particular regard to the reduction in waste generated. The assessment should take account of best international practice for this type of activity. Where improvements are identified, these shall be incorporated into the Schedule of Environmental Objectives and Targets.

Reason: *To provide for the efficient use of resources and energy in all site operations.*

Condition 8. Materials Handling

- 8.1 Disposal or recovery of waste on-site shall only take place in accordance with the conditions of this licence and in accordance with the appropriate National and European legislation and protocols.
- 8.2 All waste processing and storage shall be carried out inside the waste treatment building.
- 8.3 Waste sent off-site for recovery or disposal

- 8.3.1 Waste sent off-site for recovery or disposal shall be transported only by an authorised waste contractor. The waste shall be transported from the site of the activity to the site of recovery/disposal only in a manner that will not adversely affect the environment and in accordance with the appropriate National and European legislation and protocols.
- 8.3.2 Waste sent off-site for recovery or disposal shall be transferred only to an appropriate facility.
- 8.4 The loading and unloading of materials shall be carried out in designated areas protected against spillage and leachate run-off.
- 8.5 Waste and materials shall be stored in designated areas, protected as may be appropriate against spillage and leachate run-off. The waste and materials shall be clearly labelled and appropriately segregated.
- 8.6 Waste for disposal/recovery off-site shall be analysed in accordance with *Schedule C: Control & Monitoring* of this licence.
- 8.7 Unless approved in writing, in advance, by the Agency the licensee is prohibited from mixing a hazardous waste of one category with a hazardous waste of another category or with any other non-hazardous waste.
- 8.8 The licensee shall neither import waste into the State nor export waste out of the State except in accordance with the relevant provisions of Regulation (EC) No 1013/2006 of the European Parliament and of the Council of 14th June 2006 on shipments of waste and associated national regulations.
- 8.9 Waste Acceptance and Characterisation Procedures
- 8.9.1 Waste shall only be accepted at the facility from Local Authority waste collection or transport vehicles or holders of waste permits, unless exempted or excluded, issued under the Waste Management Act 1996, as amended. Copies of these waste collection permits shall be maintained at the facility.
- 8.9.2 The licensee shall maintain detailed written procedures and criteria for:
- (i) characterisation, compliance testing and acceptance of all wastes arriving at the facility;
 - (ii) rejection of unacceptable incoming waste; and
 - (iii) ensuring adequate storage capacity exists in advance of waste acceptance.
- 8.9.3 Waste shall be accepted at the facility only from known customers or new customers subject to initial waste profiling and waste characterisation off-site. The written records of this off-site waste profiling and characterisation shall be retained by the licensee for all active customers and for a two year period following termination of licensee/customer agreements.
- 8.9.4 Waste arriving at the facility shall have its documentation checked at the point of entry to the facility and subject to this verification, weighed, documented and directed to the Waste Treatment Building. Each load of waste arriving at the Waste Treatment Building shall be inspected upon tipping within this building. Only after such inspections shall the waste be processed for recovery.
- 8.9.5 Any waste deemed unsuitable for processing at the facility and/or in contravention of this licence shall be immediately separated and removed from the facility at the earliest possible time. Temporary storage of such wastes shall be in a designated Waste Quarantine Area. Waste shall be stored under appropriate conditions in the quarantine area to avoid putrefaction, odour generation, the attraction of vermin and any other nuisance or objectionable condition.
- 8.9.6 No food, residual or odour-forming waste shall be accepted at the facility.
- 8.10 Unless agreed by the Agency the licensee shall not dispose of any waste that has been accepted at the facility for the purpose of a recovery activity. This condition shall not apply to non-recyclable waste that is separated for disposal by the licensee from the incoming waste.

8.11 Waste Storage Plan

- 8.11.1 The licensee shall, within three months of the date of grant of this licence, establish, maintain and implement a Waste Storage Plan for all waste stored and held at the facility.
- 8.11.2 The Waste Storage Plan shall be adequate to ensure compliance with all conditions of this licence.
- 8.11.3 The Waste Storage Plan shall include:
- the recommendations of the Fire Risk Assessment required by Condition 9.5 of this licence;
 - a limit on the total quantity of waste to be stored at the facility at any one time;
 - maximum stockpile sizes in designated storage areas including maximum volume, height, length, width and area, and minimum separation distances;
 - a limit on the maximum storage or holding period for each type of waste in designated storage areas;
 - limitations, as may be necessary, on waste storage arrangements to be used to prevent odours arising;
 - a drawing or plan of the location of each waste type and the means of storage for each waste type (e.g. as loose waste, baled, in sealed containers);
 - details of the drainage system super-imposed on the above drawing or plan; and
 - a designated fire quarantine area.
- 8.11.4 Waste storage and holding practices at the facility shall comply at all times with the Waste Storage Plan.
- 8.11.5 Waste accepted or generated at the facility shall be stored or held only in designated areas that have been identified in the Waste Storage Plan.
- 8.11.6 All designated areas for storage or holding of waste shall be:
- clearly labelled;
 - appropriately segregated; and
 - visibly or physically delineated by walls, dividers, painted lines or marks on the ground or other methods acceptable to the Agency.
- 8.11.7 The Emergency Response Procedure as required under Condition 9 of this licence shall include an up-to-date copy of the Waste Storage Plan.

Reason: *To provide for the appropriate handling of material and the protection of the environment.*

Condition 9. Accident Prevention and Emergency Response

- 9.1 The licensee shall, within six months of date of grant of this licence, ensure that a documented Accident Prevention Procedure is in place that addresses the hazards on-site, particularly in relation to the prevention of accidents with a possible impact on the environment. This procedure shall be reviewed annually and updated as necessary.

- 9.2 The licensee shall, within six months of date of grant of this licence, ensure that a documented Emergency Response Procedure is in place that addresses any emergency situation which may originate on-site. This procedure shall include provision for minimising the effects of any emergency on the environment. This procedure shall be reviewed annually and updated as necessary.
- 9.3 Incidents
- 9.3.1 In the event of an incident the licensee shall immediately:
- (i) carry out an investigation to identify the nature, source and cause of the incident and any emission arising therefrom;
 - (ii) isolate the source of any such emission;
 - (iii) evaluate the environmental pollution, if any, caused by the incident;
 - (iv) identify and execute measures to minimise the emissions/malfunction and the effects thereof;
 - (v) identify the date, time and place of the incident;
 - (vi) notify the Agency and other relevant authorities.
- 9.3.2 The licensee shall provide a proposal to the Agency for its agreement within one month of the incident occurring or as otherwise agreed by the Agency, to:
- (i) identify and put in place measures to avoid recurrence of the incident; and
 - (ii) identify and put in place any other appropriate remedial actions.
- 9.4 Emergencies
- 9.4.1 In the event of a breakdown of equipment or any other occurrence which results in the closure of the waste treatment building, any waste arriving at or already collected at the facility shall be transferred directly to appropriate landfill sites or any other appropriate facility until such time as the waste treatment building is returned to a fully operational status. Such a breakdown event will be treated as an emergency and rectified as soon as possible.
- 9.4.2 All significant spillages occurring at the facility shall be treated as an emergency and immediately cleaned up and dealt with so as to alleviate their effects.
- 9.4.3 No waste shall be burnt within the boundaries of the facility. A fire at the facility shall be treated as an emergency and immediate action shall be taken to extinguish it and notify the appropriate authorities.
- 9.5 The licensee shall arrange, within 3 months of the date of grant of this licence and every three years thereafter, for the completion, by an independent and appropriately qualified consultant, of a fire risk assessment for the facility. The assessment shall examine all relevant factors on site that impinge on fire risk and prevention. The assessment shall have regard to the EPA *Guidance Note: Fire Safety at Non-Hazardous Waste Transfer Stations*, 2013 and the EPA *Guidance on Fire Risk Assessment for Non-hazardous Waste Facilities*, 2016. Any recommendations in the fire risk assessment shall be implemented by the licensee.

Reason: To provide for the protection of the environment.

Condition 10. Closure, Restoration and Aftercare Management

- 10.1 Following termination, or planned cessation for a period greater than six months, of use or involvement of all or part of the site in the licensed activity, the licensee shall, to the satisfaction of the Agency, decommission, render safe or remove for disposal/recovery any soil, subsoil, buildings, plant or equipment, or any waste, materials or substances or other matter contained therein or thereon, that may result in environmental pollution.

- 10.2 Closure, Restoration and Aftercare Management Plan (CRAMP)
- 10.2.1 A revised CRAMP shall be submitted for agreement by the Agency within two months of the date of grant of this licence. The licensee shall maintain a fully detailed and costed plan for the closure, restoration and long-term aftercare of the site or part thereof in writing by the Agency.
- 10.2.2 The plan shall be reviewed annually and proposed amendments thereto notified to the Agency for agreement as part of the AER. No amendments may be implemented without the agreement of the Agency.
- 10.2.3 The licensee shall have regard to the Environmental Protection Agency's Guidance on Assessing and Costing Environmental Liabilities (2014) and, as appropriate, Guidance on Financial Provision (2015) when implementing Conditions 10.2.1 and 10.2.2 above.
- 10.3 The Closure, Restoration and Aftercare Management Plan shall include, as a minimum, the following:
- (i) a scope statement for the plan;
 - (ii) the criteria that define the successful decommissioning of the activity or part thereof, which ensures minimum impact on the environment;
 - (iii) a programme to achieve the stated criteria;
 - (iv) where relevant, a test programme to demonstrate the successful implementation of the plan; and
 - (v) details of the costings for the plan and the financial provisions to underwrite those costs.
- 10.4 A final validation report to include a certificate of completion for the Closure, Restoration and Aftercare Management Plan, for all or part of the site as necessary, shall be submitted to the Agency within three months of execution of the plan. The licensee shall carry out such tests, investigations or submit certification, as requested by the Agency, to confirm that there is no continuing risk to the environment.

Reason: *To make provision for the proper closure of the activity ensuring protection of the environment.*

Condition 11. Notification, Records and Reports

- 11.1 The licensee shall notify the Agency by both telephone and either email or webform, to the Agency's headquarters in Wexford, or to such other Agency office as may be specified by the Agency, as soon as practicable after the occurrence of any of the following:
- (i) an incident or accident as defined by the glossary;
 - (ii) any release of environmental significance to atmosphere from any potential emissions point including bypasses;
 - (iii) any breach of one or more of the conditions attached to this licence;
 - (iv) any emission that does not comply with the requirements of this licence;
 - (v) any malfunction or breakdown of key environmental abatement, control or monitoring equipment; and
 - (vi) any incident or accident as defined in the glossary requiring an emergency response by the Local Authority.

The licensee shall include as part of the notification, date and time of the incident, summary details of the occurrence, and where available, the steps taken to minimise any emissions. All details required to be communicated must be in accordance with any Guidance provided by the Agency.

- 11.2 In the event of any incident which relates to discharges to sewer having taken place, the licensee shall notify the Local Authority and Irish Water as soon as practicable after such an incident.

- 11.3 The following shall be notified, as soon as practicable after the occurrence of any incident which relates to a discharge to water:
- (i) Inland Fisheries Ireland in the case of discharges to receiving waters.
- 11.4 The licensee shall make a record of any notification made under Condition 11.1 to 11.3. This record shall include details of the nature, extent, and impact of, and circumstances giving rise to, the incident or accident. The record shall include all corrective actions taken to manage the incident or accident, minimise wastes generated and the effect on the environment, and avoid recurrence. In the case of a breach of a condition, the record shall include measures to restore compliance.
- 11.5 The licensee shall record all complaints of an environmental nature related to the operation of the activity. Each such record shall give details of the date and time of the complaint, the name of the complainant (if provided), and give details of the nature of the complaint. A record shall also be kept of the response made in the case of each complaint.
- 11.6 The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility.
- 11.7 The licensee shall as a minimum ensure that the following documents are accessible at the site:
- (i) the licences relating to the facility;
 - (ii) the current EMS for the facility including all associated procedures, reports, records and other documents;
 - (iii) the previous year's AER for the facility;
 - (iv) records of all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility;
 - (v) relevant correspondence with the Agency;
 - (vi) up-to-date site drawings/plans showing the location of key process and environmental infrastructure, including monitoring locations and emission points;
 - (vii) up-to-date Standard Operational Procedures for all processes, plant and equipment necessary to give effect to this licence or otherwise to ensure that standard operation of such processes, plant or equipment does not result in unauthorised emissions to the environment;
 - (viii) any elements of the licence application or EIS documentation referenced in this licence.;
 - (ix) corrective and preventive actions undertaken; and,
 - (x) all records of audits.
- This documentation shall be available to the Agency for inspection at all reasonable times.
- 11.8 The licensee shall submit to the Agency, by the 31st March of each year, an AER covering the previous calendar year. This report, which shall be to the satisfaction of the Agency, shall include as a minimum the information specified in *Schedule D: Annual Environmental Report*, of this licence and shall be prepared in accordance with any relevant guidelines issued by the Agency.
- 11.9 A full record, which shall be open to inspection by authorised persons of the Agency at all times, shall be kept by the licensee on matters relating to the waste management operations and practices at this site. This record shall be maintained on a monthly basis and shall as a minimum contain details of the following:
- (i) the tonnages and List of Waste (LoW) code for the waste materials imported and/or sent off-site for disposal/recovery;
 - (ii) the names of the agent and carrier of the waste, and their waste collection permit details, if required (to include issuing authority and vehicle registration number);
 - (iii) details of the ultimate disposal/recovery destination facility for the waste and its appropriateness to accept the consigned waste stream, to include its permit/licence details and issuing authority, if required;

- (iv) written confirmation of the acceptance and disposal/recovery of any hazardous waste consignments sent off-site;
 - (v) details of all waste consigned abroad for Recovery and classified as 'Green' in accordance with the EU Shipment of Waste Regulations (Council Regulation EEC No. 1013/2006, as may be amended). The rationale for the classification must form part of the record;
 - (vi) details of any rejected consignments;
 - (vii) details of any approved waste mixing;
 - (viii) the results of any waste analyses required under *Schedule C: Control & Monitoring*, of this licence;
 - (ix) the tonnage and LoW Code for waste recovered or disposed on-site; and
 - (x) any other records as may be specified by the Agency.
- 11.10 The licensee shall maintain a computer based record, which shall be open to inspection by authorised persons of the Agency at all times, for each load of waste arriving at the facility and each load of waste departing from the facility. The licensee shall record the following:
- (i) the date;
 - (ii) the name of the carrier (including if appropriate, the waste collection permit details);
 - (iii) the vehicle registration number;
 - (iv) the trailer, skip or other container unique identification number (where relevant);
 - (v) the name of the producer(s)/collector(s) of the waste as appropriate;
 - (vi) the name of the waste facility (if appropriate) from which the load originated including the waste licence or waste permit register number;
 - (vii) a description of the waste including the associated LoW codes;
 - (viii) the quantity of the waste, recorded in tonnes;
 - (ix) details of the treatment(s) to which the waste has been subjected;
 - (x) whether the waste is for disposal or recovery and if recovery for what purpose;
 - (xi) the name of the person checking the load;
 - (xii) where loads or wastes are removed or rejected, details of the date of occurrence, the types of waste and the appropriate facility to which they were removed including the waste licence and waste permit register number of the appropriate facility; and
 - (xiii) where applicable, a consignment note number (including transfrontier shipment notification and movement/tracking form numbers, as appropriate).
- 11.11 A record shall be kept of each consignment of trade effluent, leachate and/or contaminated storm water removed from the facility. The record shall include the following:
- (i) the name of the carrier;
 - (ii) the date and time of removal of trade effluent, leachate and/or contaminated storm water from the facility;
 - (iii) the volume of trade effluent, leachate and/or contaminated storm water, in cubic metres, removed from the facility on each occasion;
 - (iv) the name and address of the Wastewater Treatment Plant to which the trade effluent, leachate and/or contaminated storm water was transported; and
 - (v) any incidents or spillages of trade effluent, leachate and/or contaminated storm water during its removal or transportation.
- 11.12 A record shall be kept at the facility of the programme for the control and eradication of vermin and fly infestations at the facility. A report on the programme shall be prepared and submitted to the Agency as part of the AER.
- 11.13 The licensee shall submit report(s) as required by the conditions of this licence to the Agency's Headquarters in Wexford, or to such other Agency office as may be specified by the Agency.
- 11.14 All reports shall be certified accurate and representative by the facility manager or a nominated, suitably qualified and experienced deputy.

11.15 Waste Recovery Reports

The licensee shall as part of the Annual Environmental Report for the site submit a report on the contribution by this facility to the achievement of the waste recovery objectives stated in Condition 2.2.2.3 and as otherwise may be stated in National and European Union waste policies and shall, as a minimum, include the following:

- (i) the recovery of metals;
- (ii) the recovery of C & D derived waste materials;
- (iii) the separation and recovery of other recyclable materials.

Reason: To provide for the collection and reporting of adequate information on the activity.

Condition 12. Financial Charges and Provisions

12.1 Agency Charges

12.1.1 The licensee shall pay to the Agency an annual contribution of €5,628, or such sum as the Agency from time to time determines, having regard to variations in the extent of reporting, auditing, inspection, sampling and analysis or other functions carried out by the Agency, towards the cost of monitoring the activity as the Agency considers necessary for the performance of its functions under the Waste Management Act 1996 as amended. The first payment shall be a pro-rata amount for the period from the date of grant of this licence to the 31st day of December, and shall be paid to the Agency within one month from the date of grant of the licence. In subsequent years the licensee shall pay to the Agency such revised annual contribution as the Agency shall from time to time consider necessary to enable performance by the Agency of its relevant functions under the Waste Management Act 1996 as amended, and all such payments shall be made within one month of the date upon which demanded by the Agency.

12.1.2 In the event that the frequency or extent of monitoring or other functions carried out by the Agency needs to be increased, the licensee shall contribute such sums as determined by the Agency to defray its costs in regard to items not covered by the said annual contribution.

12.2 Irish Water Charges

The licensee shall pay to Irish Water such sum as may be determined from time to time, having regard to the variations in the cost of providing drainage and the variation in effluent reception and treatment costs. Payment to be made on demand.

12.3 Environmental Liabilities

12.3.1 The licensee shall as part of the AER, provide an annual statement as to the measures taken or adopted at the site in relation to the prevention of environmental damage, and the financial provisions in place, as appropriate in relation to the underwriting of costs for remedial actions following anticipated events (including closure) or accidents/incidents, as may be associated with the carrying on of the activity.

12.3.2 The licensee shall arrange for the revision, by an independent and appropriately qualified consultant, of a comprehensive and fully costed Environmental Liabilities Risk Assessment (ELRA) which addresses the liabilities from past and present activities. The assessment shall include those liabilities and costs identified in Condition 10 for execution of the CRAMP. A report on this assessment shall be submitted to the Agency for agreement within two months of date of grant of this licence. The ELRA shall be reviewed as necessary to reflect any significant change on site, and in any case every three years following initial agreement. Review results are to be notified as part of the AER.

- 12.3.3 The licensee shall, to the satisfaction of the Agency and prior to commencing the acceptance of waste under this licence, make financial provision to cover any liabilities associated with the operation (including closure, restoration and aftercare). The amount of financial provision held shall be reviewed and revised as necessary, but at least annually. Proof of renewal or revision of such financial indemnity shall be included in the annual 'Statement of Measures' report identified in Condition 12.3.1.
- 12.3.4 The licensee shall revise the cost of closure annually and any adjustments shall be reflected in the financial provision made under Condition 12.3.3.
- 12.3.5 The licensee shall have regard to the Environmental Protection Agency Guidance on Assessing and Costing Environmental Liabilities (2014) and Guidance on Financial Provision (2015) when implementing Conditions 12.3.2, 12.3.3 and 12.3.4 above.

Reason: *To provide for adequate financing for monitoring and financial provisions for measures to protect the environment and to provide for the requirements of Irish Water in accordance with Section 52 of the Waste Management Act 1996 as amended.*

For inspection purposes only.
Consent of copyright owner required for any other use.

SCHEDULE A: Limitations

A.1 Waste Processes

The following waste related processes are authorised:

- Treatment and storage of municipal dry recyclable waste.

No additions to these processes are permitted unless agreed in advance by the Agency.



A.2 Waste Acceptance

Table A.1 Waste Categories and Quantities

Non-Hazardous Waste Types ^{Note 1}	LoW Codes	Maximum (Tonnes per calendar year)
Municipal dry recyclable waste	15 01 01	82,000
	15 01 02	
	15 01 03	
	15 01 04	
	15 01 06	
	15 01 07	
	20 01 01	
	20 03 01	
	20 01 38	
	20 01 39	

Note 1: Any proposals to accept other compatible non-hazardous waste types must be agreed in advance by the Agency.

For regulatory purposes only. Consent of copyright owner required for any other use.



A.3 Waste storage

Maximum amount of waste that may be stored at the facility at any one time	1,000 tonnes
--	--------------



er

SCHEDULE B: Emission Limits

B.1 Emissions to Air

There shall be no emissions to air of environmental significance.

B.2 Emissions to Water

There shall be no emissions to water of environmental significance.

B.3 Emissions to Sewer

Emission Point Reference No: FW-1
Name of Receiving WWTP: Cork City Waste Water Treatment Plant, waste water discharge licence D0033-01
Location of emission point: E566799, N568771
Volume to be emitted: Maximum in any one day: 100 m³
 Maximum rate per hour: 30 m³

Parameter	Emission Limit Value		
pH	6-9 pH units		
Temperature	25°C		
Toxicity ^{Note 1}	10 TU		
	mg/l	Mean Daily Load kg/day	Max. daily Load kg/day
BOD	2000	20	200
COD	4000	40	400
Total Suspended Solids	500	5	50
Oils, Fats and Greases	100	-	-
Detergents	10	-	-
Mineral Oil	5	-	-
Total Nitrogen	100	-	-
Total Hydrocarbons	5	-	-
Sulphate	750	-	-
VOC	1	-	-
Total Heavy Metals	1	-	-

Note 1: Toxicity Units (TU) are defined as: $TU = (100/X \text{ Hour EC50})$ where X is the relevant period of exposure and EC50 is expressed as %vol/vol.

B.4 Noise Emissions

Daytime dB L _{Ar,T} (30 minutes)	Evening time dB L _{Ar,T} (30 minutes)	Night-time dB L _{Aeq,T} (15-30 minutes)
55	50	45 ^{Note 1}

Note 1: There shall be no clearly audible tonal component or impulsive component in the noise emission from the activity at any noise-sensitive location.



B.5 Dust Deposition Limits

Level (mg/m ² /day) ^{Note 1}
350

Note 1: 30 day composite sample with the results expressed as mg/m²/day.



SCHEDULE C: Control & Monitoring

C.1.1. Control of Emissions to Air

There shall be no emissions to air of environmental significance.



C.1.2. Monitoring of Emissions to Air

There shall be no emissions to air of environmental significance.



C.2.1. Control of Emissions to Water

There shall be no emissions to water of environmental significance.



C.2.2. Monitoring of Emissions to Water

There shall be no emissions to water of environmental significance.



C.2.3. Monitoring of Storm Water Discharges

Emission Point Reference No: SW-1 (566793E, 568771N)

Parameter	Monitoring Frequency	Analysis Method/Technique
Visual Inspection	Daily	Sample and examine for colour and odour.
pH	Weekly	Standard method
Temperature	Weekly	Standard method
Conductivity	Weekly	Standard method
TOC	Weekly	Standard method
Total suspended solids	Weekly	Standard method
BOD	Weekly	Standard method
COD	Weekly	Standard method
Total Ammonia	Weekly	Standard method
Total Nitrogen	Weekly	Standard method
Mineral oils	Weekly	Standard method

C.3.1. Control of Emissions to Sewer

Emission Point Reference No: FW-1

Description of treatment: Removal of suspended solids, mineral oils and fats, oil and greases.

Control Parameter	Monitoring	Key Equipment
Suspended solids & Mineral oils/Total hydrocarbons	Suspended solids/silt & Mineral oils/Total hydrocarbons removal	Class I Full Retention Interceptor.
Fats, oil and grease removal	Fats, oil and grease content in trade effluent as a result of canteen activities.	Grease removal equipment ^{Note 1}

Note 1: Grease removal equipment shall comply with the requirements of European Standards (EN) or Plumbing and Drainage Institute (PDI) standards or as otherwise specified by Irish Water.

C.3.2. Monitoring of Emissions to Sewer

Emission Point Reference No: FW-1

Parameter	Monitoring Frequency ^{Note 1 & 2}	Analysis Method /Technique
Flow to sewer	Continuous	On-line flow meter with recorder
Temperature	Continuous	On-line temperature probe with recorder
pH	Continuous	On-line pH probe with recorder
Chemical Oxygen Demand	Weekly	Standard Method
Total Suspended Solids	Weekly	Standard Method
Biochemical Oxygen Demand	Monthly	Standard Method
Oils, fats and greases	Monthly	Standard Method
Detergents	Quarterly	Standard Method
Sulphate	Quarterly	Standard Method
VOC	Quarterly	Standard Method
Total Nitrogen	Bi-annually	Standard Method
Mineral oil	Bi-annually	Standard Method
Total Hydrocarbons	Bi-annually	Standard Method
Total Heavy Metals	Annually	Standard Method
Toxicity	As may be required	To be agreed by the Agency

- Note 1:** All samples excluding those for flow, pH and temperature shall be collected on a 24 hour flow proportional composite sampling basis. In this regard, a composite sample for testing purposes shall be defined as any sample extracted from the sampling apparatus between 8.00 am and 12.00 noon on any day for which normal operational activities have been ongoing for the previous 24 hours.
- Note 2:** Sampling shall take place in alternate week days on a rolling basis to ensure representative samples are obtained for site operations which may vary across the working week.

Content of this report is for inspection purposes only. It is not to be used for any other use.

C.4 Waste Monitoring

Waste Class	Frequency	Parameter	Method
Other ^{Note 1}			

Note 1: Analytical requirements to be determined on a case by case basis.

C.5 Noise Monitoring

Location: NSL1 (567005E, 568771N)
 NSL2 (566693E, 568860N)
 NSL3 (566632E, 568620N)
 N1 (566800E, 568768N)
 N2 (566768E, 568802N)
 N3 (566913E, 568859N)
 N4 (566901E, 568794N)

Period	Minimum Survey Duration
Daytime	4 hour survey with a minimum of 3 sampling periods at each noise monitoring location ^{Note 2}
Evening-time	2 hours survey with a minimum of 1 sampling period at each noise monitoring location.
Night-time ^{Note 1}	3 hour survey with a minimum of 2 sampling periods at each noise monitoring location.

Note 1: Night-time measurements should be made between 2300hrs and 0400hrs, Sunday to Thursday, with 2300hrs being the preferred start time.

Note 2: Sampling period is to be the time period T stated within the relevant licence. Typically this will be either 15 minutes or 30 minutes in duration. This applies to day, evening and night time periods.

C.6 Ambient Monitoring

C.6.1 Dust Deposition

Location: D1 (566837E, 568772N);
 D2 (566768E, 568816N);
 D3 (566901E, 568790N);
 D4 (566900E, 568859N); and
 any other locations required by the Agency

Parameter	Monitoring Frequency	Analysis Method/Technique
Dust deposition	Quarterly	Bergerhoff

C.6.2 Groundwater monitoring

Location: GW-1

Parameter	Monitoring Frequency	Analysis Method/Techniques
PH	Biannually	pH electrode/meter
COD	Biannually	Standard Method
Nitrate	Biannually	Standard Method
Total Ammonia	Biannually	Standard Method
Total Nitrogen	Biannually	Standard Method
Conductivity	Biannually	Standard Method
Chloride	Biannually	Standard Method
Fluoride	Biannually	Standard Method
Hazardous Compounds ^{Note1}	Biannually	Standard Method

Note 1: The relevant hazardous substances for monitoring in groundwater shall be identified by the licensee by undertaking a risk based assessment. The Licensee shall have regard to the 'Classification of Hazardous and Non-hazardous Substances in Groundwater' issued by the Agency. Monitoring for the identified hazardous substances shall be carried out at least annually, unless a case for less frequent monitoring is agreed by the Agency

◆

For inspection purposes only.
Consent of copyright owner required for any other use.

SCHEDULE D: Annual Environmental Report

Annual Environmental Report Content ^{Note 1}
Emissions from the facility.
Waste management record.
Resource consumption summary.
Complaints summary.
Schedule of Environmental Objectives and Targets.
Environmental management programme – report for previous year.
Environmental management programme – proposal for current year.
Pollutant Release and Transfer Register – report for previous year.
Pollutant Release and Transfer Register – proposal for current year.
Noise monitoring report summary.
Ambient monitoring summary.
Tank and pipeline testing and inspection report.
Reported incidents summary.
Energy efficiency audit report summary.
Report on the assessment of the efficiency of use of raw materials in processes and the reduction in waste generated.
Report on progress made and proposals being developed to minimise water demand and the volume of trade effluent discharges.
Development/Infrastructural works summary (completed in previous year or prepared for current year).
Reports on financial provision made under this licence, management and staffing structure of the facility, and a programme for public information.
Review of Closure, Restoration & Aftercare Management Plan.
Statement of measures in relation to prevention of environmental damage and remedial actions (Environmental Liabilities).
Environmental Liabilities Risk Assessment Review (every three years or more frequently as dictated by relevant on-site change including financial provisions).
Any other items specified by the Agency.

Note 1: Content may be revised subject to the approval of the Agency.

Consent (copyright) owner required for any public use. For inspection purposes only.

Sealed by the seal of the Agency on this the 21st day of August 2017.

**PRESENT when the seal of the Agency
Was affixed hereto:**



 Dr Karen Creed, Authorised Person

