

EPA Application Form

7.7 - Discharges to Storm Water - Attachment

	inspection purposes to
Organisation Name:	FORGE HILL RECYCLING CORE
Application I.D.:	LA001661



Amendments to this Application Form Attachment

Version No.	Date	Amendment since previous version	Reason
V.1.0	July 2017	N/A	Online application form attachment
		√o.	
		differing	
		ses of the state	

Page 2 of 5



Storm Water Discharge Points

Storm water is rain water run-off from roof and non-process areas

Complete the table below for all storm water discharge points – (one row per discharge point).

Note: This section is **NOT** for rain water run-off from areas used for the <u>outdoor storage of waste</u> **OR** <u>run-off from process areas likely to be contaminated</u>. (Process effluent discharges and emissions should be described in the **7.2 Emissions to Water** tab of the application form).

Discharge Point Code	Easting ¹	Northing ²	Discharges to? (enter relevant option) ³	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)
SW-1	535649	5746721	Other (Stream).	Inspection chamber fitted with manual shut-off of valve	Tributary of Tramore River	Tramore River (Coastal) (IE_SW_19_1717),
				GOT THE POT THE TEET		
				Consent of copy		

^{*}add rows to the table as necessary

¹ Six Digit GPS Irish National Grid Reference

² Six Digit GPS Irish National Grid Reference

Options: 'River', 'Ditch', 'Estuary', 'Lake', 'Land Drain', 'Foul Sewer', 'Percolation Area', 'Groundwater', 'Storm Sewer' or 'Other' (where 'Other' is selected please enter a description)



Storm Water Discharge Monitoring Points

Enter the Discharge Point Code, the associated Monitoring Point Code and the grid reference details for each Monitoring Point location.

535649 5746721	
tise.	
1. A differ	
south Att	
auffortied	
dion to tech	
insoft of	
Equipme	
ato	
	For inspection purposes out of the first owner required for the first owne

^{*}add rows to the table as necessary

⁴ Six Digit GPS Irish National Grid Reference

⁵ Six Digit GPS Irish National Grid Reference



Storm Water Trigger Levels and Monitoring

Complete the table below with details of the trigger levels and proposed monitoring regime for each parameter. Select parameters that are a good indicator of loss of containment on-site. Consult the EPA guidance in the setting of trigger values for storm water discharges to off-site surface wastes at EPA licensed facilities (2012). (If different parameters or monitoring arrangements apply at different storm water discharge points include information on this within the table).

			Sampling / Monitoring		
Parameter	Trigger Level	How was the trigger level determined?	Proposed Monitoring Frequency ⁶	Sample Method ⁷	Analysis Method and Technique 8
pH			WEEKLY	STANDARD METHOD	Online pH electrode/probe Meter and Recorder'
Temperature			WEEKLY	STANDARD METHOD	Standard Method'
Conductivity			WEEKLY	STANDARD METHOD	Standard Method'
TOC			WEEKLY ally ally	STANDARD METHOD	Standard Method'
TOTAL SUSPENDED SOLIDS			WEEKLY OSES BILLY OF THE PROPERTY OF THE PROPE	STANDARD METHOD	Standard Method'
BOD			WEEKEYNET	STANDARD METHOD	Standard Method'
COD			WEEKLY	STANDARD METHOD	Standard Method'
TOTAL AMMONIA			WEEKLY	STANDARD METHOD	Standard Method'
TOTAL NITROGEN		Cons	WEEKLY	STANDARD METHOD	Standard Method'
MINERAL OILS		Cor	WEEKLY	STANDARD METHOD	Standard Method'

If not provided for in the table above, upload a document that includes details of how storm water is proposed to be monitored (select Document Type: 'Storm Water Monitoring' in the application form).

Storm Water Monitoring document file name: Stormwater Trigger Levels Report.pdf

⁶ Option list: 'Continuous', 'Hourly', 'Daily', 'Weekly', 'Monthly', 'Quarterly', 'Biannually' OR 'Annually'.

⁷ Option list: 'Continuous', '24-hour Flow Proportional Composite', '24-hour Time Proportional Composite' OR 'Grab'.

⁸ Option list: 'Gravimetric', 'Online Calibrated Suspended Solids', 'Online Flow Meter with Recorder', 'Online pH electrode/probe Meter and Recorder', 'Online Temperature Probe with Recorder', 'Standard Method', 'Visual', OR 'To be agreed by the Agency'.