

**APPENDIX K**  
**Human Health Assessment**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

For inspection purposes only.  
Consent of copyright owner required for any other use.

Table 1: Summary of Soil Chemical Laboratory Analysis Results - Site 1, Capping Materials

Determinand	Units	No. of Samples	Result	Screening Value	No. of Exceedances above Screening Value	Location of Exceedances
<b>Metals and Inorganics</b>						
Asbestos Identification	-	1	No Asbestos Detected	n/a	-	-
pH	pH Units	1	9.2	-	-	-
Arsenic	mg/kg	1	21	170*	0	-
Cadmium	mg/kg	1	0.89	560*	0	-
Chromium	mg/kg	1	18	33,000*	0	-
Copper	mg/kg	1	24	44,000*	0	-
Mercury	mg/kg	1	0.21	240*	0	-
Nickel	mg/kg	1	25	3,400*	0	-
Lead	mg/kg	1	140	1,300^	0	-
Selenium	mg/kg	1	< 0.20	1,800*	0	-
Vanadium	mg/kg	1	21	5,000*	0	-
Zinc	mg/kg	1	90	170,000*	0	-
<b>Total petroleum hydrocarbons (TPH) and BTEX</b>						
Aliphatic TPH >C5-C6	mg/kg	1	< 1.0	95,000**	0	-
Aliphatic TPH >C6-C8	mg/kg	1	< 1.0	150,000**	0	-
Aliphatic TPH >C8-C10	mg/kg	1	< 1.0	14,000**	0	-
Aliphatic TPH >C10-C12	mg/kg	1	< 1.0	21,000**	0	-
Aliphatic TPH >C12-C16	mg/kg	1	< 1.0	25,000**	0	-
Aliphatic TPH >C16-C21	mg/kg	1	< 1.0	450,000**	0	-
Aliphatic TPH >C21-C35	mg/kg	1	< 1.0	450,000**	0	-
Aliphatic TPH >C35-C44	mg/kg	1	< 1.0	450,000**	0	-
Total Aliphatic Hydrocarbons	mg/kg	1	< 5.0	-	-	-
Aromatic TPH >C5-C7	mg/kg	1	< 1.0	76,000**	0	-
Aromatic TPH >C7-C8	mg/kg	1	< 1.0	87,000**	0	-
Aromatic TPH >C8-C10	mg/kg	1	< 1.0	7,200**	0	-
Aromatic TPH >C10-C12	mg/kg	1	< 1.0	9,200**	0	-
Aromatic TPH >C12-C16	mg/kg	1	< 1.0	10,000**	0	-
Aromatic TPH >C16-C21	mg/kg	1	< 1.0	7,600**	0	-
Aromatic TPH >C21-C35	mg/kg	1	< 1.0	7,800**	0	-
Aromatic TPH >C35-C44	mg/kg	1	< 1.0	7,800**	0	-
Total Aromatic Hydrocarbons	mg/kg	1	< 5.0	-	-	-
Benzene	µg/kg	1	Below LoD	90 mg/kg **	0	-
Toluene	µg/kg	1	Below LoD	87,000 mg/kg **	0	-
Ethylbenzene	µg/kg	1	1.8	17,000 mg/kg **	0	-
m & p-Xylene	µg/kg	1	3.5	17,000 mg/kg **	0	-
o-Xylene	µg/kg	1	1.2	17,000 mg/kg **	0	-
<b>Polycyclic aromatic hydrocarbons (PAH)</b>						
Naphthalene	mg/kg	1	0.44	1,200 **	0	-
Acenaphthylene	mg/kg	1	< 0.10	29,000**	0	-
Acenaphthene	mg/kg	1	0.12	29,000**	0	-
Fluorene	mg/kg	1	0.23	20,000**	0	-
Phenanthrene	mg/kg	1	0.86	6,200**	0	-
Anthracene	mg/kg	1	0.23	150,000**	0	-
Fluoranthene	mg/kg	1	0.22	6,300**	0	-
Pyrene	mg/kg	1	1.2	15,000**	0	-
Benzo[a]anthracene	mg/kg	1	0.74	49	0	-
Chrysene	mg/kg	1	0.63	93	0	-
Benzo[b]fluoranthene	mg/kg	1	0.7	13	0	-
Benzo[k]fluoranthene	mg/kg	1	0.73	370	0	-
Benzo[a]pyrene	mg/kg	1	0.81	11	0	-
Indeno[1,2,3-c,d]Pyrene	mg/kg	1	0.81	150	0	-
Dibenz[a,h]Anthracene	mg/kg	1	< 0.10	1.1	0	-
Benzo[g,h,i]perylene	mg/kg	1	0.87	1,400**	0	-
<b>VOC, SVOC and Phenols</b>						
VOCs	µg/kg	1	Below LoD	-	-	-
SVOCs	mg/kg	1	Below LoD	-	-	-
Total Phenols	mg/kg	1	< 0.30	440	N	-

\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario

\*\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario assuming 1% Soil Organic Matter (SOM) content

^ Category 4 Screening Level (C4SL) for Public Open Space (parks) scenario

Table 2: Summary of Soil Chemical Laboratory Analysis Results - Site 1, Landfill Materials

Determinand	Units	No. of Samples	Minimum Concentration	Maximum Concentration	95% UCL (incl. outliers)	No. Outliers	Screening Value	Does 95% UCL Exceed Screening Value?	Number of Outliers Exceeding Screening Value	Location of Outliers Exceeding Screening Value
<b>Metals and Inorganics</b>										
Asbestos Identification	-	12	-	Cement Amosite Chrysotile TP13, 2.5 m	-	-	n/a	-	-	-
pH	pH Units	8	8	8.6	-	-	8.6	-	-	-
Arsenic	mg/kg	8	14	44	-	-	170*	-	-	-
Cadmium	mg/kg	8	0.8	2.2	-	-	260*	-	-	-
Chromium	mg/kg	8	18	48	-	-	33,000*	-	-	-
Copper	mg/kg	8	35	270	-	-	44,000*	-	-	-
Mercury	mg/kg	8	0.14	0.42	-	-	240*	-	-	-
Nickel	mg/kg	8	25	110	-	-	3,400*	-	-	-
Lead	mg/kg	8	55	330	-	-	1,300*	-	-	-
Selenium	mg/kg	8	<0.20	0.37	-	-	1,800*	-	-	-
Vanadium	mg/kg	8	15	36	-	-	5,000*	-	-	-
Zinc	mg/kg	8	120	830	-	-	170,000*	-	-	-
<b>Total petroleum hydrocarbons (TPH) and BTEX</b>										
Aliphatic TPH >C5-C6	mg/kg	8	< 1.0	0	-	-	95,000**	-	-	-
Aliphatic TPH >C6-C8	mg/kg	8	< 1.0	0	-	-	150,000**	-	-	-
Aliphatic TPH >C8-C10	mg/kg	8	< 1.0	100	-	-	14,000**	-	-	-
Aliphatic TPH >C10-C12	mg/kg	8	< 1.0	120	-	-	21,000**	-	-	-
Aliphatic TPH >C12-C16	mg/kg	8	< 1.0	110	-	-	25,000**	-	-	-
Aliphatic TPH >C16-C21	mg/kg	8	< 1.0	140	-	-	450,000**	-	-	-
Aliphatic TPH >C21-C35	mg/kg	8	< 1.0	970	-	-	450,000**	-	-	-
Aliphatic TPH >C35-C44	mg/kg	8	< 1.0	280	-	-	450,000**	-	-	-
Total Aliphatic Hydrocarbons	mg/kg	8	< 5.0	1500	-	-	-	-	-	-
Aromatic TPH >C5-C7	mg/kg	8	< 1.0	0	-	-	76,000**	-	-	-
Aromatic TPH >C7-C8	mg/kg	8	< 1.0	4.5	-	-	87,000**	-	-	-
Aromatic TPH >C8-C10	mg/kg	8	< 1.0	88	-	-	7,200**	-	-	-
Aromatic TPH >C10-C12	mg/kg	8	< 1.0	60	-	-	9,200**	-	-	-
Aromatic TPH >C12-C16	mg/kg	8	< 1.0	64	-	-	10,000**	-	-	-
Aromatic TPH >C16-C21	mg/kg	8	< 1.0	150	-	-	7,600**	-	-	-
Aromatic TPH >C21-C35	mg/kg	8	< 1.0	300	-	-	7,800**	-	-	-
Aromatic TPH >C35-C44	mg/kg	8	< 1.0	160	-	-	7,800**	-	-	-
Total Aromatic Hydrocarbons	mg/kg	8	< 5.0	810	-	-	-	-	-	-
Benzene	µg/kg	8	2.8	6.1	-	-	90 mg/kg **	-	-	-
Toluene	µg/kg	8	1.3	120	-	-	87,000 mg/kg **	-	-	-
Ethylbenzene	µg/kg	8	1.7	220	-	-	17,000 mg/kg **	-	-	-
m & p-Xylene	µg/kg	8	3.1	4700	-	-	17,000 mg/kg **	-	-	-
o-Xylene	µg/kg	8	1.5	1200	-	-	17,000 mg/kg **	-	-	-
<b>Polycyclic aromatic hydrocarbons (PAH)</b>										
Naphthalene	mg/kg	8	< 0.10	1.8	-	-	1,200 **	-	-	-
Acenaphthylene	mg/kg	8	< 0.10	0.87	-	-	29,000**	-	-	-
Acenaphthene	mg/kg	8	< 0.10	3.9	-	-	29,000**	-	-	-
Fluorene	mg/kg	8	< 0.10	9.9	-	-	20,000**	-	-	-
Phenanthrene	mg/kg	8	< 0.10	53	-	-	6,200**	-	-	-
Anthracene	mg/kg	8	< 0.10	17	-	-	150,000**	-	-	-
Fluoranthene	mg/kg	8	< 0.10	42	-	-	6,300**	-	-	-
Pyrene	mg/kg	8	< 0.10	31	-	-	15,000**	-	-	-
Benzo[a]anthracene	mg/kg	8	< 0.10	19	-	-	49**	-	-	-
Chrysene	mg/kg	8	< 0.10	15	-	-	93**	-	-	-
Benzo[b]fluoranthene	mg/kg	8	< 0.10	19	13.06	2	13**	Yes	1	LG13, 6.0m
Dibenz[a,h]anthracene	mg/kg	8	< 0.10	1.9	1.4	3	1.1**	Yes	1	LG13, 6.0m
Benzo[k]fluoranthene	mg/kg	8	< 0.10	8.9	-	-	370**	-	-	-
Benzo[a]pyrene	mg/kg	8	< 0.10	15	10.3	-	11**	No	1	LG11, 6.0m
Indeno[1,2,3-c,d]pyrene	mg/kg	8	< 0.10	7.6	-	-	350**	-	-	-
Benzo[ghi]perylene	mg/kg	8	< 0.10	7	-	-	1,400**	-	-	-
<b>VOCs and SVOCs (results above Laboratory Detection Limit), and Phenols</b>										
Benzo[g,h,i]perylene	mg/kg	8	< 0.10	7.3	-	-	1,400**	-	-	-
Total Of 16 PAH's	mg/kg	8	< 2.0	170	-	-	-	-	-	-
cis 1,2-Dichloroethene	µg/kg	8	5.7	5.7	-	-	-	-	-	-
Chlorobenzene	µg/kg	8	22	180	-	-	-	-	-	-
Isopropylbenzene	µg/kg	8	1.5	68	-	-	-	-	-	-
n-Propylbenzene	µg/kg	8	3.2	54	-	-	-	-	-	-
1,3,5-Trimethylbenzene	µg/kg	8	1.6	130	-	-	-	-	-	-
1,2,4-Trimethylbenzene	µg/kg	8	2.2	500	-	-	-	-	-	-
1,3-Dichlorobenzene	µg/kg	8	28	28	-	-	-	-	-	-
4-Isopropyltoluene	µg/kg	8	12	92	-	-	-	-	-	-
1,4-Dichlorobenzene	µg/kg	8	150	180	-	-	-	-	-	-
1,2-Dichlorobenzene	µg/kg	8	230	930	-	-	-	-	-	-
2-Methylnaphthalene	mg/kg	8	< 0.10	2.9	-	-	-	-	-	-
Dibenzofuran	mg/kg	8	< 0.10	2.5	-	-	-	-	-	-
Carbazole	mg/kg	8	< 0.10	1.1	-	-	-	-	-	-
Total Phenols	mg/kg	8	< 0.3	0.3	-	-	440**	-	-	-

Delisted includes LG13 (0.5mg/GBL) which may be assumed as capping layer, however the available logs indicate the presence of waste therefore this sample has been interpreted as part of the waste strata

\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario  
 \*\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario assuming 1% Soil Organic Matter (SOM) content  
 ^ Category 4 Screening Level (C4SL) for Public Open Space (parks) scenario

For information purposes only. Consult of appropriate owner required for any other use.

Table 3: Summary of Soil Chemical Laboratory Analysis Results - Site 2, Capping Materials

Determinand	Units	No. of Samples	Result	Screening Value	No. of Exceedances above Screening Value	Location of Exceedances
<b>Metals and Inorganics</b>						
Asbestos Identification	-	4	No Asbestos Detected	n/a	-	-
pH	pH Units	1	8.4	-	-	-
Arsenic	mg/kg	1	25	170*	0	-
Cadmium	mg/kg	1	0.94	560*	0	-
Chromium	mg/kg	1	24	33,000*	0	-
Copper	mg/kg	1	31	44,000*	0	-
Mercury	mg/kg	1	0.15	240*	0	-
Nickel	mg/kg	1	35	3,400*	0	-
Lead	mg/kg	1	61	1,300^	0	-
Selenium	mg/kg	1	0.58	1,800*	0	-
Vanadium	mg/kg	1	30	5,000*	0	-
Zinc	mg/kg	1	92	170,000*	0	-
<b>Total petroleum hydrocarbons (TPH) and BTEX</b>						
Aliphatic TPH >C5-C6	mg/kg	1	< 1.0	95,000**	0	-
Aliphatic TPH >C6-C8	mg/kg	1	< 1.0	150,000**	0	-
Aliphatic TPH >C8-C10	mg/kg	1	< 1.0	14,000**	0	-
Aliphatic TPH >C10-C12	mg/kg	1	< 1.0	21,000**	0	-
Aliphatic TPH >C12-C16	mg/kg	1	< 1.0	25,000**	0	-
Aliphatic TPH >C16-C21	mg/kg	1	< 1.0	450,000**	0	-
Aliphatic TPH >C21-C35	mg/kg	1	< 1.0	450,000**	0	-
Aliphatic TPH >C35-C44	mg/kg	1	< 1.0	450,000**	0	-
Total Aliphatic Hydrocarbons	mg/kg	1	< 5.0	-	-	-
Aromatic TPH >C5-C7	mg/kg	1	< 1.0	76,000**	0	-
Aromatic TPH >C7-C8	mg/kg	1	< 1.0	87,000**	0	-
Aromatic TPH >C8-C10	mg/kg	1	< 1.0	7,200**	0	-
Aromatic TPH >C10-C12	mg/kg	1	< 1.0	9,200**	0	-
Aromatic TPH >C12-C16	mg/kg	1	< 1.0	10,000**	0	-
Aromatic TPH >C16-C21	mg/kg	1	7	7,600**	0	-
Aromatic TPH >C21-C35	mg/kg	1	10	7,800**	0	-
Aromatic TPH >C35-C44	mg/kg	1	< 1.0	7,800**	0	-
Total Aromatic Hydrocarbons	mg/kg	1	17	-	-	-
<b>Polycyclic aromatic hydrocarbons (PAH)</b>						
Naphthalene	mg/kg	1	0.36	1,200**	0	-
Acenaphthylene	mg/kg	1	0.37	29,000**	0	-
Acenaphthene	mg/kg	1	0.14	29,000**	0	-
Fluorene	mg/kg	1	0.37	20,000**	0	-
Phenanthrene	mg/kg	1	3	6,200**	0	-
Anthracene	mg/kg	1	1.3	150,000**	0	-
Fluoranthene	mg/kg	1	5.5	6,300**	0	-
Pyrene	mg/kg	1	5	15,000**	0	-
Benzo[a]anthracene	mg/kg	1	3.3	49**	0	-
Chrysene	mg/kg	1	3.7	93**	0	-
Benzo[b]fluoranthene	mg/kg	1	2.1	13**	0	-
Benzo[k]fluoranthene	mg/kg	1	2.1	370**	0	-
Benzo[a]pyrene	mg/kg	1	4	11**	0	-
Indeno[1,2,3-c,d]Pyrene	mg/kg	1	3.5	150**	0	-
Dibenz[a,h]Anthracene	mg/kg	1	1.2	1.1**	1	i.G10, 0.0m
Benzo[g,h,i]perylene	mg/kg	1	3.1	1,400**	0	-
<b>VOCs, SVOCs and Phenols</b>						
SVOCs	mg/kg	1	Below LoD	-	-	-
VOCs	µg/kg	1	Below LoD	-	-	-
Total Phenols	mg/kg	1	< 0.30	440	N	-

\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario

\*\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario assuming 1% Soil Organic Matter (SOM) content

^ Category 4 Screening Level (C4SL) for Public Open Space (parks) scenario

Table 4: Summary of Soil Chemical Laboratory Analysis Results - Site 2, Landfill Materials

Determinand	Units	No. of Samples	Minimum Concentration	Maximum Concentration	95% UCL (Incl. Outliers)	Ex. Outliers	Screening Value	Does 95% UCL Exceed Screening Value?	Number of Outliers Exceeding Screening Value	Location of Outliers Exceeding Screening Value
<b>Metals and Inorganics</b>										
Asbestos Identification	-	14	-	No Asbestos Detected	-	-	n/a	-	-	-
pH	pH Units	12	7.8	8.8	-	-	-	-	-	-
Arsenic	mg/kg	15	6.4	34	-	-	170*	-	-	-
Cadmium	mg/kg	15	0.7	41	-	-	560*	-	-	-
Chromium	mg/kg	15	8.5	159	-	-	33,000*	-	-	-
Copper	mg/kg	15	19	3303	-	-	44,000*	-	-	-
Mercury	mg/kg	15	0.11	0.37	-	-	240*	-	-	-
Nickel	mg/kg	15	12	559	-	-	3,400*	-	-	-
Lead	mg/kg	15	30	4955	1903.07	5	1,300*	Yes	1	TP6(M)
Selenium	mg/kg	15	0.35	2	-	-	1,800*	-	-	-
Vanadium	mg/kg	12	9.7	31	-	-	5,000*	-	-	-
Zinc	mg/kg	15	72	5243	-	-	170,000*	-	-	-
<b>Total petroleum hydrocarbons (TPH) and BTEX</b>										
Aliphatic TPH <C5-C6	mg/kg	12	0	0	-	-	95,000**	-	-	-
Aliphatic TPH <C6-C8	mg/kg	12	41	49	-	-	150,000**	-	-	-
Aliphatic TPH <C8-C10	mg/kg	12	4.1	69	-	-	14,000**	-	-	-
Aliphatic TPH <C10-C12	mg/kg	12	5.9	46	-	-	21,000**	-	-	-
Aliphatic TPH <C12-C16	mg/kg	12	4.3	57	-	-	25,000**	-	-	-
Aliphatic TPH <C16-C21	mg/kg	12	19	81	-	-	450,000**	-	-	-
Aliphatic TPH <C21-C35	mg/kg	12	170	670	-	-	450,000**	-	-	-
Aliphatic TPH <C35-C44	mg/kg	12	1.5	31	-	-	450,000**	-	-	-
Total Aliphatic Hydrocarbons	mg/kg	12	170	900	-	-	-	-	-	-
Aromatic TPH <C5-C7	mg/kg	12	27	37	-	-	76,000**	-	-	-
Aromatic TPH <C7-C8	mg/kg	12	1.8	1.3	-	-	87,000**	-	-	-
Aromatic TPH <C8-C10	mg/kg	12	9	49	-	-	7,200**	-	-	-
Aromatic TPH <C10-C12	mg/kg	12	1.9	94	-	-	9,200**	-	-	-
Aromatic TPH <C12-C16	mg/kg	12	2.2	160	-	-	10,000**	-	-	-
Aromatic TPH <C16-C21	mg/kg	12	4.7	339	-	-	7,800**	-	-	-
Aromatic TPH <C21-C35	mg/kg	12	30	350	-	-	7,800**	-	-	-
Aromatic TPH <C35-C44	mg/kg	12	7.1	48	-	-	7,800**	-	-	-
Total Aromatic Hydrocarbons	mg/kg	12	72	3006	-	-	-	-	-	-
Benzene	µg/kg	12	-	Below LoD	-	-	90 mg/kg **	-	-	-
Toluene	µg/kg	12	1.6	4.9	-	-	87,000 mg/kg **	-	-	-
Ethylbenzene	µg/kg	12	2.3	8.7	-	-	17,000 mg/kg **	-	-	-
m & p-xylene	µg/kg	12	1.5	34	-	-	17,000 mg/kg **	-	-	-
o-xylene	µg/kg	12	1.5	18	-	-	17,000 mg/kg **	-	-	-
<b>Polycyclic aromatic hydrocarbons (PAH)</b>										
Naphthalene	mg/kg	12	0.32	2.2	-	-	1,200 **	-	-	-
Acenaphthylene	mg/kg	12	0.19	1.2	-	-	29,000**	-	-	-
Acenaphthene	mg/kg	12	0.28	1.9	-	-	29,000**	-	-	-
Fluorene	mg/kg	12	0.4	2.7	-	-	20,000**	-	-	-
Phenanthrene	mg/kg	12	0.74	3.4	-	-	6,200**	-	-	-
Anthracene	mg/kg	12	0.14	3.8	-	-	150,000**	-	-	-
Fluoranthene	mg/kg	12	0.12	3.6	-	-	6,300**	-	-	-
Pyrene	mg/kg	12	0.11	15	-	-	16,000**	-	-	-
Benzo[a]anthracene	mg/kg	12	0.59	10	-	-	49**	-	-	-
Chrysene	mg/kg	12	0.75	11	-	-	93**	-	-	-
Benzo[b]fluoranthene	mg/kg	12	0.56	12	-	-	13**	-	-	-
Benzo[k]fluoranthene	mg/kg	12	0.21	5	-	-	370**	-	-	-
Benzo[a]pyrene	mg/kg	12	0.41	30	-	-	11**	-	-	-
Indeno[1,2,3-cd]pyrene	mg/kg	12	0.37	6.7	-	-	350**	-	-	-
Dibenz[a,h]anthracene	mg/kg	12	0.33	2.9	1.98	3	1.1**	Yes	1	LG04, 6.5m
Benzo[e]pyrene	mg/kg	12	0.35	7.5	-	-	1,400**	-	-	-
<b>VOC and SVOC (results above Laboratory Detection Limit), and Phenols</b>										
Chloromethane	µg/kg	12	2.6	2.6	-	-	-	-	-	-
Trichlorofluoromethane	µg/kg	12	23	23	-	-	-	-	-	-
Isopropylbenzene	µg/kg	12	1.7	4.3	-	-	12,000*	-	-	-
n-Propylbenzene	µg/kg	12	4.6	15	-	-	-	-	-	-
1,3,5-Trimethylbenzene	µg/kg	12	1.8	30	-	-	-	-	-	-
Tert-Butylbenzene	µg/kg	12	6.1	6.1	-	-	-	-	-	-
1,2,4-Trimethylbenzene	µg/kg	12	4.2	120	-	-	-	-	-	-
sec-Butylbenzene	µg/kg	12	4	9.1	-	-	-	-	-	-
n-Isopropyltoluene	µg/kg	12	2.3	39	-	-	-	-	-	-
Total Phenols	mg/kg	12	0.48	4.8	-	-	440**	-	-	-

Dataset includes LG7 (0.5mGGL), LG02 (0.0mBGL) and LG04 (0.6 mBGL) which may be assumed as capping layer, however the available logs indicate the presence of water therefore this sample has been interpreted as part of the waste strata.

- \* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario
- \*\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario assuming 1% Soil Organic Matter (SOM) content
- Category 4 Screening Level (C4SL) for Public Open Space (parks) scenario
- CLARE Generic Assessment Criteria (GAC) for Residential without plant uptake scenario, assuming 1% SOM

For inspection purposes only.  
Consent of copyright owner required for any other use.

Table 5: Summary of Soil Chemical Laboratory Analysis Results - Site 8A, Landfill Materials

Determinand	Units	No. of Samples	Min	Max	Screening Value	No. of Exceedences above Screening Value	Location of Exceedences
<b>Metals and Inorganics</b>							
Asbestos Identification	-	7	-	No Asbestos Detected	n/a	-	-
pH	pH Units	6	7.5	8.5	-	-	-
Arsenic	mg/kg	6	9.3	38	170*	0	-
Cadmium	mg/kg	6	0.68	4.7	560*	0	-
Chromium	mg/kg	6	12	51	33,000*	0	-
Copper	mg/kg	6	18	300	44,000*	0	-
Mercury	mg/kg	6	0.11	0.34	240*	0	-
Nickel	mg/kg	6	20	48	3,400*	0	-
Lead	mg/kg	6	27	540	1,300*	0	-
Selenium	mg/kg	6	0.38	1.3	1,800*	0	-
Vanadium	mg/kg	6	14	90	5,000*	0	-
Zinc	mg/kg	6	72	1100	170,000*	0	-
<b>Total petroleum hydrocarbons (TPH) and BTEX</b>							
Aliphatic TPH >C5-C6	mg/kg	6	-	Below LoD	95,000**	0	-
Aliphatic TPH >C6-C8	mg/kg	6	-	Below LoD	150,000**	0	-
Aliphatic TPH >C8-C10	mg/kg	6	8.7	17	14,000**	0	-
Aliphatic TPH >C10-C12	mg/kg	6	8	13	21,000**	0	-
Aliphatic TPH >C12-C16	mg/kg	6	12	23	25,000**	0	-
Aliphatic TPH >C16-C21	mg/kg	6	57	66	450,000**	0	-
Aliphatic TPH >C21-C35	mg/kg	6	390	830	450,000**	0	-
Aliphatic TPH >C35-C44	mg/kg	6	3	12	450,000**	0	-
Total Aliphatic Hydrocarbons	mg/kg	6	490	940	-	0	-
Aromatic TPH >C5-C7	mg/kg	6	-	Below LoD	76,000**	0	-
Aromatic TPH >C7-C8	mg/kg	6	2.2	2.2	87,000**	0	-
Aromatic TPH >C8-C10	mg/kg	6	6.3	30	7,200**	0	-
Aromatic TPH >C10-C12	mg/kg	6	29	44	9,200**	0	-
Aromatic TPH >C12-C16	mg/kg	6	7.7	9.1	10,000**	0	-
Aromatic TPH >C16-C21	mg/kg	6	4.5	22	7,600**	0	-
Aromatic TPH >C21-C35	mg/kg	6	180	280	7,800**	0	-
Aromatic TPH >C35-C44	mg/kg	6	80	80	7,800**	0	-
Total Aromatic Hydrocarbons	mg/kg	6	260	440	-	0	-
Benzene	µg/kg	6	4.30	6.8	90 mg/kg **	0	-
Toluene	µg/kg	6	9.90	28	87,000 mg/kg **	0	-
Ethylbenzene	µg/kg	6	5.80	43	17,000 mg/kg **	0	-
m & p-Xylene	µg/kg	6	9.00	140	17,000 mg/kg **	0	-
o-Xylene	µg/kg	6	4.20	65	17,000 mg/kg **	0	-
<b>Polycyclic aromatic hydrocarbons (PAH)</b>							
naphthalene	mg/kg	6	0.36	1.8	1,200 **	0	-
acenaphthylene	mg/kg	6	0.14	0.93	29,000**	0	-
Acenaphthene	mg/kg	6	0.33	1.4	29,000**	0	-
Fluorene	mg/kg	6	0.16	1.5	20,000**	0	-
Phenanthrene	mg/kg	6	0.29	3.7	6,200**	0	-
Anthracene	mg/kg	6	0.11	0.64	150,000**	0	-
Fluoranthene	mg/kg	6	0.31	3.2	6,300**	0	-
Pyrene	mg/kg	6	0.5	3.7	15,000**	0	-
Benzo(a)anthracene	mg/kg	6	0.23	3.6	49**	0	-
Chrysene	mg/kg	6	0.31	5.8	93**	0	-
Benzo(b)fluoranthene	mg/kg	6	-	Below LoD	13**	0	-
Benzo(k)fluoranthene	mg/kg	6	-	Below LoD	370**	0	-
Benzo(a)pyrene	mg/kg	6	-	Below LoD	31**	0	-
Indeno(1,2,3-c,d)Pyrene	mg/kg	6	-	Below LoD	150**	0	-
Dibenz(a,h)Anthracene	mg/kg	6	-	Below LoD	1.1**	0	-
Benzo(g,h,i)perylene	mg/kg	6	-	Below LoD	1,400**	0	-
<b>VOC's and SVOC's (results above Laboratory Detection Limit), and Phenols</b>							
cis 1,2-Dichloroethene	µg/kg	6	4.20	66	-	-	-
Tetrachloroethene	µg/kg	6	1.80	1.8	810,000#	0	-
Isopropylbenzene	µg/kg	6	2.00	3.5	12,000#	0	-
N-Propylbenzene	µg/kg	6	1.50	10	-	-	-
1,3,5-Trimethylbenzene	µg/kg	6	4.20	25	-	-	-
1,2,4-Trimethylbenzene	µg/kg	6	11.00	82	410#	0	-
4-Isopropyltoluene	µg/kg	6	2.10	870	-	-	-
Total Phenols	mg/kg	6	< 0.30	1.7	400*	0	-

Dataset includes LG15 (0.0mGBL) and LG15 (0.0 mBGL) which may be assumed as capping layer, however the available logs indicate the presence of waste therefore this sample has been interpreted as part of the waste strata.

- \* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario
- \*\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario assuming 1% Soil Organic Matter (SOM) content
- # Category 4 Screening Level (C4SL) for Public Open Space (parks) scenario
- @ CLAIR Generic Assessment Criteria (GAC) for Residential without plant uptake scenario, assuming 1% SOM

For information purposes only  
Consent of copying by owner required for any other use.

Table 6: Summary of Soil Chemical Laboratory Analysis Results - Site 3B, Landfill Materials

Determinand	Units	No. of Samples	Min	Max	Screening Value	No. of Exceedances above Screening Value	Location of Exceedances
<b>Metals and Inorganics</b>							
Asbestos Identification	-	9	-	No Asbestos Detected	n/a	-	-
pH	pH Units	5	8.2	9.1	-	-	-
Arsenic	mg/kg	5	6.8	20	170*	0	-
Cadmium	mg/kg	5	0.78	1.8	560*	0	-
Chromium	mg/kg	5	17	140	33,000*	0	-
Copper	mg/kg	5	14	140	44,000*	0	-
Mercury	mg/kg	5	0.45	0.45	240*	0	-
Nickel	mg/kg	5	20	36	3,400*	0	-
Lead	mg/kg	5	24	180	1,300*	0	-
Selenium	mg/kg	5	0.44	1	1,800*	0	-
Vanadium	mg/kg	5	11	30	5,000*	0	-
Zinc	mg/kg	5	61	1,900	170,000*	0	-
<b>Total petroleum hydrocarbons (TPH) and BTEX</b>							
Aliphatic TPH >C5-C6	mg/kg	5	-	Below LoD	95,000**	0	-
Aliphatic TPH >C6-C8	mg/kg	5	-	Below LoD	150,000**	0	-
Aliphatic TPH >C8-C10	mg/kg	5	49	320	14,000**	0	-
Aliphatic TPH >C10-C12	mg/kg	5	39	240	21,000**	0	-
Aliphatic TPH >C12-C16	mg/kg	5	14	130	25,000**	0	-
Aliphatic TPH >C16-C21	mg/kg	5	44	540	450,000**	0	-
Aliphatic TPH >C21-C35	mg/kg	5	310	3,000	450,000**	0	-
Aliphatic TPH >C35-C44	mg/kg	5	470	470	450,000**	0	-
Total Aliphatic Hydrocarbons	mg/kg	5	920	4,300	-	-	-
Aromatic TPH >C5-C7	mg/kg	5	-	Below LoD	76,000**	0	-
Aromatic TPH >C7-C8	mg/kg	5	-	Below LoD	87,000**	0	-
Aromatic TPH >C8-C10	mg/kg	5	57	69	7,200**	0	-
Aromatic TPH >C10-C12	mg/kg	5	110	140	9,200**	0	-
Aromatic TPH >C12-C16	mg/kg	5	23	240	10,000**	0	-
Aromatic TPH >C16-C21	mg/kg	5	230	430	7,600**	0	-
Aromatic TPH >C21-C35	mg/kg	5	230	960	7,800**	0	-
Aromatic TPH >C35-C44	mg/kg	5	5.2	54	7,800**	0	-
Total Aromatic Hydrocarbons	mg/kg	5	700	1,800	-	-	-
Benzene	µg/kg	5	2.2	2.2	90 mg/kg **	0	-
Toluene	µg/kg	5	13	94	87,000 mg/kg **	0	-
Ethylbenzene	µg/kg	5	7.1	27	17,000 mg/kg **	0	-
m & p-Xylene	µg/kg	5	24	110	17,000 mg/kg **	0	-
o-Xylene	µg/kg	5	8.9	48	17,000 mg/kg **	0	-
<b>Polycyclic aromatic hydrocarbons (PAH)</b>							
Naphthalene	mg/kg	5	< 0.10	1.1	1,200 **	0	-
Acenaphthylene	mg/kg	5	<0.10	0.53	29,000**	0	-
Acenaphthene	mg/kg	5	< 0.10	0.39	29,000**	0	-
Fluorene	mg/kg	5	<0.10	0.63	20,000**	0	-
Phenanthrene	mg/kg	5	< 0.10	1.4	6,200**	0	-
Anthracene	mg/kg	5	<0.10	0.29	150,000**	0	-
Fluoranthene	mg/kg	5	1.2	3.2	6,300**	0	-
Pyrene	mg/kg	5	0.11	5.3	15,000**	0	-
Benzo[a]anthracene	mg/kg	5	< 0.10	1.7	49**	0	-
Chrysene	mg/kg	5	<0.10	0.88	93**	0	-
Benzo[b]fluoranthene	mg/kg	5	-	Below LoD	13**	0	-
Benzo[k]fluoranthene	mg/kg	5	-	Below LoD	370**	0	-
Benzo[a]pyrene	mg/kg	5	-	Below LoD	11**	0	-
Indeno[1,2,3-c,d]Pyrene	mg/kg	5	-	Below LoD	150**	0	-
Dibenz[a,h]Anthracene	mg/kg	5	-	Below LoD	1.1**	0	-
Benzo[g,h,i]perylene	mg/kg	5	-	Below LoD	1,400**	0	-
<b>VOC's and SVOC's (results above Laboratory Detection Limit), and Phenols</b>							
Trichlorofluoromethane	µg/kg	5	7.5	7.5	-	-	-
cis 1,2-Dichloroethene	µg/kg	5	38	38	-	-	-
Isopropylbenzene	µg/kg	5	5.8	8.8	12,000#	0	-
N-Propylbenzene	µg/kg	5	4.8	17	-	-	-
1,3,5-Trimethylbenzene	µg/kg	5	1.7	27	-	-	-
1,2,4-Trimethylbenzene	µg/kg	5	2.8	94	410#	0	-
Sec-Butylbenzene	µg/kg	5	5.6	5.6	-	-	-
4-Isopropyltoluene	µg/kg	5	160	300	-	-	-
Total Phenols	mg/kg	5	0.68	6.4	440**	0	-

Dataset includes LG17 (0.3mBGL) and LG21 (0.0 mBGL) which may be assumed as capping layer, however the available logs indicate the presence of waste therefore this sample has been interpreted as part of the waste strata.

\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario

\*\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario assuming 1% Soil Organic Matter (SOM) content

^ Category 4 Screening Level (C4SL) for Public Open Space (parks) scenario

# CL:AIRE Generic Assessment Criteria (GAC) for Residential without plant uptake scenario, assuming 1% SOM



Table 7: Summary of Soil Chemical Laboratory Analysis Results - Site 3C, Landfill Materials

Determinand	Units	No. of Samples	Min	Max	Screening Value	No. of Exceedances above Screening Value	Location of Exceedances
<b>Metals and Inorganics</b>							
Asbestos Identification	-	5	-	No Asbestos Detected	n/a	-	-
pH	pH Units	3	3	8.9	-	-	-
Arsenic	mg/kg	2	34	38	170*	0	-
Cadmium	mg/kg	2	1.1	1.3	560*	0	-
Chromium	mg/kg	2	18	25	33,000*	0	-
Copper	mg/kg	2	34	88	44,000*	0	-
Mercury	mg/kg	2	< 0.10	0.19	240*	0	-
Nickel	mg/kg	2	28	36	3,400*	0	-
Lead	mg/kg	2	53	220	1,300^	0	-
Selenium	mg/kg	2	0.55	0.91	1,800*	0	-
Vanadium	mg/kg	2	85	89	5,000*	0	-
Zinc	mg/kg	2	160	280	170,000*	0	-
<b>Total petroleum hydrocarbons (TPH) and BTEX</b>							
Aliphatic TPH >C5-C6	mg/kg	2	-	Below LoD	95,000**	0	-
Aliphatic TPH >C6-C8	mg/kg	2	-	Below LoD	150,000**	0	-
Aliphatic TPH >C8-C10	mg/kg	2	3.8	21	14,000**	0	-
Aliphatic TPH >C10-C12	mg/kg	2	7.8	8.6	21,000**	0	-
Aliphatic TPH >C12-C16	mg/kg	2	1	29	25,000**	0	-
Aliphatic TPH >C16-C21	mg/kg	2	6.3	80	450,000**	0	-
Aliphatic TPH >C21-C35	mg/kg	2	160	240	450,000**	0	-
Aliphatic TPH >C35-C44	mg/kg	2	2.9	220	450,000**	0	-
Total Aliphatic Hydrocarbons	mg/kg	2	280	500	-	-	-
Aromatic TPH >C5-C7	mg/kg	2	-	Below LoD	76,000**	0	-
Aromatic TPH >C7-C8	mg/kg	2	-	Below LoD	87,000**	0	-
Aromatic TPH >C8-C10	mg/kg	2	3.4	3.9	7,200**	0	-
Aromatic TPH >C10-C12	mg/kg	2	15	15	9,200**	0	-
Aromatic TPH >C12-C16	mg/kg	2	< 1.0	11	10,000**	0	-
Aromatic TPH >C16-C21	mg/kg	2	< 1.0	30	7,600**	0	-
Aromatic TPH >C21-C35	mg/kg	2	50	210	7,800**	0	-
Aromatic TPH >C35-C44	mg/kg	2	< 1.0	4.4	7,800**	0	-
Total Aromatic Hydrocarbons	mg/kg	2	69	270	-	-	-
Benzene	µg/kg	2	-	Below LoD	90 mg/kg **	0	-
Toluene	µg/kg	2	5.9	12	87,000 mg/kg **	0	-
Ethylbenzene	µg/kg	2	17	62	17,000 mg/kg **	0	-
m & p-Xylene	µg/kg	2	58	64	17,000 mg/kg **	0	-
o-Xylene	µg/kg	2	31	32	17,000 mg/kg **	0	-
<b>Polycyclic aromatic hydrocarbons (PAH)</b>							
Naphthalene	mg/kg	2	0.13	0.33	1,200 **	0	-
Acenaphthylene	mg/kg	2	0.2	0.39	29,000**	0	-
Acenaphthene	mg/kg	2	0.11	0.64	29,000**	0	-
Fluorene	mg/kg	2	0.15	0.2	20,000**	0	-
Phenanthrene	mg/kg	2	0.46	1.1	6,200**	0	-
Anthracene	mg/kg	2	0.18	0.57	150,000**	0	-
Fluoranthene	mg/kg	2	0.13	2.5	6,300**	0	-
Pyrene	mg/kg	2	0.19	3.4	15,000**	0	-
Benzo[a]anthracene	mg/kg	2	-	Below LoD	49**	0	-
Chrysene	mg/kg	2	-	Below LoD	93**	0	-
Benzo[b]fluoranthene	mg/kg	2	-	Below LoD	13**	0	-
Benzo[k]fluoranthene	mg/kg	2	-	Below LoD	370**	0	-
Benzo[a]pyrene	mg/kg	2	-	Below LoD	11**	0	-
Indeno[1,2,3-c,d]Pyrene	mg/kg	2	-	Below LoD	150**	0	-
Dibenz[a,h]Anthracene	mg/kg	2	-	Below LoD	1.1**	0	-
Benzo[g,h,i]perylene	mg/kg	2	-	Below LoD	1,400**	0	-
<b>VOC's and SVOC's (results above Laboratory Detection Limit), and Phenols</b>							
Isopropylbenzene	µg/kg	2	1.7	4.1	12,000#	0	-
n-Propylbenzene	µg/kg	2	11	11	-	-	-
1,3,5-Trimethylbenzene	µg/kg	2	21	21	-	-	-
Tert-Butylbenzene	µg/kg	2	7.3	7.3	-	-	-
1,2,4-Trimethylbenzene	µg/kg	2	6.4	64	410#	0	-
4-Isopropyltoluene	µg/kg	2	180	410	-	-	-
Total Phenols	mg/kg	3	0.85	0.85	440**	0	-

Dataset includes LG14 (0.0mGBL) which may be assumed as capping layer, however the available logs indicate the presence of waste therefore this sample has been interpreted as part of the waste strata.

\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario

\*\* Suitable 4 Use Level (S4UL) for Public Open Space (parks) scenario assuming 1% Soil Organic Matter (SOM) content

# Category 4 Screening Level (C4SL) for Public Open Space (parks) scenario

# CL:AIRE Generic Assessment Criteria (GAC) for Residential without plant uptake scenario, assuming 1% SOM

For inspection purposes only.  
Consent of copyright owner required for any other use.