



Electronic Copy

Ms. Julie McMahon
On behalf of Donegal County Council

7th March 2019

Reg. No.: W0062-02

Notice in accordance with Article 8 of the Waste Management (Licensing) Regulations, in respect of a licence review from Donegal County Council for a facility located at Churchtown Landfill, Churchtown, Lifford, Donegal

Dear Ms. McMahon,

I refer to your application for a licence review received by the EPA on 26th May 2017.

I am to advise you of a failure of compliance with Article 8(b)(iii) of the Waste Management (Licensing) Regulations.

The newspaper notice published on 11th May 2017 and the site notice state that the review is required to accommodate surface water discharge monitoring. The actual reason for the review however, is to provide for authorisation of discharge of treated landfill leachate to the River Finn.

The EPA therefore requires you, in accordance with Article 8 of the Regulations, to re-publish a newspaper notice and to erect or fix a notice at the location indicated on Drawing No. IBR1015/102 dated Mar'17 for a period of two months. The notices shall reflect the reason for the review as specified above.

The Agency further requires you to submit a copy of the newspaper notice and the site notice erected/fixed and date stamped photos of the site notice at the location indicated on the said drawing.

The requested information should be submitted to the EPA within **four weeks** of the date of this notice in order to allow the EPA to process and determine your application.

Yours sincerely,

Ewa Babiarczyk
Inspector
Environmental Licensing Programme
Office of Environmental Sustainability