

Ms Yvonne Murray
Kildare County Council
Aras Chill Dara
Devoy Park
Naas
Co Kildare

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland
Y35 W821

Ceanncheathrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire
Y35 W821

T: +353 53 9160600
F: +353 53 9160699
E: info@epa.ie
W: www.epa.ie

25 March 2019

Reg No H0210-01

LoCall: 1890 33 55 99

Historic Landfill Certificate of Authorisation Application by Kildare County Council in respect of Carrigeen, Clane, Co Kildare.

Dear Ms Murray

I am to acknowledge receipt on 7 March 2014 of documents pertaining to your application for a Historic Landfill Certificate of Authorisation Application Reg No H0210-01, by Kildare County Council, in respect of Carrigeen, Clane, Co Kildare.

I am to advise you in accordance with Regulation 42(8)(a) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended that the Agency has made a determination that an Appropriate Assessment is not required as the project, individually or in combination with other plans or projects, is not likely to have a significant effect on a European site(s). Notification of this determination is attached for your reference.

The application and associated correspondence, including acknowledgements, notifications and general correspondence are available to view on the Agency website at www.epa.ie. You are advised to refer to the website for information on the progress of the application.

Please direct any further correspondence in relation to this matter to Administration, Office of Environmental Sustainability, Environmental Protection Agency, Headquarters, P.O. Box 3000, Johnstown Castle Estate, County Wexford.

Yours sincerely



Eve O'Sullivan
Programme Officer
Environmental Licensing Programme

Appropriate Assessment Screening Determination

In accordance with Regulation 42(1) of the European Communities (Birds and Natural Habitats) Regulations, 2011, S.I. No. 477 of 2011, the Agency has undertaken Appropriate Assessment screening to assess, in view of best scientific knowledge and the conservation objectives of the site, if the activity, individually or in combination with other plans or projects is likely to have a significant effect on a European Site. In this context, particular attention was paid to the European Site listed below.

Licence/Permit Application Details:


Reg. No.	H0210-01
Applicant Name:	Kildare County Council
Location of Facility:	Carrigeen, County Kildare
Certificate of Authorisation Application Date:	19/03/2014
European Sites assessed:	Ballynafagh Bog [SAC 000391] Ballynafagh Lake [SAC 001387] Rye Water Valley/Carlton [SAC 001398]
Date of AA Screening Determination:	12/12/2018

AA Screening Determination:

That the activity is not directly connected with or necessary to the management of the site as a European Site and that it can be excluded on the basis of objective scientific information, that the activity, individually or in combination with other plans or projects, will have a significant effect on a European site, and accordingly the Agency determined that an Appropriate Assessment of the activity is not required.

The reason for this determination is as follows:

- Ballynafagh Bog [SAC 000391] and Ballynafagh Lake [SAC 001387] which is located approximately 5.5 km from the site, have no hydrological connection between them and the Carrigeen landfill site.
- Carrigeen landfill site is located 15 km from the Rye Water/Carlton Valley [SAC 001398]. Though the landfill site is hydrologically connected to the Rye Water/Carlton Valley SAC via River Liffey, it is the Rye River that flows into the River Liffey (rather than the other way around) - thereby minimising or eliminating the risk of the River Liffey effecting the Rye Water Valley/Carlton SAC. Furthermore, results of the Detailed Quantitative Risk Assessment also indicate that no exceedances were identified (of site specific levels) for the River Liffey.



Dr Magnus Amajirionwu
Office of Environmental Sustainability

Date: 12 / 12 / 2018