

Customer Sample Ref.	Units	BH5	BH1	G20	BH7	BH9	BH10	BH8	BH6	SW1	SW2
Sample Date		16/03/2016	16/03/2016	16/03/2016	15/03/2016	15/03/2016	15/03/2016	15/03/2016	15/03/2016	04/03/2016	04/03/2016
Sample Matrix		Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Surface Water	Surface Water
Determinand	Unit	BH05	BH01	G20	BH07	BH09	BH10	BH08	BH06	SW1	SW2
Trichlorofluoromethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dichloromethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2,2-Dichloropropane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chloroform	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromochloromethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,1-Trichloroethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloropropene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichloroethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Benzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichloropropane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromodichloromethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dibromomethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,3-Dichloropropene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,3-Dichloropropene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,2-Trichloroethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon Tetrachloride	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl Chloride	ug/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
1,3-Dichloropropane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dibromochloromethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromoethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,1,2-Tetrachloroethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethyl Benzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
m&p-Xylene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
o-Xylene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromoform	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,2-Dichloroethene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,2,2-Tetrachloroethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichloropropane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-chloropropane	ug/l	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2,4-Trichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobutadiene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Naphthalene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

For inspection purposes only.
Consent of copyright owner required for any other use.

Customer Sample Ref.	Units	BH5	G20	BH1	BH7	BH9	BH10	BH6	SW1	SW2	SW3	SW4	SW5	SP1
Sample Date/Time		31/08/2016	31/08/2016	01/09/2016	30/08/2016	30/08/2016	30/08/2016	31/08/2016	24/08/2016	24/08/2016	24/08/2016	24/08/2016	24/08/2016	24/08/2016
Sample Matrix		Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Surface water	Surface water	Surface water	Surface water	Surface water	Surface water
Determinand	Unit	BH05	G20	BH01	BH07	BH09	BH10	BH06	SW1	SW2	SW3	SW4	SW5	SP1
Toluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trans-1,3-Dichloropropene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,2-Trichloroethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichloropropane	ug/l	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromochloromethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromoethane	ug/l	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Chlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1,1,2-Tetrachloroethane	ug/l	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Ethylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
m & p-Xylene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
o-Xylene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tribromomethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichloropropane	ug/l	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
N-Propylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tert-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Sec-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Isopropyltoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
N-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane	ug/l	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2,4-Trichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobutadiene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	ug/l	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Methyl Tert-Butyl Ether (MBTE)	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
N-Nitrosodimethylamine	ug/l	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

For inspection purposes only.
Consent of copyright owner required for any other use.

Customer Sample Ref. Sample Date/Time Sample Matrix	Unit	BH10 14/03/2018 Ground Water	BH9 14/03/2018 Ground Water	BH6 14/03/2018 Ground Water	G20 15/03/2018 Ground Water	BH07 15/03/2018 Ground Water	BH1 15/03/2018 Ground Water
Unit	BH10	BH09	BH06	G20	BH07	#N/A	
Aluminium, Total as Al	mg/l	31.7	44.1	7.37	13.4	50.9	4
Arsenic, Ultra-low Total as As	ug/l	24	32	19	<10.0	49	<10.0
Barium, Total as Ba	mg/l	1.55	1.66	0.27	2.64	1.51	0.112
Boron, Total as B	mg/l	<4.6	<4.6	<2.30	<4.60	<4.60	<0.23
Cadmium, Total as Cd	mg/l	<0.012	<0.0120	<0.006	0.0156	0.0347	0.0029
Calcium, Total as Ca	mg/l	1680	1470	374	5170	2100	212
Chromium, Total as Cr	mg/l	0.076	0.085	0.022	<0.040	0.087	0.022
Copper, Total as Cu	mg/l	0.14	<0.180	0.073	<0.180	0.226	0.041
Iron, Total as Fe	mg/l	65.1	55.4	15.8	<4.60	58.9	4.34
Lead, Total as Pb	mg/l	0.389	0.307	0.121	<0.120	0.287	2
Manganese, Total as Mn	mg/l	23.2	16.3	6.64	40.3	22.7	0.306
Mercury, Total as Hg	ug/l	<0.01	0.07	0.2	0.19	0.1	<0.10
Nickel, Total as Ni	ug/l	366	344	115	369	285	26
Potassium, Total as K	mg/l	5.53	7.72	25	8.11	7.78	1.42
Selenium, trace Total as Se	ug/l	<8.00	<8.00	<8.00	<8.00	<8.00	<8.00
Sodium, Total as Na	mg/l	<6.0	<6.00	12.4	26.3	9.64	8.75
Vanadium, Total as V	mg/l	0.084	0.102	<0.04	<0.080	0.096	0.016
Zinc, Total as Zn	mg/l	0.685	0.945	0.185	1.28	0.737	0.09
pH	pH units	7.3	7.3	7.3	7.6	7.4	SEE A/C
Conductivity- Electrical 20C	uS/cm	695	451	736	SEE A/C	630	427
Alkalinity as CaCO3	mg/l	430	SEE A/C	257	481	749	1380
Ammoniacal Nitrogen as N	mg/l	0	0	0	N/S	N/S	N/S
Ammoniacal Nitrogen as N (LL)	mg/l	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06
Chloride as Cl	mg/l	24.3	12.9	19.3	6.6	20.5	36.5
Nitrite as N	mg/l	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
Nitrogen, Total Oxidised as N	mg/l	15.6	6	6.9	0.9	7.7	2.5
Phosphate, Ortho as P	mg/l	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6
Phosphates, Total as P	mg/l	2.59	<2.4	<1.20	<2.4	4.6	0.45
Sulphate as SO4	mg/l	20.8	11.3	14.3	7.7	22.7	<4.4
Sulphate, total as SO4 by I.C.	mg/l	ND	ND	ND	ND	ND	ND
Solids, Tot Dissolved 180 DegC	mg/l	479	427	408	SEE A/C	345	279
Total Suspended Solids	mg/l	18000	SEE A/C	3880	SEE A/C	SEE A/C	5220
BOD + ATU (5 day)	mg/l	<1	10	9	7	<1	16
COD (Total)	mg/l	625	615	33	735	206	1510
TOC as C	mg/l	<0.7	1	1.6	6.5	2.5	15.2
Cyanide, Total as CN	mg/l	<0.009	<0.009	<0.009	<0.009	<0.009	<0.009
Fluoride as F	mg/l	0.2	0.1	0.2	0.2	0.2	0.1
2 - Chlorophenol	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
2 - Methylphenol	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
2,4 - Dichlorophenol	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	1.15
2,4 - Dimethylphenol	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6 - Trichlorophenol	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
3,5-Dimethylphenol	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
4-Chlorophenol	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
3+4-Methylphenol	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Phenol	ug/l	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Acenaphthene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Acenaphthylene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Anthracene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Benzo (a) anthracene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Benzo (g,h,i) perylene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Benzo (a) pyrene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Benzo (b) fluoranthene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Benzo (k) fluoranthene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Chrysene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Dibenz (a,h) anthracene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Fluoranthene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Fluorene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Indeno (1,2,3) cd pyrene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Naphthalene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Phenanthrene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
Pyrene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
PAH, Total	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.04
1,1,1,2-Tetrachloroethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,1,1-Trichloroethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,1,2,2-Tetrachloroethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,1,2-Trichloroethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,1-Dichloroethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,1-Dichloroethene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,1-Dichloropropene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2,3-Trichlorobenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2,3-Trichloropropane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2,4-Trichlorobenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2,4-Trimethylbenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2-Dibromo-3-chloropropane	ug/l	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00
1,2-Dibromoethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2-Dichlorobenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2-Dichloroethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2-Dichloropropane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,3,5-Trimethylbenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,3-Dichlorobenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,3-Dichloropropane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,4-Dichlorobenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
2,2-Dichloropropane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
2-Chlorotoluene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
4-Chlorotoluene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Benzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Bromobenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Bromochloromethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Bromodichloromethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Bromofrom	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Bromomethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Carbon Tetrachloride	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chlorobenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chloroethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chloroform	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chloromethane	ug/l	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00
cis-1,2-Dichloroethene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
cis-1,3-Dichloropropene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Dibromochloromethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Dibromomethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Dichlorodifluoromethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Dichloromethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Ethyl Benzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Hexachlorobutadiene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
iso-Propylbenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
m&p Xylene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
MTBE	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Naphthalene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
n-butylbenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
n-propylbenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
o-Xylene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
p-isopropyltoluene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
sec-butylbenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Styrene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
tert-Butylbenzene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Tetrachloroethene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Toluene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
trans-1,2-Dichloroethene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
trans-1,3-Dichloropropene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Trichloroethene	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Trichlorofluoromethane	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Vinyl Chloride	ug/l	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
Xylene, Total	ug/l	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
SVOC	ug/l	Y	Y	Y	Y	Y	Y
Phenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Bis(2-chloroethyl)ether	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2-Chlorophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
1,3-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
1,4-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0

For inspection purposes only. Consent of copyright owner required for any other use.

Customer Sample Ref. Sample Date/Time Sample Matrix	Unit	BH10 14/03/2018 Ground Water BH10	BH9 14/03/2018 Ground Water BH09	BH6 14/03/2018 Ground Water BH06	G20 15/03/2018 Ground Water G20	BH07 15/03/2018 Ground Water BH07	BH1 15/03/2018 Ground Water #N/A
2-Methylphenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
3&4-Methylphenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Dibenzofuran	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
1,2-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Bis(2-chloroisopropyl)ether	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
n-Nitrosodi-n-propylamine	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Hexachloroethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Nitrobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Isophorone	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2,4-Dimethylphenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2-Nitrophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Bis(2-chloroethoxy)methane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2,4-Dichlorophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
1,2,4-Trichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Naphthalene	ug/l	<2.0	<2.0	<2.0	<2.0	<2.0	<20.0
Hexachlorobutadiene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
4-Chloro-3-methylphenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2-Methylnaphthalene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2,4,6-Trichlorophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2,4,5-Trichlorophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2-Chloronaphthalene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Dimethylphthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2,6-Dinitrotoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Acenaphthylene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Acenaphthene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2,4-Dinitrotoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Diethylphthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
4-Nitrophenol	ug/l	<5.0	<5.0	<5.0	<5.0	<5.0	<50.0
4-Chlorophenyl phenyl ether	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Fluorene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Diphenylamine	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
4-Bromophenyl Phenyl Ether	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Hexachlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Pentachlorophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Phenanthrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Anthracene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
di-n-Butylphthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Fluoranthene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Pyrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Benzyl Butyl Phthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Benzo(a)anthracene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Chrysene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Bis(2-ethylhexyl)phthalate	ug/l	<5.0	<5.0	<5.0	<5.0	<5.0	<50.0
Di-n-octylphthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Benzo(b)fluoranthene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Benzo(k)fluoranthene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Benzo(a)pyrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Indeno(1,2,3-c,d)pyrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Dibenz(a,h)anthracene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
Benzo(g,h,i)perylene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0
2-Fluorophenol	%Recovery	102	99.8	96.3	105.5	97.2	99.2
Phenol-d6	%Recovery	82.8	78.1	75.2	86.6	81.8	78.1
Nitrobenzene-d5	%Recovery	91	92.9	87.9	96.4	96.9	92
2-Fluorobiphenyl	%Recovery	94.1	92.4	89.5	93.7	95.6	89.4
2,4,6-Tribromophenol	%Recovery	77.2	79.1	77.3	78.5	86.2	82
Terphenyl-d14	%Recovery	100.4	101.6	95.4	96.2	92	99.6

For inspection purposes only.
Consent of copyright owner required for any other use.

	Units	GW Regs (2016) TV	EPA IGW Value (GW)	SW AA (2015) EQS	Assessment Table	Location																						
					Units	Compound	BH01			BH05			BH06			BH07			BH08			BH09			BH10			G20
							Round 1	Round 2	Round 1	Round 2	Round 1	Round 2	Round 3	Round 1	Round 2	Round 3	Round 1	Round 2	Round 3	Round 1	Round 2	Round 3	Round 1	Round 2	Round 3	Round 1	Round 2	Round 3
Aluminium, Total as Al	mg/l		0.2		mg/l	Aluminium, Total as Al	29		15.4		26.6		7.37		50.9	19.9	20.2		44.1	25.3		31.7	24.8		13.4			
	ug/l	150	200		ug/l	Aluminium (Dissolved)		<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	ug/l	10	25		ug/l	Arsenic, Ultra-low Total as As	29		33		41		19	18		49		24		32	33		24	16		<	<	

For inspection purposes only.
Consent of copyright owner required for any other use.

Units	GW Regs (2016) TV	EPA IGV value (GW)	SW AA (2015) EQS	Assessment Table		Location BH05			Location BH06			Location BH07			Location BH08			Location BH09			Location BH10			Location G20		
				Units	Compound	Round 1	Round 2	Round 1	Round 2	Round 1	Round 2	Round 3	Round 1	Round 2	Round 3	Round 1	Round 1	Round 2	Round 3	Round 1	Round 2	Round 3	Round 1	Round 2	Round 3	
				ug/l	Benz(a)pyrene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Benz(b)fluoranthene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Benz(g,h,i)perylene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Benz(k)fluoranthene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Benzyl Butyl Phthalate	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Bis(2-chloroethoxy)methane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Bis(2-chloroethyl)ether	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Bis(2-chloroisopropyl)ether	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Bis(2-ethylhexyl)phthalate	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Bromobenzene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Bromochloromethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Bromodichloromethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Bromoform	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Bromomethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Butylbenzyl Phthalate	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Carbazole	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Carbon Tetrachloride			12	ug/l	Carbon Tetrachloride	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<			
				ug/l	Chlorobenzene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Chloroethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Chloroform	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Chloromethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Chrysenes	<	<	<	<	0.65	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	cis-1,2-Dichloroethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	cis-1,3-Dichloropropene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Dibenz(a,h)anthracene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Dibenz(a,h)anthracene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Dibenzofuran	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Dibromochloromethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Dibromomethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Dichlorodifluoromethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Dichloromethane		15	20	ug/l	Dichloromethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Diethylphthalate			1.3	ug/l	Diethylphthalate	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Dimethylphthalate	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Di-n-octylphthalate		6		ug/l	di-n-Butylphthalate	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Di-n-octylphthalate	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Fluoranthene			0.0063	ug/l	Diphenylamine	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
		1		ug/l	Fluoranthene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Fluorene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	N-Nitrosodimethylamine	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	n-Nitrosodi-n-propylamine	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	n-Propylbenzene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Hexachlorobenzene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Hexachlorobutadiene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Hexachlorocyclopentadiene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Hexachloroethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Indeno (1,2,3) cd pyrene		0.05		ug/l	Indeno (1,2,3) cd pyrene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Isophorone	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Isopropylbenzene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
MTBE		10		ug/l	m&p-Xylene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Naphthalene		1	2	ug/l	MTBE	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Naphthalene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
				ug/l	n-Butylbenzene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Nitrobenzene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Pentachlorophenol			0.4	ug/l	Pentachlorophenol	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Phenanthrene				ug/l	Phenanthrene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Phenol		0.5	8	ug/l	Phenol	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	p-Isopropyltoluene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Pyrene	<	<	<	<	1.9	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	sec-Butylbenzene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Styrene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Tetrachloroethane		7.5	10	ug/l	tert-Butylbenzene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Tetrachloroethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
trans-1,2-Dichloroethene		0.375	10	ug/l	Tetrachloromethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	trans-1,2-Dichloroethene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	trans-1,3-Dichloropropene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Tribromomethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Trichloroethene		7.5	10	ug/l	Trichloroethene	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
				ug/l	Trichloromethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Trichloromethane			2.5	ug/l	Trichloromethane	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Vinyl Chloride		0.375		ug/l	Vinyl Chloride	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		

For inspection purposes only.
Consent of copyright owner required for any other use.