



Certificate of Authorisation Application Form

Waste Management (Certification of Historic Unlicensed Waste
Disposal and Recovery Activity) Regulations, 2008

For inspection purposes only. Copyright of EPA. All rights reserved. For any other use, contact EPA.

EPA Ref. N^o: <i>(office use only)</i>	H0477-01
--	-----------------



Environmental Protection Agency
PO Box 3000, Johnstown Castle Estate, Co. Wexford
Lo Call: 1890 335599 Telephone: 053-9160600 Fax: 053-9160699
Web: www.epa.ie Email: info@epa.ie

CONTENTS

CONTENTS2

APPLICATION GUIDANCE NOTES3

CHECKLIST5

SECTION A: NON-TECHNICAL SUMMARY9

SECTION B: GENERAL.....10

SECTION C: SITE DETAILS13

SECTION D: RISK ASSESSMENT.....16

SECTION E: APPROPRIATE ASSESSMENT17

SECTION F: DECLARATION.....18

SECTION G: JOINT DECLARATION.....20

Consent of copy for inspection purposes only. No other use required for any other use.

APPLICATION GUIDANCE NOTES

This application must be completed in accordance the guidance notes below and the instructions accompanying each section of the application form.

This form is for the purpose of making an application for a Certificate of Authorisation in accordance with Regulation 7 (1) of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations, 2008 (hereinafter referred to as 'the Regulations'). A valid application must, as a minimum, contain the information prescribed in Regulation 7(2) of the Regulations.

The applicant must conform to the format set out in this application form and accompanying instructions. Each page of the completed application form must be numbered, e.g. *page 5 of 20*, etc. The basic information should be supplied in the spaces given in the application form, with supporting documentation supplied as attachments, as specified. All sections of the form must be completed. Where a section is not relevant to the application, the words "not applicable" should be clearly written. The abbreviation "N/A" should not be used.

The Risk Assessment (required under Regulation 6(1) of the Regulations) shall be submitted in full as Attachment D.1 to this application form. Risk Assessments are to be carried out in accordance with the '*Code of Practice - Environmental Risk Assessment for Unregulated Waste Disposal Sites*' (hereinafter referred to as the Code of Practice).

All maps/drawings/plans must be no larger than A3 size and scaled appropriately such that they are clearly legible. In exceptional circumstances, where A3 is considered inadequate, a larger size may be requested by the Agency.

All drawings should

- be titled and dated;
- have a unique reference number and be signed by a clearly identifiable person; and
- indicate a scale and the direction of north.

Information supplied on this application, including supporting documentation, will be put on public display and open to inspection by any person. Should the applicant consider information to be confidential, this information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to.....". In the event that information is considered to be of a confidential nature, then the nature of this information, and the reasons why it is considered confidential (with reference to the "Access to Information on the Environment" Regulations) should be stated in the Application Form, where relevant.

An original signed application shall be submitted together with 1 copy. A copy of the application (and risk assessment) shall also be provided on 2 CD-ROMs in searchable PDF format.

It should be noted that it will not be possible to process or determine the application until the required documents have been provided in sufficient detail and to a satisfactory standard.

This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations 2008 (S.I. No. 524 of 2008).

*For inspection purposes only.
Consent of copyright owner required for any other use.*

CHECKLIST

Regulation 7(2) of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations 2008 sets out the information which must, in all cases, accompany an application for a Certificate of Authorisation. In order to ensure that the application fully complies with the legal requirements of Regulation 7(2) of the 2008 Regulations and the Code of Practice, all applicants should use the following checklist.

In each case, refer to the section or attachment number of your application which contains the information requested.

The following checklist will be applied to the application as detailed below:

Requirement of Regulations	Location in application form or attachment no.	Applicant	EPA
Article 7(2) (a)	Section C.1	Yes	<input type="checkbox"/>
Article 7(2) (b)	Section B.1	Yes	<input type="checkbox"/>
Article 7(2) (c)	Section C.4 and attachment C.4	Yes	<input type="checkbox"/>
Article 7(2) (d)	Section C.2	Yes	<input type="checkbox"/>
Article 7(2) (e)	Attachment C.1	Yes	<input type="checkbox"/>
Article 7(2) (f)	Section D and attachment D.1	Yes	<input type="checkbox"/>
Article 7(2) (g)	Section C.2	Yes	<input type="checkbox"/>
Article 7(2) (h)	Section D and attachment D.1	Yes	<input type="checkbox"/>

Regulation 7(2) (h) outlines the requirement for a risk assessment and the following checklists will be applied to the risk assessment, appropriate assessment screening or Natura Impact Statement and remediation strategy:

Tier 1 Risk Assessment:

Requirement	Section or attachment no.	Applicant	EPA
Conceptual site model.	ERA Section 3.6	Yes	<input type="checkbox"/>
Identification of conservation areas, foreshore areas or other relevant designations.	AA Section 2.4 ERA Appendix A	Yes	<input type="checkbox"/>
SPRs ¹ and SPR linkages: justified and scored.	ERA Section 3.6 ERA Appendix B	Yes	<input type="checkbox"/>
Tier 1 risk classification. Risk: _____ A _____	ERA Section 3.6 Table 3.8	Yes	<input type="checkbox"/>

Tier 2 Risk Assessment:

Requirement	Section or attachment no.	Applicant	EPA
Walk over survey checklist.	Attachment 1	Yes	<input type="checkbox"/>
Justification for chosen site investigations (SI), SI methods and	ERA Section 4.1	Yes	<input type="checkbox"/>

¹ SPR = Source/Hazard – Pathway – Receptor.

Requirement	Section or attachment no.	Applicant	EPA
sampling strategies.			
Justification for any SPR linkage not investigated as part of the SI.	Not Applicable	yes	<input type="checkbox"/>
Description of how the matrix was used.	ERA Section 4.2	yes	<input type="checkbox"/>
SI result comparison against the requirements of the EC Environmental Objectives (Surface Waters) Regulations 2009.	ERA Section 4.6 ERA Appendix I	yes	<input type="checkbox"/>
SI result comparison against the requirements of the EC Environmental Objectives (Groundwater) Regulations 2010.	ERA Section 4.6 ERA Appendix H	yes	<input type="checkbox"/>
SI result comparison against the guidance document 'Guidance on the Authorisation of Discharges to Groundwater', EPA 2011.	ERA Section 4.6 ERA Appendix H	yes	<input type="checkbox"/>
SI result comparison against the Department of the Environment publication on the 'Protection of New Buildings and Occupants from Landfill Gas' (1994).	ERA Section 4.6 ERA Appendix J	yes	<input type="checkbox"/>
Justification for any conclusions drawn from the comparison of SI results to current standards.	ERA Section 4.6	yes	<input type="checkbox"/>
Comparison of SI results against each SPR linkage and justification for any conclusions drawn.	ERA Section 4.3	yes	<input type="checkbox"/>
Justification for the risk ranking of each SPR linkage.	ERA Appendix B	yes	<input type="checkbox"/>

Appropriate Assessment (AA):

Requirement	Section or attachment no.	Applicant	EPA
AA Stage 1 - Screening for Appropriate Assessment.	AA & NIS Report	yes	<input type="checkbox"/>
Statement confirming the result of Stage 1 Screening, e.g. "The screening assessment (Stage 1) undertaken demonstrated that the project is/is not likely to have significant effects on the European site(s) having regard to its conservation objectives".	AA & NIS Report	yes	<input type="checkbox"/>
AA Stage 2 - Natura Impact			

Requirement	Section or attachment no.	Applicant	EPA
Statement.	AA & NIS Report Section 4	Yes	
Statement confirming the result of Stage 2 of the Appropriate Assessment, e.g. "The assessment (Stage 2) demonstrates that the project will/will not adversely affect the integrity of the European site(s) having regard to its conservation objectives".	AA & NIS Report Section 5.2	yes	<input type="checkbox"/>

Tier 3 Risk Assessment:

Requirement	Section or attachment no.	Applicant	EPA
Refined conceptual site model.	ERA Section 5.1	yes	<input type="checkbox"/>
SPRs and SPR linkages: justified and scored.	ERA Section 5.2 Table 5.1	yes	<input type="checkbox"/>
Tier 3 risk classification and justification. Risk: _____	ERA Section 5.2 Table 5.1	yes	<input type="checkbox"/>
Generic Quantitative Risk Assessment (QRA)	ERA Section 6.1	yes	<input type="checkbox"/>
Detailed QRA.	ERA Section 6.2	yes	<input type="checkbox"/>
Justification for generic QRA/detailed QRA.	ERA Section 6.1.3	yes	<input type="checkbox"/>
Overall site risk evaluation.	ERA Section 6.2.2	yes	<input type="checkbox"/>

Remediation Strategy:

Requirement	Section or attachment no.	Applicant	EPA
Description of remediation works.	Remediation Strategy Report	yes	<input type="checkbox"/>
Comparison of the proposed remediation works against the 'Landfill Restoration and Aftercare Manual', EPA 1999 and justification for any departure from the manual.	Remediation Strategy Report Section 3.2	yes	<input type="checkbox"/>
Comparison of the proposed remediation works against the 'Landfill Site Design Manual', EPA 2000 and justification for any departure from the manual.	Remediation Strategy Report Section 3.2	yes	
Comparison of the proposed remediation works against the report on the 'Management of Low Levels of	Remediation Strategy Report Section 3.2	yes	<input type="checkbox"/>

Requirement	Section or attachment no.	Applicant	EPA
Landfill Gas', EPA 2011 and justification for any departure from the report.			
Demonstration of how the remediation works will allow for the completion of a validation report and the breakage of each SPR linkage.	Remediation Strategy Report	yes	<input type="checkbox"/>
Date on which the proposed remediation works are due to be completed: _____	Will depend on the acceptance of the remediation strategy by the EPA	yes	
Demonstration of how SPR linkages which have no remediation measures proposed will meet the requirements of a validation report.	Remediation Strategy Report	yes	<input type="checkbox"/>
Date on which a completed validation report is proposed to be submitted to the Agency: _____	Will be submitted within 6 months of the completion of the proposed capping.	yes	

Monitoring Programme:

Requirement	Section or attachment no.	Applicant	EPA
Identification of the parameters which require analysis and the related sampling plan for any on-going or long-term monitoring or assessment programme required to ensure the effectiveness of completed remediation measures.	Remediation Strategy Report Section 4	yes	<input type="checkbox"/>
Comparison of the proposed monitoring or assessment programme against the 'Landfill Monitoring Manual', EPA 2003 and justification for any departure from the manual.	Remediation Strategy Report Section 4 Table 4.1	yes	<input type="checkbox"/>
Demonstration of how the proposed monitoring or assessment programme will confirm that the objectives of the remediation measures have been met.	Remediation Strategy Report Section 4 Table 4.1	yes	<input type="checkbox"/>

SECTION A: NON-TECHNICAL SUMMARY

A non-technical summary of the application is to be included here. The summary should identify all environmental impacts of significance associated with the site.

The following information must be included in the non-technical summary:

A description of:

- The site location.
- A brief history of the site, types and volumes of waste deposited, duration of disposal activities and date of cessation.
- The hydrogeology and ecology of the site and surrounding area, to include protected areas.
- Risk category of the site
- Actual and potential environmental impacts.
- Proposed remediation including timescale.

Supporting Information should form **Attachment A.1.**

*For inspection purposes only.
Consent of copyright owner required for any other use.*

SECTION B: GENERAL

B.1. Applicant's Details

Only application documentation submitted by the applicant and by the nominated person will be deemed to have come from the applicant.

Name*:	WICKLOW COUNTY COUNCIL
Address:	County Buildings
	Station Road
	Wicklow
	Co. Wicklow
Tel:	0404-20100
Fax:	0404-67792
e-mail:	cosec@wicklowcoco.ie

*Full name and address of the local authority making the application.

Name and Address for Correspondence

Name*:	Marc Devereux
Address:	Wicklow County Council
	County Buildings
	Station Road
	Wicklow
Tel:	0404-20100
Fax:	0404-67792
e-mail:	mdevereu@wicklowcoco.ie

*This should be the name of the person nominated by the local authority for the purposes of this application.

Co-Applicant's Details

Name*:	
Address:	
Tel:	
Fax:	
e-mail:	

*This should be the name of a local authority, other than the lead authority, where a site lies in more than one local authority functional area.

Name of Qualified Person

Site investigations must be supervised by a suitably qualified, trained and experienced person. Section 2.3 of the Code of Practice sets out the requirements in this regard, which should be observed by local authorities. The Code of Practice states that, notwithstanding the fact that a local authority will be in position to carry out much of the risk assessment using in-house resources, "a suitably qualified, trained and experienced person, who is a registered professional with chartered status (or equivalent) awarded by a relevant professional body, and who has successfully conducted risk assessments at other sites, should supervise the Site Investigations ... and be used to carry out the risk assessment." Please provide the name of the qualified person, in-house or external, used for this risk assessment.

Name:	Michael Boland
Qualification:	B.Sc., M.Sc., PGeo
Professional Body:	Institute of Geologists of Ireland
Address:	Wicklow County Council
	County Buildings
	Station Road
	Wicklow
Tel:	0404-20100
Fax:	0404-67792
e-mail:	mboland@wicklowcoco.ie

Interest in Site

State whether the applicant(s) is the registered owner of the land (please check):

Landowner	<input type="checkbox"/>
Landowner (part)	<input type="checkbox"/>
Not Landowner	<input checked="" type="checkbox"/>

For inspection purposes only. Consent of copyright owner required for any other use.

Provide the name and address of the current owner(s) and lessees of the land. An appropriately scaled drawing (≤A3) outlining the land ownership should be included in **Attachment B.1**.

Name:	Borg Developments
Address:	15 Hogan Place
	Grand Canal Street
	Dublin 2
Tel:	01-6110400
Fax:	
e-mail:	info@cosgravegroup.com

Name:	
Address:	
Tel:	
Fax:	
e-mail:	

Name:	
Address:	
Tel:	
Fax:	
e-mail:	

Name:	
Address:	
Tel:	
Fax:	
e-mail:	

For inspection purposes only.
Consent of copyright owner required for any other use.

B.2. Fees

Appropriate Fee (€5,000) Included	Yes	No
	Yes	

SECTION C: SITE DETAILS

C.1. Site Location

Name:	Landfill No. 3A
Address*:	Berryfield Lane
	Fassaroe
	Bray
	Co. Wicklow
Tel:	
Fax:	
e-mail:	mboland@wicklowcoco.ie

* Include any townland

Attachment C.1. should contain appropriately scaled drawings or maps ($\leq A3$) showing the site location in the context of its surroundings and clearly highlighting the site boundary.

C.2. Unauthorised Waste Sites Register (Section 22) – Site Boundary and Site Code

State that the site has been recorded on the [online Section 22 Register at www.epa.ie/uwsr](http://www.epa.ie/uwsr) and that the boundary drawn of the site represents the full extent of the site.

Following the Tier 2 and Tier 3 site investigations, if the extent of the site is determined to be greater or less than that initially recorded in the Section 22 Register, then the boundary must be amended accordingly.

Finalised boundary entered in Section 22 Register?

Provide the unique code assigned to the site in the Section 22 Register

Site Code S22-02633

Provide a six-digit National Grid Reference for the site location

Grid Reference	722730	E	718337	N
----------------	--------	---	--------	---

Confirm the following waste details entered on the Section 22 Register:

- State which type of waste activity was carried out at the site (please check):

Disposal	X
Recovery	

- State the principal waste type at the site (please check):

C&D	
Industrial	
Municipal	X
Pre 1977	
Unknown	

- State any additional waste types at the site (please check):

Agriculture	
C&D	
Dredged Soil	
ELV/Scrap Metal	
Hazardous	
Industrial	
Mining	
Municipal	X
Municipal Sludge	
Other	

- State whether or not hazardous waste is present at the site (please check):

Present on site	
Not present on site	X

- Estimate the total quantity of waste at the site (tonnes):

Total waste quantity at the site:	<u>120,000</u> tonnes
--	-----------------------

- Provide the start date and end date of waste activities at the site:

Start date	1990
End date	1996

C.3. Risk Category

State which Risk Category* the site belongs to (please check):

Class A (High)	X
Class B (Moderate)	
Class C (Low)	

*See Chapter 4, Code of Practice (as required under Section 6(2) of the Regulations)

C.4. Land Use

Provide details of the current use of the land on which the closed landfill is situate.

Attachment C.4. should detail this information or refer to the specific section of the risk assessment documentation where this information is contained.

C.5. Types and quantities of waste deposited

Provide details of the types and estimated quantities of waste deposited at the site.

Attachment C.5. should detail this information or refer to the specific section of the risk assessment documentation where this information is contained.

In addition, state whether the types and quantities of waste which have been recorded on the online Section 22 Register at www.epa.ie/uwsr represent the final estimated quantities at the site.

Following the Tier 2 and Tier 3 site investigations, if the type and quantities of waste are determined to be greater or less than that initially recorded in the Section 22 Register, then these quantities must be amended accordingly.

Finalised estimate of waste types and quantities entered in Section 22 Register	Yes
--	-----

For inspection purposes only.
Consent of copyright owner required for any other use.

SECTION D: RISK ASSESSMENT

For sites which have been assigned risk category Class A (High Risk) or Class B (Moderate Risk) during the Tier 1 assessment, a full risk assessment (Tier 1, 2 and 3) must be carried out. Class C (Low Risk) sites must have, as a minimum, Tier 1 and exploratory Tier 2 assessments. All sections of the risk assessment must be included as part of this application, including any part of the Tier 1 assessment carried out using the EPA Section 22 Register risk assessment tool at www.epa.ie/uwsr.

For all sites, a proposal detailing necessary measures for remediation, risk attenuation and site restoration must be provided, and must as a minimum contain the following information:

- Details of all necessary measures proposed, including a statement of the impact of the remediation measures. Proposed measures must clearly address all risks identified in the revised Conceptual Site Model for the site. This should also include details of alternative measures considered and reasons for rejection of same, where applicable.
- Schedule for completion of the proposed necessary measures, including a timeframe for the submission of a validation report.
- Details of any ongoing or long-term monitoring or assessment programme which may be required to evaluate and ensure the effectiveness of the necessary measures as carried out.

Two copies of the risk assessment shall be submitted. The risk assessment shall also be provided on two CD-ROMs in searchable PDF format.

The Risk Assessment should be submitted as **Attachment D.1.**

SECTION E: APPROPRIATE ASSESSMENT

In addition to the foregoing, all sites (whether low, moderate or high risk) should be subject to screening for Appropriate Assessment in accordance with the European Communities (Birds and Natural Habitats) Regulations 2011 (S.I. No. 477 of 2011). The results of any such screening should be submitted as part of this application. The screening should demonstrate whether the project is/is not likely, whether individually or in combination with other plans or projects, to have significant effects on any European Site or sites as defined in Regulation 2(1) of the Habitats Regulations (S.I. No. 477 of 2011) having regard to best scientific knowledge and its conservation objectives. Where, based on the Stage 1 screening, it is considered that an appropriate assessment *is not* required, a reasoned response should be provided.

Where screening has determined that an appropriate assessment *is* required, an appropriate assessment in accordance with Article 6(3) of the Habitats Directive (92/43/EEC) should be completed and a copy of the Natura Impact Statement submitted as part of this application. The assessment should consider the following impacts on any European Site(s):

1. The impact of the existing landfill on European sites;
2. The cumulative effects of the project combined with other plans or projects that might impact on the European site or sites;
3. An assessment of the implications of the project for the European site in view of the European site's conservation objectives;
4. The objectives of proposed remediation measures with regard to existing impacts identified in item 1;
5. The impact on the European site of any physical works carried out at the closed landfill as part of the remediation plan;
6. Details of any mitigation measures proposed at or in relation to the European site, including timeframes for the implementation and monitoring of the measures; and
7. Natura Impact Statement conclusion statement. The statement should conclude whether the project will or will not adversely affect the integrity of the European site(s) having regard to its conservation objectives.

While the appropriate assessment is subject to a separate report (the Natura Impact Statement), it should be carried out in tandem with the overall risk assessment. This is to ensure that a holistic approach is undertaken, whereby all relevant appropriate assessment and risk assessment parameters are addressed and to ensure that the remediation measures proposed address all risks identified.

Please refer to the guidance document '*Appropriate Assessment of Plans and Projects in Ireland – Guidance for Planning Authorities*', issued in 2009 by the Department of the Environment, Heritage and Local Government, and revised in 2010 with regard to this assessment. This document is available at: http://www.npws.ie/publications/archive/NPWS_2009_AA_Guidance.pdf.

Three copies of the screening report and, where relevant, the Natura Impact Statement shall be submitted. The screening report/Natura

Impact Statement shall also be provided on two CD-ROMs in searchable PDF format.

The Appropriate Assessment (screening and, where relevant, Natura Impact Statement should be submitted as **Attachment E.1.**

*For inspection purposes only.
Consent of copyright owner required for any other use.*

SECTION F: DECLARATION

SECTION F: DECLARATION

Declaration

I hereby make application for a Certificate of Authorisation pursuant to the provisions of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations, 2008 (S.I. No. 524 of 2008).

I certify that the information given in this application is truthful, accurate and complete and the enclosed Risk Assessment is a full and complete representation of all relevant work carried out in relation to the site in question.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA offices and via the EPA's website.

This consent relates to this application itself and to any further information or submission, whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

Signed by : Michael Boland Date : 17/12/2018
(on behalf of the organisation)

Print signature name: MICHAEL BOLAND

Position in organisation: Executive Scientist

For inspection purposes only.
Consent of copyright owner required for any other use.

SECTION G: JOINT DECLARATION

Joint Declaration ^{Note1}

I hereby make application for a Certificate of Authorisation pursuant to the provisions of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations, 2008 (S.I. No. 524 of 2008).

I certify that the information given in this application is truthful, accurate and complete and the enclosed Risk Assessment is a full and complete representation of all relevant work carried out in relation to the site in question.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA offices and via the EPA's website.

This consent relates to this application itself and to any further information or submission whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

Lead Authority

Signed by : _____ **Date :** _____
(on behalf of the organisation)

Print signature name: _____

Position in organisation: _____

Co-Applicants

Signed by : _____ **Date :** _____
(on behalf of the organisation)

Print signature name: _____

Position in organisation: _____

Signed by : _____ **Date :** _____
(on behalf of the organisation)

Print signature name: _____

Position in organisation: _____

Note 1: In the case of an application being lodged on behalf of more than one local authority the above declaration must be signed by all applicants.

ATTACHMENTS

Attachment A.1. The Non-Technical Summary is attached.

Attachment C.1 Figure 1

Attachment C.4. Landuse is described in Section 3.2.1 of the Environmental Risk Assessment and Figure 1.

Attachment D1 Environment Risk Assessment – May 2018 and the Remediation Strategy Report – July 2018

Attachment E1 Screening for Appropriate Assessment and Natura Impact Statement – May 2018

*For inspection purposes only.
Consent of copyright owner required for any other use.*


For inspection purposes only.
Consent of copyright owner required for any other use.

APPENDIX 2: Walkover Survey Checklist

Walkover Survey Checklist: Landfill – Fassaroe No. 3A		
Information	Checked	Comment (include distances from site boundary)
1. What is current Land Use?	yes	Agriculture land
2. What are the neighbouring Land Uses?	yes	Agriculture land on three sides,
3. What is the size of the site?	yes	Landfill No.3A is 1.9 hectares
4. What is the topography?	Yes	The landfill is on flat ground that has a pronounced slope located on the northern side of the landfill.
5. Are there potential receptors (if yes, give details) ?	Yes	
Houses	Yes	No
Surface water features (if yes, distance and direction of flow)	Yes	The County Brook River is located 90m to the north of the landfill
Any wetland or protected areas	Yes	Ballyman SAC located bounds the northern side of the landfill
Public Water Supplies	Yes	No
Private Wells	Yes	No
Services	Yes	No
Other buildings	Yes	No
Other		
6. Are there any potential sources of contamination (if yes, give details)?	Yes	
Surface waste (if yes, what type)?	Yes	No
Surface ponding of leachate	Yes	No
Leachate seepage	Yes	Yes
Landfill gas odours	Yes	Minor odours from boreholes
7. Are there any outfalls of surface water? (If yes, are there discharges and what is the nature of the discharge?)	Yes	No
8. Are there any signs of impact on the environment? (If yes, take photographic evidence)	yes	
Vegetation die off, bare ground	Yes	No

Leachate seepages	Yes	No
Odours	Yes	No
Litter	Yes	No
Gas bubbling through water	Yes	No
Signs of settlement, subsidence, water logged areas	Yes	Minor ponding on the surface of the landfill in wet weather
Drainage or hydraulic issues	Yes	No
Downstream water quality appears poorer than upstream water quality	Yes	No
9. Are there any indications of remedial measures? (Provide details)	Yes	
Capping	Yes	The landfills were capped with clay and are grass covered.
Landfill gas collection	Yes	No
Leachate collection	Yes	No
10. Describe fences and security features (if any)	Yes	There are wire fences around the landfill and the field that it is located in.
Any other relevant information?		

For inspection purposes only.
 Consent of copyright owner required for any other use.




LEGEND

- ESB Overhead (33 kv)
- ESB Overhead (110kv)
- ESB Overhead (220kv)
- ESB Overhead (400kv)
- ESB Overhead (LV)
- ESB Underground (33kv)
- ESB Underground (MV & LV)
- ESB Underground (Spare)
- 800mm Watermain (Existing)
- 33" Watermain (Existing)
- 24" Watermain (Existing)
- 100mm Watermain (Existing)
- 150mm Watermain (Existing)
- 200mm Watermain (Existing)
- 300mm Watermain (Existing)
- 200 Fire Main (Existing)
- Wayleaves (15m wide)
- Historic Landfill Site
- Special Areas of Conservation (SAC's)

For inspection purposes only.
Consent of copyright owner required for any other use.

Ordnance Survey Ireland Licence No EN 0005915
©Ordnance Survey Ireland and Government of Ireland

 Cathairín Ceanán Chill Mháistir	<p>General Notes</p> <p>01 This drawing is the property of RPS Consulting Engineers, it is a confidential document and must not be copied, used, or its content disclosed without prior written consent.</p> <p>02 All levels shall be Ordnance Survey Datum, Mean Sea Level.</p> <p>03 DO NOT SCALE, use spaced dimensions only, it is a draft.</p> <p>04 Handwritten notes, not used and not used as a controlled item of the drawing. All other items (only not) are deemed to be an essential item and any such item not shown on this drawing is at the responsibility of the client. RPS will not accept any responsibility for any errors from the use of these drawings, either by omission or by error, arising from the use of these drawings, unless it is specifically stated on the drawings that the client is responsible for the accuracy of the information provided, or nothing at all.</p>	<p>CON APPLICATION</p> <p>FOR: []</p> <p>NO: []</p> <p>DATE: []</p> <p>Prepared by: []</p> <p>App: []</p>	<p>RPS</p> <p>RPS Consulting Engineers Cun Leasaithe Go Dubha</p> <p>T: +353 1 4622888 F: +353 1 2620278 W: www.rpsgroup.com/ireland E: Ireland@rpsgroup.com</p>	<p>Drawn: []</p> <p>Checked: []</p> <p>Approved: []</p> <p>Date: May 2019</p> <p>Scale: 1:2500 @ A3 1:5000 @ A2</p> <p>Job No: ME1258</p> <p>File Path: ME1258\F0000\F02.dwg</p> <p>Proj: Fassaroe Fassaroe Historic Landfill</p>	<p>PLAN SHOWING HISTORIC LANDFILL LOCATIONS, EXISTING SERVICES, WAYLEAVES & SAC'S</p> <p>Figure 1 of 1</p>
--	--	---	---	--	---

For inspection purposes only.
Consent of copyright owner required for any other use.