

Customer Sample Ref.	Units	SW3	SW4	SW5	SP1	SP2	SP3	SP4	SP5
Sample Date		04/03/2016	04/03/2016	04/03/2016	04/03/2016	04/03/2016	04/03/2016	04/03/2016	04/03/2016
Sample Matrix		Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Determinand	Unit	SW3	SW4	SW5	SP1	SP2	SP3	SP4	SP5
Trichlorofluoromethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Dichloromethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
2,2-Dichloropropane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Chloroform	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Bromochloromethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,1,1-Trichloroethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloropropene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichloroethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Benzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichloropropane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Bromodichloromethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Dibromomethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
cis-1,3-Dichloropropene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Toluene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
trans-1,3-Dichloropropene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,1,2-Trichloroethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Carbon Tetrachloride	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Vinyl Chloride	ug/l	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	<0.5	<0.5
1,3-Dichloropropane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Dibromochloromethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromoethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,1,1,2-Tetrachloroethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Ethyl Benzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
m&p-Xylene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
o-Xylene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Styrene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Bromoform	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Isopropylbenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
trans-1,2-Dichloroethene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,1,1,2-Tetrachloroethane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichloropropane	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-chloropropane	ug/l	<2.0	<2.0	<2.0	<20.0	<2.0	<2.0	<2.0	<2.0
1,2,4-Trichlorobenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobutadiene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
Naphthalene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0
MTBE	ug/l	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0

For inspection purposes only.
Consent of copyright owner required for any other use.

Customer Sample Ref.	Units	SP2	SP3	SP4	SP5
Sample Date/Time		24/08/2016	24/08/2016	24/08/2016	24/08/2016
Sample Matrix		Surface water	Surface water	Surface water	Surface water
Determinand	Unit	SP2	SP3	SP4	SP5
Toluene	ug/l	<1.0	<1.0	<1.0	<1.0
Trans-1,3-Dichloropropene	ug/l	<10	<10	<10	<10
1,1,2-Trichloroethane	ug/l	<10	<10	<10	<10
Tetrachloroethene	ug/l	<1.0	<1.0	<1.0	<1.0
1,3-Dichloropropane	ug/l	<2.0	<2.0	<2.0	<2.0
Dibromochloromethane	ug/l	<10	<10	<10	<10
1,2-Dibromoethane	ug/l	<5.0	<5.0	<5.0	<5.0
Chlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0
1,1,1,2-Tetrachloroethane	ug/l	<2.0	<2.0	<2.0	<2.0
Ethylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0
m & p-Xylene	ug/l	<1.0	<1.0	<1.0	<1.0
o-Xylene	ug/l	<1.0	<1.0	<1.0	<1.0
Styrene	ug/l	<1.0	<1.0	<1.0	<1.0
Tribromomethane	ug/l	<1.0	<1.0	<1.0	<1.0
Isopropylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0
Bromobenzene	ug/l	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichloropropane	ug/l	<50	<50	<50	<50
N-Propylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	ug/l	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	ug/l	<1.0	<1.0	<1.0	<1.0
Tert-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0
Sec-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0
4-Isopropyltoluene	ug/l	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0
N-Butylbenzene	ug/l	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0
1,2-Dibromo-3-Chloropropane	ug/l	<50	<50	<50	<50
1,2,4-Trichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0
Hexachlorobutadiene	ug/l	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	ug/l	<2.0	<2.0	<2.0	<2.0
Methyl Tert-Butyl Ether (MBTE)	ug/l	<1.0	<1.0	<1.0	<1.0
N-Nitrosodimethylamine	ug/l	<0.50	<0.50	<0.50	<0.50

For inspection purposes only.
Consent of copyright owner required for any other use.

Customer Sample Ref. Sample Date/Time Sample Matrix	Unit	SW-1 13/03/2018 Surface Water	SP-1 13/03/2018 Surface Water	SW-3 13/03/2018 Surface Water	SP-2 13/03/2018 Surface Water	SW-2 13/03/2018 Surface Water	SW-5 13/03/2018 Surface Water	SP-4 13/03/2018 Surface Water	SP-3 13/03/2018 Surface Water	SW-4 13/03/2018 Surface Water
	Unit	SW1	SP1	SW3	SP2	SW2	SW5	SP4	SP3	SW4
2-Methylphenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
3&4-Methylphenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dibenzofuran	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bis(2-chloroisopropyl)ether	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Nitrosodi-n-propylamine	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachloroethane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isophorone	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2,4-Dimethylphenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Nitrophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bis(2-chloroethoxy)methane	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2,4-Dichlorophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Naphthalene	ug/l	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Hexachlorobutadiene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chloro-3-methylphenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Methylnaphthalene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2,4,6-Trichlorophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2,4,5-Trichlorophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chloronaphthalene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dimethylphthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2,6-Dinitrotoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Acenaphthylene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Acenaphthene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2,4-Dinitrotoluene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Diethylphthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Nitrophenol	ug/l	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Chlorophenyl phenyl ether	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Fluorene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Diphenylamine	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Bromophenyl Phenyl Ether	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Pentachlorophenol	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Phenanthrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Anthracene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
di-n-Butylphthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Fluoranthene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Pyrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Benzyl Butyl Phthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)anthracene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chrysene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bis(2-ethylhexyl)phthalate	ug/l	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Di-n-octylphthalate	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(b)fluoranthene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(k)fluoranthene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Indeno(1,2,3-c,d)pyrene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Dibenzo(a,h)anthracene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(g,h,i)perylene	ug/l	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Fluorophenol	%Recovery	99.3	99.7	97.4	97.4	98.9	97	92.4	95.9	93.7
Phenol-d6	%Recovery	91.3	90.2	86.6	86.8	88.2	88.1	86	85	85.2
Nitrobenzene-d5	%Recovery	92.2	90.4	88.9	88.6	91.6	88.7	88.1	88.7	86
2-Fluorobiphenyl	%Recovery	93.5	92.5	90.1	90.7	94.7	92.1	86.2	91	89.1
2,4,6-Tribromophenol	%Recovery	81.3	79.3	79.1	76.6	80.7	79.3	81.5	84.6	79
Terphenyl-d14	%Recovery	90.1	99.7	96.2	89.1	97.7	92.2	85.7	97.3	94.4

For inspection purposes only.
Consent of copyright owner required for any other use.

