



Priority Geotechnical Ltd.  
 Tel: 021 4631800  
 Fax: 021 4638690  
 www.prioritygeotechnical.ie

Drilled By  
 GW  
 Logged By  
 GW

Borehole No  
**BH09**

Sheet 2 of 2

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.</b> P15180	<b>Co-ords:</b> 722746E - 718179N	<b>Hole Type</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 09/02/2016	<b>Level:</b> 97.97 mOD	<b>Scale</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy GRAVEL		
					12.00	85.97	12.00		
							End of Borehole at 12.00 m		

For inspection purposes only.  
 Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b> Struck 6.00m	Rose to -	After -	Sealed -	Comment	<b>Hole Information:</b> Hole Depth 12.00m	Hole Diameter 150	Casing Diameter 131mm	<b>Chiselling:</b> Depths (m) to	Time (hhmm)	Tool
-------------------------------------	-----------	---------	----------	---------	---	-------------------	-----------------------	-------------------------------------	-------------	------

<b>Remarks:</b> Borehole complete at 12.0m bgl. 50mm dia. standpipe installed response zone 2m - 12m.	<b>Shift Data:</b> Groundwater - Shift (dd/mm/yyyy) 09/02/2016 Casing depth 12.00m Remarks End of shift
---	--

<b>Equipment &amp; Methods:</b> Deltabase 520
---



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**BH10**

Sheet 1 of 2

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 722792E - 718279N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 11/02/2016	<b>Level:</b> 99.31 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy, clayey GRAVEL		
					96.11	3.20	Open hole drilling. Driller described sandy GRAVEL		
					95.01	4.30	Open hole drilling. Driller described SAND		
					93.31	6.00	Open hole drilling. Driller described sandy GRAVEL		
							Continued next sheet		

For inspection purposes only.  
Consent of copyright owner required for any other use.

<b>Groundwater:</b>					<b>Hole Information:</b>			<b>Chiselling:</b>		
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
8.00m	-	-	-		14.00m	150	131mm	to		

<b>Remarks:</b> Borehole complete at 14.0m bgl. 50mm dia. standpipe installed response zone 4m - 14m.	<b>Shift Data:</b> Groundwater - 11/02/2016 14.00m End of shift
---	---

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW

Logged By  
GW

Borehole No

**BH10**

Sheet 2 of 2

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 722792E - 718279N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 11/02/2016	<b>Level:</b> 99.31 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
	<input checked="" type="checkbox"/>					90.21	9.10	Open hole drilling. Driller described wet sandy GRAVEL	
						88.81	10.50	Open hole drilling. Driller described sandy, clayey GRAVEL	
						14.00	85.31	14.00	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth
<b>Groundwater:</b>						
Struck	Rose to	After	Scaled	Comment	<b>Hole Information:</b>	<b>Chiselling:</b>
6.00m	-	-	-		Hole Depth	Depths (m)
9.10m	-	-	-		Hole Diameter	Time (hhmm)
					Casing Diameter	Tool
					14.00m	150
						131mm

<b>Remarks:</b> Borehole complete at 14.0m bgl. 50mm dia. standpipe installed response zone 4m - 14m.	<b>Shift Data:</b> Groundwater - Shift (dd/mm/yyyy) 11/02/2016 Casing depth 14.00m Remarks End of shift
<b>Equipment &amp; Methods:</b> Deltabase 520	



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**BH11**

Sheet 1 of 4

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723803E - 718269N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 24/02/2016	<b>Level:</b> 82.65 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy CLAY		
					79.35	3.30	Open hole drilling. Driller describes sandy GRAVEL.		
					76.25	6.40	Open hole drilling. Driller describes GRAVEL.		
							Continued next sheet		

For inspection purposes only.  
Consent of copyright owner required for any other use.

<b>Groundwater:</b> Struck    Rose to    After    Sealed    Comment					<b>Hole Information:</b> Hole Depth    Hole Diameter    Casing Diameter 33.00m            150                    131mm			<b>Chiselling:</b> Depths (m)            Time (hhmm)            Tool to	
<b>Remarks:</b> Borehole complete at 33.0m bgl. 50mm dia. standpipe installed response zone 1m - 33m.					<b>Shift Data:</b> Groundwater    Shift (dd/mm/yyyy)    Casing depth    Remarks -                                    24/02/2016            33.00m            End of shift				
<b>Equipment &amp; Methods:</b> Deltabase 520									









Priority Geotechnical Ltd.  
 Tel: 021 4631600  
 Fax: 021 4638690  
 www.prioritygeotechnical.ie

Drilled By  
 GW  
 Logged By  
 GW

Borehole No  
**BH11**

Sheet 4 of 4

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723803E - 718269N	<b>Hole Type:</b> RO
--	-------------------------------	-----------------------------------	-------------------------

<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 24/02/2016	<b>Level:</b> 82.65 mOD	<b>Scale:</b> 1:50
---	-----------------------------	-------------------------	-----------------------

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller describes SAND.		
								28	
								29	
								30	
								31	
								32	
					33.00	49.65	33.00	33	
							End of Borehole at 33.00 m		
								34	
								35	

For inspection purposes only.  
 Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth	Chiselling:	Time (hhmm)	Tool
Struck		Rose to	After Sealed	Comment	Hole Information:		Depths (m)		
					Hole Depth	Hole Diameter	to		
					33.00m	150			
						Casing Diameter			
						133mm			

**Remarks:** Borehole complete at 33.0m bgl. 50mm dia. standpipe installed response zone 1m - 33m.

**Shift Data:** Groundwater - Shift (dd/mm/yyyy) 24/02/2016 Casing depth 33.00m Remarks End of shift

**Equipment & Methods:** Database 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**BH13**

Sheet 1 of 3

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.</b> P15180	<b>Co-ords:</b> 723634E - 718448N	<b>Hole Type</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 03/02/2016	<b>Level:</b> 87.99 mOD	<b>Scale</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
					86.59	1.40	Open hole drilling. Driller described sandy CLAY	1	
							Open hole drilling. Driller described sandy, clayey GRAVEL	2	
								3	
								4	
								5	
					81.79	6.20	Open hole drilling. Driller described SAND	6	
								7	
								8	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Continued next sheet

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b> Struck 11.10m Rose to - After - Sealed - Comment					<b>Hole Information:</b> Hole Depth 19.50m Hole Diameter 150 Casing Diameter 130mm			<b>Chiselling:</b> Depths (m) to Time (hhmm) Tool		
---	--	--	--	--	---	--	--	--	--	--

<b>Remarks:</b> Borehole completed at 19.5m bgl. 50mm dia. standpipe installed response zone 4.5m - 19.5m.	<b>Shift Data:</b> Groundwater - Shift (dd/mm/yyyy) 03/02/2016 Casing depth 19.50m Remarks End of shift
--	--

<b>Equipment &amp; Methods:</b> Deltabase520
--





Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**BH13**

Sheet 2 of 3

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723634E - 718448N	<b>Hole Type:</b> RO
--	-------------------------------	-----------------------------------	-------------------------

<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 03/02/2016	<b>Level:</b> 87.99 mOD	<b>Scale:</b> 1:50
---	-----------------------------	-------------------------	-----------------------

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
					78.79	9.20	Open hole drilling. Driller described SAND Open hole drilling. Driller described sandy GRAVEL		
					77.49	10.50	Open hole drilling. Driller described very wet GRAVEL		
					76.89	11.10	Open hole drilling. Driller described silty, sandy CLAY		
					76.69	11.30	Open hole drilling. Driller described dry SAND		
					71.49	16.50	Open hole drilling. Driller described sandy GRAVEL		

For inspection purposes only.  
Consent of copyright owner required for any other use.

Continued next sheet

Water	Depth (m)	Type	Results	Casing	Level	Depth	Chiselling:	Time (hhmm)	Tool
Struck	11.10m	-	-	-	19.50m	150	130mm		

<b>Remarks:</b> Borehole completed at 19.5m bgl. 50mm dia. standpipe installed response zone 4.5m - 19.5m.	<b>Shift Data:</b> Groundwater - Shift (dd/mm/yyyy) 03/02/2016 Casing depth 19.50m Remarks End of shift
--	---

<b>Equipment &amp; Methods:</b> Deltabase520
--



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**BH13**

Sheet 3 of 3

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723634E - 718448N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 03/02/2016	<b>Level:</b> 87.99 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy GRAVEL		
					19.50	68.49	19.50	End of Borehole at 19.50 m	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b> Struck 11.10m Rose to - After - Sealed - Comment					<b>Hole Information:</b> Hole Depth 19.50m Hole Diameter 150 Casing Diameter 130mm			<b>Chiselling:</b> Depths (m) to Time (hhmm) Tool		
---	--	--	--	--	---	--	--	--	--	--

<b>Remarks:</b> Borehole completed at 19.5m bgl. 50mm dia. standpipe installed response zone 4.5m - 19.5m.	<b>Shift Data:</b> Groundwater - Shift (dd/mm/yyyy) 03/02/2016 Casing depth 19.50m Remarks End of shift
--	--

<b>Equipment &amp; Methods:</b> Deltabase520
--



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G01**

Sheet 1 of 3

**Project Name:**

assaroe Historic Landfills

**Project No.**

P15180

**Co-ords:** 723757E - 718233N

**Hole Type**

RO

**Client:** RPS Consulting Engineers

**Dates:**

23/02/2016

**Level:** 84.99 mOD

**Scale**

1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy GRAVEL.		
								1	
								2	
								3	
								4	
								5	
								6	
								7	
					76.89	8.10	Open hole drilling. Driller described GRAVEL.		
								8	
Continued next sheet									

For inspection purposes only.  
Consent of copyright owner required for any other use.

Groundwater:					Hole Information:			Chiselling:		
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
-	-	-	-	-None encountered.	19.30m	150	131mm			

**Remarks:** Borehole complete at 19.30m bgl. 50mm dia. standpipe installed response zone 1m to 11m.

**Shift Data:** Groundwater - Shift (dd/mm/yyyy) 23/02/2016 Casing depth 19.30m Remarks End of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G01**

Sheet 2 of 3

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723757E - 718233N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 23/02/2016	<b>Level:</b> 84.99 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
						75.59	9.40	Open hole drilling. Driller described GRAVEL.	
								Open hole drilling. Driller described sandy GRAVEL.	
						75.19	9.80	Open hole drilling. Driller described GRAVEL.	
									10
									11
									12
									13
									14
									15
									16
						67.89	17.10	Open hole drilling. Driller described blowing fine SAND and GRAVEL.	17

For inspection purposes only.  
Consent of copyright owner required for any other use.

Continued next sheet

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b>					<b>Hole Information:</b>			<b>Chiselling:</b>		
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (h:mm)	Tool
-	-	-	-	-None encountered.	19.30m	150	131mm	to		

<b>Remarks:</b> Borehole complete at 19.30m bgl. 50mm dia. standpipe installed response zone 1m to 11m.	<b>Shift Data:</b> Groundwater - Shift (dd/mm/yyyy) 23/02/2016 Casing depth 19.30m Remarks End of shift
---	---

<b>Equipment &amp; Methods:</b> Deltabase 520
---





Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G01**

Sheet 3 of 3

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.</b> P15180	<b>Co-ords:</b> 723757E - 718233N	<b>Hole Type</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 23/02/2016	<b>Level:</b> 84.99 mOD	<b>Scale</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described blowing fine SAND and GRAVEL.		
					19.30	65.69	19.30		
							End of Borehole at 19.30 m		
								19	
								20	
								21	
								22	
								23	
								24	
								25	
								26	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth	Chiselling:	Time (hhmm)	Tool	
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
-	-	-	-	-None encountered.	19.30m	150	131mm	to		

**Remarks:** Borehole complete at 19.30m bgl. 50mm dia. standpipe installed response zone 1m to 11m.

**Shift Data:** Groundwater - Shift (dd/mm/yyyy) 23/02/2016 Casing depth 19.30m Remarks End of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4831600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
AK  
Logged By  
AK

Borehole No  
**G02**

Sheet 1 of 3

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723907E - 718312N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 03/02/2016-04/02/2016	<b>Level:</b> 72.66 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described CLAY.		
						69.66	3.00	Open hole drilling. Driller described SAND.	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Continued next sheet

<b>Groundwater:</b> Struck 3.20m Rose to - After - Sealed - Comment -	<b>Hole information:</b> Hole Depth 19.50m Hole Diameter 150 Casing Diameter 130mm	<b>Chiselling:</b> Depths (m) to Time (hhmm) Tool												
<b>Remarks:</b> Borehole complete at 19.50m bgl. 50mm dia. standpipe installed response zone 1m to 11.5m.		<b>Shift Data:</b> <table border="1"> <tr> <th>Groundwater</th> <th>Shift (dd/mm/yyyy)</th> <th>Casing depth</th> <th>Remarks</th> </tr> <tr> <td>3.20m</td> <td>03/02/2016</td> <td>13.50m</td> <td>End of shift</td> </tr> <tr> <td>-</td> <td>04/02/2016</td> <td>13.50m</td> <td>Start of shift</td> </tr> </table>	Groundwater	Shift (dd/mm/yyyy)	Casing depth	Remarks	3.20m	03/02/2016	13.50m	End of shift	-	04/02/2016	13.50m	Start of shift
Groundwater	Shift (dd/mm/yyyy)	Casing depth	Remarks											
3.20m	03/02/2016	13.50m	End of shift											
-	04/02/2016	13.50m	Start of shift											
<b>Equipment &amp; Methods:</b> Deltabase 520														



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
AK

Logged By  
AK

Borehole No

**G02**

Sheet 2 of 3

**Project Name:**

assaroe Historic Landfills

**Project No.**

P15180

**Co-ords:** 723907E - 718312N

**Hole Type**

RO

**Client:** RPS Consulting Engineers

**Dates:**

03/02/2016-04/02/2016

**Level:** 72.66 mOD

**Scale**

1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described SAND.		
					62.16	10.50	Open hole drilling. Driller described GRAVEL.		
					59.16	13.50	Open hole drilling. Driller described sandy GRAVEL.		
Continued next sheet									

For inspection purposes only.  
Consent of copyright owner required for any other use.

Groundwater:				
Struck	Rose to	After	Sealed	Comment
3.20m	-	-	-	

Hole Information:		
Hole Depth	Hole Diameter	Casing Diameter
19.50m	150	130mm

Chiselling:		
Depths (m)	Time (hhmm)	Tool
to		

**Remarks:** Borehole complete at 19.50m bgl. 50mm dia. standpipe installed response zone 1m to 11.5m.

Shift Data:			
Groundwater	Shift (dd/mm/yyyy)	Casing depth	Remarks
3.20m	03/02/2016	13.50m	End of shift
-	04/02/2016	13.50m	Start of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
AK  
Logged By  
AK

Borehole No  
**G02**

Sheet 3 of 3

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723907E - 718312N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 03/02/2016-04/02/2016	<b>Level:</b> 72.66 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy GRAVEL.		
					53.66	19.00	End of Borehole at 19.50 m		
				19.50					

For inspection purposes only.  
Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth

<b>Groundwater:</b> Struck 3.20m Rose to - After - Sealed - Comment	<b>Hole Information:</b> Hole Depth 19.50m Hole Diameter 150 Casing Diameter 130mm	<b>Chiselling:</b> Depths (m) to Time (hhmm) Tool
--	---	--

<b>Remarks:</b> Borehole complete at 19.50m bgl. 50mm dia. standpipe installed response zone 1m to 11.5m.	<b>Shift Data:</b> Groundwater 3.20m Shift (dd/mm/yyyy) 03/02/2016 to 04/02/2016 Casing depth 13.50m Remarks End of shift Start of shift
---	--

<b>Equipment &amp; Methods:</b> Deltabase 520
---





Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
AK  
Logged By

Borehole No  
**G03**

Sheet 1 of 3

**Project Name:** assaroe Historic Landfills  
**Project No.:** P15180  
**Co-ords:** 723984E - 718344N  
**Hole Type:** RO

**Client:** RPS Consulting Engineers  
**Dates:** 08/02/2016  
**Level:** 69.50 mOD  
**Scale:** 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described CLAY.	1	
					68.00	1.50	Open hole drilling. Driller described clay GRAVEL.	2	
					66.50	3.00	Open hole drilling. Driller described sandy GRAVEL.	3	
								4	
								5	
								6	
								7	
					62.00	7.50	Open hole drilling. Driller described GRAVEL with boulder content.	8	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Continued next sheet

Water	Depth (m)	Type	Results	Casing	Level	Depth	Chiselling:	Time (hhmm)	Tool
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	to
-	-	-	-	-None encountered.	19.50m	150	131mm		

**Remarks:** Borehole complete at 19.50m bgl. 50mm dia. standpipe installed response zone 1m to 19.5m.  
**Shift Data:** Groundwater Shift (dd/mm/yyyy) Casing depth Remarks  
08/02/2016 19.50m End of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
AK  
Logged By

Borehole No  
**G03**

Sheet 2 of 3

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723984E - 718344N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 08/02/2016	<b>Level:</b> 69.50 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described GRAVEL with boulder content.		
					59.00	10.50	Open hole drilling. Driller described gravelly SAND with boulder content.		
					57.50	12.00	Open hole drilling. Driller described SAND.		
					54.50	15.00	Open hole drilling. Driller described GRAVEL.		
					51.50	18.00			

For inspection purposes only.  
Consent of copyright owner required for any other use.

Continued next sheet

<b>Groundwater:</b> Struck: -    Rose to: -    After: -    Sealed: -    Comment: -None encountered.					<b>Hole Information:</b> Hole Depth: 19.50m    Hole Diameter: 150    Casing Diameter: 131mm			<b>Chiselling:</b> Depths (m) to:    Time (hhmm):    Tool:		
<b>Remarks:</b> Borehole complete at 19.50m bgl. 50mm dia. standpipe installed response zone 1m to 19.5m.					<b>Shift Data:</b> Groundwater: -    Shift (dd/mm/yyyy): 08/02/2016    Casing depth: 19.50m    Remarks: End of shift					
<b>Equipment &amp; Methods:</b> Deltabase 520										



Priority Geotechnical Ltd.  
 Tel: 021 4631600  
 Fax: 021 4638690  
 www.prioritygeotechnical.ie

Drilled By  
 AK  
 Logged By

Borehole No  
**G03**

Sheet 3 of 3

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.</b> P15180	<b>Co-ords:</b> 723984E - 718344N	<b>Hole Type</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 08/02/2016	<b>Level:</b> 69.50 mOD	<b>Scale</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described SAND.		
					19.50	50.00	19.50		
							End of Borehole at 19.50 m		

For inspection purposes only.  
 Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth	Chiselling:			
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
-	-	-	-	None encountered.	19.50m	150	131mm	to		

  

<b>Groundwater:</b> Struck	<b>Hole Information:</b> Hole Depth	<b>Chiselling:</b> Depths (m)
Rose to	Hole Diameter	Time (hhmm)
After	Casing Diameter	Tool
Sealed		
Comment		
-None encountered.		

  

<b>Remarks:</b> Borehole complete at 19.50m bgl. 50mm dia. standpipe installed response zone 1m to 19.5m.	<b>Shift Data:</b> Groundwater	Shift (dd/mm/yyyy)	Casing depth	Remarks
	-	08/02/2016	19.50m	End of shift

  

<b>Equipment &amp; Methods:</b> Deltabase 520
---



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW

Logged By  
GW

Borehole No  
**G04**

Sheet 1 of 3

**Project Name:** Fassaroe Historic Landfills  
**Project No.:** P15180  
**Co-ords:** 723641E - 718282N  
**Hole Type:** Rotary

**Client:** RPS Consulting Engineers  
**Dates:** 22/01/2016  
**Level:** 85.62 mOD  
**Scale:** 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
					85.42	0.20	Topsoil		
							Open hole drilling. Driller describes grey to brown sandy GRAVEL.	1	
								2	
								3	
								4	
					81.12	4.50	Open hole drilling. Driller describes dark grey sandy, clayey GRAVEL.	5	
								6	
								7	
								8	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Continued next sheet

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b> Struck: -    Rose to: -    After: -    Sealed: -    Comment: Refer to detail 19.5m				<b>Hole Information:</b> Hole Depth: 20.00m    Hole Diameter: 150    Casing Diameter: 131mm			<b>Chiselling:</b> Depths (m) to:    Time (hhmm):    Tool:		
---	--	--	--	--	--	--	---	--	--

**Remarks:** Borehole complete at 20m bgl. 50mm dia. standpipe installed response zone 3m to 20m.

**Shift Data:** Groundwater: -    Shift (dd/mm/yyyy): 22/01/2016    Casing depth: 20.00m    Remarks: End of shift

**Equipment & Methods:** Deltabase 520





Priority Geotechnical Ltd.  
 Tel: 021 4631600  
 Fax: 021 4638690  
 www.prioritygeotechnical.ie

Drilled By  
 GW  
 Logged By  
 GW

Borehole No  
**G04**

Sheet 2 of 3

**Project Name:**

assaroe Historic Landfills

**Project No.**

P15180

Co-ords: 723641E - 718282N

**Hole Type**

Rotary

**Client:** RPS Consulting Engineers

**Dates:**

22/01/2016

Level: 85.62 mOD

**Scale**

1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller describes dark grey sandy, clayey GRAVEL.		
								10	
								11	
								12	
								13	
								14	
								15	
								16	
								17	

For inspection purposes only.  
 Consent of copyright owner required for any other use.

Continued next sheet

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b> Struck    Rose to    After    Sealed    Comment -           -           -           -           Refer to detail 19.5m					<b>Hole Information:</b> Hole Depth    Hole Diameter    Casing Diameter 20.00m           150           131mm			<b>Chiselling:</b> Depths (m)    Time (hhmm)    Tool to		
---	--	--	--	--	--	--	--	---	--	--

<b>Remarks:</b> Borehole complete at 20.0m bgl. 50mm dia. standpipe installed response zone 3m to 20m.	<b>Shift Data:</b> Groundwater    Shift (dd/mm/yyyy)    Casing depth    Remarks -           22/01/2016           20.00m           End of shift
--	---

<b>Equipment &amp; Methods:</b> Deltabase 520
---



Priority Geotechnical Ltd.  
 Tel: 021 4631600  
 Fax: 021 4638690  
 www.prioritygeotechnical.ie

Drilled By  
 GW

Logged By  
 GW

Borehole No  
**G04**

Sheet 3 of 3

**Project Name:** Fassaroe Historic Landfills  
**Project No.:** P15180  
**Co-ords:** 723641E - 718282N  
**Hole Type:** Rotary

**Client:** RPS Consulting Engineers  
**Dates:** 22/01/2016  
**Level:** 85.62 mOD  
**Scale:** 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
						66.12	19.50	Open hole drilling. Driller describes dark grey sandy, clayey GRAVEL.	
					20.00	65.62	20.00	Open hole drilling. Driller describes GRAVEL. From 19.50 to 20.0m bgl arisings are wet.	
								End of Borehole at 20.00 m	

For inspection purposes only.  
 Consent of copyright owner required for any other use.

<b>Groundwater:</b>					<b>Hole Information:</b>			<b>Chiselling:</b>		
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
-	-	-	-	Refer to detail 19.5m	20.00m	150	131mm	to		

**Remarks:** Borehole complete at 20.0m bgl. 50mm dia. standpipe installed response zone 3m to 20m.  
**Shift Data:** Groundwater - Shift (dd/mm/yyyy) 22/01/2016 Casing depth 20.00m Remarks End of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G05**

Sheet 1 of 3

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.</b> P15180	<b>Co-ords:</b> 723639E - 718345N	<b>Hole Type</b> Rotary
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 27/01/2016	<b>Level:</b> 86.72 mOD	<b>Scale</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy, clayey GRAVEL.		
					83.42	3.30	Open hole drilling. Driller describes dark grey sandy, clayey GRAVEL.		
					80.07	6.65	Open hole drilling. Driller describes sandy GRAVEL.		

For inspection purposes only.  
Consent of copyright owner required for any other use.

Continued next sheet

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b> Struck    Rose to    After    Sealed    Comment					<b>Hole Information:</b> Hole Depth    Hole Diameter    Casing Diameter 20.00m        150                    131mm			<b>Chiselling:</b> Depths (m)    Time (hhmm)    Tool to		
--	--	--	--	--	--	--	--	---	--	--

<b>Remarks:</b> Borehole complete at 20m bgl. 50mm dia. standpipe installed response zone 1m to 20m.	<b>Shift Data:</b> Groundwater    Shift (dd/mm/yyyy)    Casing depth    Remarks -                                    25/01/2016            20.00m            End of shift
--	--

<b>Equipment &amp; Methods:</b> Deltabase 520
---







Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G05**

Sheet 3 of 3

**Project Name:** assaroe Historic Landfills  
**Project No.:** P15180  
**Co-ords:** 723639E - 718345N  
**Hole Type:** Rotary

**Client:** RPS Consulting Engineers  
**Dates:** 27/01/2016  
**Level:** 86.72 mOD  
**Scale:** 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller describes SAND.		
		20.00			20.00	66.72	20.00		End of Borehole at 20.00 m
								19	
								20	
								21	
								22	
								23	
								24	
								25	
								26	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth	Chiselling:	Time (hhmm)	Tool
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m) to	
					20.00m	150	131mm		

**Remarks:** Borehole complete at 20m bgl. 50mm dia. standpipe installed response zone 1m to 20m.  
**Shift Data:** Groundwater - Shift (dd/mm/yyyy) 25/01/2016 Casing depth 20.00m Remarks End of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
 Tel: 021 4631600  
 Fax: 021 4638690  
 www.prioritygeotechnical.ie

Drilled By  
 GW

Logged By  
 GW

Borehole No

**G06**

Sheet 1 of 2

**Project Name:**

Fassaroe Historic Landfills

**Project No.:**

P15180

**Co-ords:** 723574E - 718442N

**Hole Type:**

Rotary

**Client:** RPS Consulting Engineers

**Dates:**

26/01/2016

**Level:** 90.99 mOD

**Scale:**

1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller describes sandy, clayey GRAVEL.		
								1	
								2	
								3	
					87.09	3.90	Open hole drilling. Driller describes GRAVEL.	4	
								5	
								6	
								7	
					82.39	8.60	Open hole drilling. Driller describes sandy GRAVEL.	8	
								Continued next sheet	

For inspection purposes only. Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b>				<b>Hole Information:</b>			<b>Chiselling:</b>			
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
-	-	-	-	None encountered	12.00m	150	131mm	to		

**Remarks:** Borehole complete at 12m bgl. 50mm dia. standpipe installed response zone 1m to 11m.

**Shift Data:** Groundwater - Shift (dd/mm/yyyy) 26/01/2016 Casing depth 12.00m Remarks End of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G06**

Sheet 2 of 2

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723574E - 718442N	<b>Hole Type:</b> Rotary
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 26/01/2016	<b>Level:</b> 90.99 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller describes sandy GRAVEL.		
					12.00	78.99	12.00	End of Borehole at 12.00 m	

For inspection purposes only.  
Consent of copyright owner required for any other use.

<b>Groundwater:</b> Struck: -    Rose to: -    After: -    Sealed: - Comment: - None encountered	<b>Hole Information:</b> Hole Depth: 12.00m    Hole Diameter: 150    Casing Diameter: 131mm	<b>Chiselling:</b> Depths (m): to    Time (hhmm):    Tool:
--	--	---

**Remarks:** Borehole complete at 12m bgl. 50mm dia. standpipe installed response zone 1m to 11m.

**Shift Data:** Groundwater    Shift (dd/mm/yyyy): 26/01/2016    Casing depth: 12.00m    Remarks: End of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW

Logged By  
GW

Borehole No  
**G07**

Sheet 1 of 2

**Project Name:** Fassaroe Historic Landfills  
**Project No.:** P15180  
**Co-ords:** 723368E - 718434N  
**Hole Type:** Rotary

**Client:** RPS Consulting Engineers  
**Dates:** 28/01/2016  
**Level:** 93.03 mOD  
**Scale:** 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller describes sandy CLAY.		
					89.93	3.10	Open hole drilling. Driller describes GRAVEL.		
					84.03	9.00			
							Continued next sheet		

For inspection purposes only.  
Consent of copyright owner required for any other use.

Groundwater:					Hole Information:			Chiselling:		
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
-	-	-	-	- None encountered	14.00m	150	131mm	to		

**Remarks:** Borehole complete at 140m bgl. 50mm dia. standpipe installed response zone 1m to 14m.

**Shift Data:** Groundwater  
: 20/01/2016 14.00m End of shift  
: 28/01/2016 0.00m Start of shift

**Equipment & Methods:** Deltabase 520





Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G07**

Sheet 2 of 2

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723368E - 718434N	<b>Hole Type:</b> Rotary
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 28/01/2016	<b>Level:</b> 93.03 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
						83.43	9.60	Open hole drilling. Driller describes sandy GRAVEL.	
								Open hole drilling. Driller describes SAND.	
									10
									11
									12
									13
					14.00	93.03	14.00	End of Borehole at 14.00 m	14
									15
									16
									17

For inspection purposes only.  
Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth
-	-	-	- None encountered	14.00m	150	131mm

<b>Groundwater:</b> Struck: -, Rose to: -, After: -, Sealed: -, Comment: - None encountered	<b>Hole Information:</b> Hole Depth: 14.00m, Hole Diameter: 150, Casing Diameter: 131mm	<b>Chiselling:</b> Depths (m): to, Time (hhmm):, Tool:
--	--	---

<b>Remarks:</b> Borehole complete at 140m bgl. 50mm dia. standpipe installed response zone 1m to 14m.	<b>Shift Data:</b> Groundwater: -, Shift (dd/mm/yyyy): 20/01/2016 to 28/01/2016, Casing depth: 14.00m to 0.00m, Remarks: End of shift, Start of shift
---	---

**Equipment & Methods:** Deltabase 520











Priority Geotechnical Ltd.  
 Tel: 021 4631600  
 Fax: 021 4638690  
 www.prioritygeotechnical.ie

Drilled By  
GW

Logged By  
GW

Borehole No

**G09**

Sheet 2 of 2

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723094E - 718350N	<b>Hole Type:</b> RO
--	-------------------------------	-----------------------------------	-------------------------

<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 17/02/2016	<b>Level:</b> 93.56 mOD	<b>Scale:</b> 1:50
---	-----------------------------	-------------------------	-----------------------

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy, clay GRAVEL.		
					80.26	13.30	Open hole drilling. Driller described blowing SAND.		
					15.00	78.56	15.00	End of Borehole at 15.00 m	

For inspection purposes only. Consent of copyright owner required for any other use.

<b>Groundwater:</b> Struck 13.30m Rose to - After - Sealed - Comment Blowing sand	<b>Hole Information:</b> Hole Depth 15.00m Hole Diameter 150 Casing Diameter 131mm	<b>Chiselling:</b> Depths (m) to Time (hhmm) Tool
--	---	--

<b>Remarks:</b> Borehole complete at 15.0m bgl. 50mm dia. standpipe installed response zone 1m to 14m.	<b>Shift Data:</b> Groundwater - Shift (dd/mm/yyyy) 17/02/2016 Casing depth 15.00m Remarks End of shift
--	--

<b>Equipment &amp; Methods:</b> Deltabase 520
---



Priority Geotechnical Ltd.  
 Tel: 021 4631600  
 Fax: 021 4638690  
 www.prioritygeotechnical.ie

Drilled By  
 GW  
 Logged By  
 GW

Borehole No  
**G10**

Sheet 1 of 3

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 723333E - 718172N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 04/02/2016	<b>Level:</b> 98.86 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sand, clay and GRAVEL.		
								1	
								2	
								3	
								4	
								5	
								6	
								7	
								8	

For inspection purposes only.  
 Consent of copyright owner required for any other use.

Continued next sheet

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b>					<b>Hole Information:</b>			<b>Chiselling:</b>		
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
20.00m	-	-	-		20.00m	150	130mm	to		

<b>Remarks:</b> Borehole complete at 20m bgl. 50mm dia. standpipe installed response zone 1m to 18.2m.	<b>Shift Data:</b> Groundwater - Shift (dd/mm/yyyy) 04/02/2016 Casing depth 20.00m Remarks End of shift
--	---

<b>Equipment &amp; Methods:</b> Deltabase 520
---



Priority Geotechnical Ltd.  
 Tel: 021 4631600  
 Fax: 021 4638690  
 www.prioritygeotechnical.ie

Drilled By  
 GW  
 Logged By  
 GW

Borehole No  
**G10**

Sheet 2 of 3

**Project Name:**

assaroe Historic Landfills

**Project No.**

P15180

**Co-ords:** 723333E - 718172N

**Hole Type**

RO

**Client:** RPS Consulting Engineers

**Dates:**

04/02/2016

**Level:** 98.86 mOD

**Scale**

1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sand, clay and GRAVEL.		
								10	
								11	
								12	
								13	
								14	
								15	
								16	
					82.06	16.80	Open hole drilling. Driller described blowing wet silty SAND.	17	
Continued next sheet									

For inspection purposes only.  
 Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth	Groundwater:			Hole Information:			Chiselling:				
							Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
							20.00m	-	-	-		20.00m	150	130mm	to		

**Remarks:** Borehole complete at 20m bgl. 50mm dia. standpipe installed response zone 1m to 18.2m.

**Shift Data:** Groundwater - Shift (dd/mm/yyyy) 04/02/2016 Casing depth 20.00m Remarks End of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW

Logged By  
GW

Borehole No  
**G10**

Sheet 3 of 3

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.</b> P15180	<b>Co-ords:</b> 723333E - 718172N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 04/02/2016	<b>Level:</b> 98.86 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described blowing wet silty SAND.		
	▽				20.00	78.86	20.00	End of Borehole at 20.00 m	
									19
									20
									22
									23
									24
									26

For inspection purposes only.  
Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth
Groundwater:	Struck	Rose to	After	Sealed	Comment	
	20.00m	-	-	-		
<b>Hole Information:</b>				<b>Chiselling:</b>		
Hole Depth		Hole Diameter		Casing Diameter		
20.00m		150		130mm		
Depths (m)			Time (hhmm)		Tool	
to						
<b>Remarks:</b> Borehole complete at 20m bgl. 50mm dia. standpipe installed response zone 1m to 18.2m.				<b>Shift Data:</b>		
				Groundwater	Shift (dd/mm/yyyy)	Casing depth
				-	04/02/2016	20.00m
				Remarks		
				End of shift		
<b>Equipment &amp; Methods:</b> Deltabase 520						





Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G11**

Sheet 1 of 2

<b>Project Name:</b> assaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 722977E - 718343N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 18/02/2016	<b>Level:</b> 97.21 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy CLAY.		
					94.11	3.10	Open hole drilling. Driller described sandy GRAVEL.		
					91.11	6.10	Open hole drilling. Driller described SAND.		
					89.71	7.50	Open hole drilling. Driller described sandy GRAVEL.		
					88.31	8.90			

For inspection purposes only.  
Consent of copyright owner required for any other use.

Continued next sheet

Water	Depth (m)	Type	Results	Casing	Level	Depth	Chiselling:	Time (hhmm)	Tool
Struck	12.00m	-	-	-	-	-	Depths (m) to	-	-
Rose to	-	-	-	-	-	-			
After	-	-	-	-	-	-			
Sealed	-	-	-	-	-	-			
Comment				Hole Depth	Hole Diameter	Casing Diameter			
				15.00m	150	131mm			

**Remarks:** Borehole complete at 15m bgl. 50mm dia. standpipe installed response zone 1m to 15m.

**Shift Data:** Groundwater Shift (dd/mm/yyyy) Casing depth Remarks  
18/02/2016 15.00m End of shift

**Equipment & Methods:** Deltabase 520



Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G11**

Sheet 2 of 2

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 722977E - 718343N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 18/02/2016	<b>Level:</b> 97.21 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
▽							Open hole drilling. Driller described wet GRAVEL. Detail 8.90m - 12.00m : From 8.90m bgl arising are wet until 12.0m bgl.	10	
					85.21	12.00	Open hole drilling. Driller described sandy GRAVEL	11	
					15.00	82.21	15.00	End of Borehole at 15.00 m	12
								13	
								14	
								15	
								16	
								17	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b>					<b>Hole Information:</b>			<b>Chiselling:</b>		
Struck	Rose to	After	Sealed	Comment	Hole Depth	Hole Diameter	Casing Diameter	Depths (m)	Time (hhmm)	Tool
12.00m	-	-	-		15.00m	150	131mm	to		

<b>Remarks:</b> Borehole complete at 15m bgl. 50mm dia. standpipe installed response zone 1m to 15m.	<b>Shift Data:</b> Groundwater Shift (dd/mm/yyyy) 18/02/2016 Casing depth 15.00m Remarks End of shift
--	--

<b>Equipment &amp; Methods:</b> Deltabase 520
---





Priority Geotechnical Ltd.  
Tel: 021 4631600  
Fax: 021 4638690  
www.prioritygeotechnical.ie

Drilled By  
GW  
Logged By  
GW

Borehole No  
**G12**

Sheet 2 of 2

<b>Project Name:</b> Fassaroe Historic Landfills	<b>Project No.:</b> P15180	<b>Co-ords:</b> 722830E - 718346N	<b>Hole Type:</b> RO
<b>Client:</b> RPS Consulting Engineers	<b>Dates:</b> 12/02/2016	<b>Level:</b> 98.91 mOD	<b>Scale:</b> 1:50

Well / Backfill	Water Strikes	Samples & In Situ Testing			Casing / Flush	Level (m AOD)	Depth (m)	Stratum Description	Legend
		Depth (m)	Type	Results					
							Open hole drilling. Driller described sandy, clayey GRAVEL.		
					87.61	11.30	Open hole drilling. Driller described sandy GRAVEL. From 11.30 to 14.0m bgl arisings are wet.		
	▽				14.00	14.00	End of Borehole at 14.00 m		

For inspection purposes only.  
Consent of copyright owner required for any other use.

Water	Depth (m)	Type	Results	Casing	Level	Depth
-------	-----------	------	---------	--------	-------	-------

<b>Groundwater:</b> Struck 14.00m Rose to - After - Sealed - Comment wet sand					<b>Hole Information:</b> Hole Depth 14.00m Hole Diameter 150 Casing Diameter 131mm			<b>Chiselling:</b> Depths (m) to Time (hhmm) Tool		
--	--	--	--	--	---	--	--	--	--	--

<b>Remarks:</b> Borehole complete at 14m bgl. 50mm dia. standpipe installed response zone 1m to 14m.	<b>Shift Data:</b> Groundwater 14.00m Shift (dd/mm/yyyy) 12/02/2016 Casing depth 14.00m Remarks End of shift
--	---

<b>Equipment &amp; Methods:</b> Deltabase 520
---