

CONSULTANTS IN ENGINEERING & ENVIRONMENTAL SCIENCES

IRELAND UNITED KINGDOM POLAND SAUDI ARABIA

Q: LW14/798/01/Lett001/JON/MG

Mr. Tadhg McDonnell
Director of Services
Environment and Water Services
County Hall
Railway Street
Navan
Co. Meath

20 May 2014

Re: Risk assessment on an Historic Landfill in Support of an Application for a Certificate of Authorisation in Accordance with Regulation 7 of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations 2008

Dear Mr. McDonnell,

As a person who is qualified, trained and experienced to the standard set out in section 2.3 of Code of Practice: Environmental Risk Assessment for Unregulated Waste Disposal Sites (EPA, 2007), it is my opinion that the risk assessment carried out by Meath County Council in relation to a closed landfill at Rear of St. Brigids Tce., Oldcastle, Co. Meath is adequate and complete. The risk assessment complies with all of the requirements of the Code of Practice. The local authority or its agent/contractor, in carrying out the risk assessment, has followed and completed the steps set out in the Code of Practice and associated guidance (Matrix 1 and Matrix 2 – as published).

The following items:

- the risk assessment,
- the findings and conclusions of the risk assessment,
- the remedial measures proposed, if any, and
- the monitoring proposed to be carried out to demonstrate the effectiveness of the remedial measures, if any,

are, in my opinion, appropriate and adequate to:

 identify the instances and risks of environmental pollution arising from the closed landfill to which this application refers,

Cont'd...



IRELAND











Page 2

- proportionately address any and all such instances and risks of environmental pollution, and
- ensure that any future instances of environmental pollution will be detected in a timely manner.

I have advised the local authority on the following aspects of this project or have carried out or managed the following aspects of the project on behalf of the local authority:

- tier 2 risk assessment
- tier 3 risk assessment including GQRA (and DQRA as appropriate)
- remedial measures
- post-remediation monitoring programme
- none of these my sole role has been to review jion butose only any other use. the final outputs of the work.

Aidan Sullivan CEng MIEI

for and on behalf of Fehily Timoney & Company