

EPA Application Form

7.3.1 - Emissions to Sewer Attachment



Amendments to this Application Form Attachment

| Version No. | Date | Amendment since previous version | Reason |
|-------------|-----------|-----------------------------------|---|
| V.1.0 | July 2017 | N/A | Online application form attachment |
| As above | Mar 2018 | Identification of required fields | Assist correct completion of attachment |
| | | | |
| | | Se. | |
| | | as on others. | |
| | | ose od for all | |

^{*} indicates required field



Emissions to Sewer Attachment (See Note i at end of this attachment)

The information contained in this attachment will be forwarded to the relevant Water Services Authority in which the sewer is vested or by which the sewer is controlled, under Section 99E of the EPA Act 1992 as amended or Section 52 of the Waste Management Act 1996 as amended. Please ensure that you have provided all the information in this attachment that the Water Services Authority require for deciding whether to authorise your discharge to sewer.

Waste Water to Sewer - Emission Point Details (See Note ii at the end of this attachment) - one row per emission point

Complete the table below for each emission point to sewer *

| Emission Point Code ¹ * | What is the Emission Source? * | Emission Point Grid Ref. | | Volume to be emitted the | | Period of emission (average) | | Measures to reduce/minimise /prevent emissions (list techniques) |
|--|---|--------------------------|------------------------------------|--|----------|------------------------------|----------|--|
| | | Easting * ² | Northing * 3 | Max. rate/ hour (m³) 💥 | Max./day | days/year* | hr/day * | * |
| SE1 | Wastewater run-off from road sweeping and gully cleaning activities (these activities are carried out within the Waste Licence Boundary). Wastewater run-off from vehicle wash bays (this activity is carried out outside the Waste Licence Boundary but within the Site Ownership Boundary). | 315171 | 240824 ^{900⁵⁶} | For inspection for the forting | 26.5 | 365 | 12 | Decanting bays allow for separation of the solids and liquid fraction upon decant from the street sweeping and gully sucking vehicles. Liquid run-off enters dedicated collector drains surrounding the decanting areas. Vertical screens on drainage channels at the decanting bays to further reduce suspended solids in effluent prior to discharge into foul drainage pipe. Oil/fuel bypass separators installed on foul pipework prior to |

.ق

The following convention should be observed when labelling sewer emission points: SE1, SE2, ..., etc.,

² Six Digit GPS Irish National Grid Reference

³ Six Digit GPS Irish National Grid Reference

^{*} indicates required field



| Emission Point Code 1 * | What is the Emission Source? * | Emission Point Grid Ref. | | Volume to be emitted | | Period of emission (average) | | Measures to reduce/minimise /prevent emissions (list techniques) |
|-------------------------|-----------------------------------|--------------------------|--------------|---------------------------|--------------------|------------------------------|----------|--|
| | | Easting * ² | Northing * 3 | Max. rate/ hour (m³) * | Max./day (m³) * | days/year* | hr/day * | / prevent emissions (list techniques |
| | | | | | | | | entering the main foul drain. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | .0. | | |
| | | | | | | AS | | |
| | | | | | 1. Volitic | | | |
| | | | | | Only and | | | |

^{*} add rows to the table as necessary

* indicates required field



Waste Water to Sewer - Emission Monitoring Points

Complete the table below with an individual record (i.e., row) for each monitoring/sampling point. A National Grid Reference (12 digit, 6E, 6N) must be entered for each monitoring/sampling point. *

| Emission Point Code * | Monitoring/Sampling Point Code | Monitoring/Sampling Point Grid Ref.* | | |
|-----------------------|--------------------------------|--------------------------------------|-------------------------|--|
| | * | Easting * 1 | Northing * ² | |
| SE1 | SEM1 | 315133 | 240818 | |
| | | | ي. | |
| | | | met it. | |
| | | | 14. 47 of | |
| | | | Solitor ar | |
| | | ,00° | ited | |

| | | | | | | of of tot it | | |
|----------------------------|---------------------------|-----------------------------|----------------------------|--------------------------------|--------------------------|---------------------------------------|---------------------------------|------------------------------------|
| * add rows | to the table as necessary | | | | an P | tiodine. | | |
| Waste Complet | Water to Sewer- Em | nissions ach emission pe | oint – add | a new rov | For its getto the | oarameter * ^{(Se} | e Note iii at the end of this a | ttachment for further information) |
| | | | Proposed Entission Limits | | | Monitoring / Sampling | | |
| Emission Point Code* | Parameter* | Monitoring Point Code* | Max. Hourly (mg/l) * | Max. Daily (kg/day) * | Annual (kg/year) * | Proposed Monitoring Frequency * | Sample Method * | Analysis Method and Technique * |
| SE1 | Fats, Oils and Grease | SEM1 | 200 | 5.3 | 1934.5 | Biannually | Grab Sample | Standard Methods |
| | | | | | | | | |
| | | | | | | | | |

^{*} indicates required field



| | | | Proposed Emission Limits | | | Monitoring / Sampling | | | |
|----------------------------|------------|------------------------|----------------------------|--------------------------------|--------------------------|---------------------------------------|-----------------|---------------------------------|--|
| Emission Point Code* | Parameter* | Monitoring Point Code* | Max. Hourly (mg/l) * | Max. Daily (kg/day) * | Annual (kg/year) * | Proposed Monitoring Frequency * | Sample Method * | Analysis Method and Technique * | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | 7.05 | o· | | |
| | | | | | | other | | | |
| | | | | | | द्भुति वात्र विश्वास | | | |
| | | | | | | up sired ! | | | |
| | | | | | ion | et teat | | | |
| | | | | | :15 Pect out | | | | |
| | | | | | for tright | | | | |
| | | | | × | of Cox | urp ges of for any other use | | | |
| | | | | CONSENI | * | | | | |
| | | | | 8 | | | | | |
| | | | | | | | | | |

^{*} add rows to the table as necessary

^{*} indicates required field



Equivalent Levels of Protection

For Industrial Emissions licence applications and with regard to Article 15(1) of the Industrial Emissions Directive (or Section 86A(8) of the EPA Act 1992 as amended) upload a document that describes how the environment as a whole is provided with an equivalent level of protection and will not lead to higher levels of pollution in the environment – use the 'Equivalent Level of Protection (Sewer)' attachment template (select Document Type: 'Equivalent Level of Protection' in the application form).

| in the application forms. | | |
|--|--|--|
| Equivalent Level of Protection (Sewer) filename: | Not Applicable. | |
| Waste Water Treatment Plant | neti ^{se} . | |
| | Agency must obtain the consent of the Water Services Authority to which the sewer is vest of the Water Services Authority, the agglomeration, the treatment plant name and the let | |
| Provide the name of the Water Services Authority applicable to your application: * | Irish Water Red Title But | |
| Enter the name of the agglomeration to which trade effluent ⁴ discharges: * | Ringsend of Consent of | |
| Enter the Treatment Plant Name: * | Ringsend Wastewater Treatment Plant | |
| | scharge to sewer, by way of a letter of consent/agreement from the operator of the sewer. Vons and discharge limitations (select Document Type: 'Sewer Discharge Consent' in the applications (select Document Type) | |
| Sewer Discharge Consent filename: | Attachment-7-3-3-Sewer Discharge Consent | |
| | | |

⁴ Trade effluent has the meaning given in the Water Services Act 2007 as amended.

^{*} indicates required field



Note i This

This part of the application form collects data on waste water emissions to sewer. In this context waste water involves trade effluent or other matter other than domestic sewage or storm water. Please note that emission limit values and monitoring requirements in any proposed licence shall be based on the information supplied hereunder.

Note ii Complete the table for each emission point having regard to the guidance hereunder.

The following convention should be observed when labelling emission points: Sewer SEXSE2, SE3,...etc.

Describing the source of the emission helps explain the nature of the emission such as process or contaminated run-off etc.

A National Grid Reference (12 digit, 6E, 6N) must be given for each emission point,

Measures are usually required to reduce, minimise or prevent emissions from occurring. They may involve the application of a single technique or a combination of techniques including process integrated, recovery, abatement and treatment techniques. List all techniques proposed/employed. Technique(s) employed be capable of providing an equivalent level of protection and complying with the proposed/known emission level(s).

Note iii Complete the table for each emission point having regard to the guidance hereunder.

Characterise the emissions (identify the parameters) under normal operation. The parameters also cover volumes and rates of emission. Those substances which are likely to be emitted in significant quantities. Having regard to their potential to transfer pollution from one medium to another must be identified and the applicant must determine emission levels having considered the following:

To identify the chemical parameters:

- 1. Substances listed in the Schedule of EPA (Industrial Emissions)/(Integrated Pollution Control)(Licensing) Regulations 2013.
- 2. IED chapters III, IV, V VI where relevant.
- 3. The fate of materials/substances, intermediates, products and by products used or produced through the process particularly substances of very high concern, substances carrying the Hazard statement H400 to 413 (hazardous to the aquatic environment) and hazardous substances with damaging effects on sensitive plants and ecosystems.
- 4. Any reaction substances likely to appear as a result of treatment or natural breakdown processes with damaging effects on sensitive plants and ecosystems.
- 5. Any substances with the potential to cause odour nuisance off site.
- 6. List I and List II substances listed in the Annex to EU Directive 2006/11/EC (as amended).
- 7. Any substances likely to cause corrosion, congealing or unsafe environment of the sewer network.

^{*} indicates required field