


EPA Application Form



Amendments to this Application Form Attachment

Version No.	Date	Amendment since previous version	Reason
V.1.0	July 2017	N/A	Online application form attachment
As above	Mar 2018	Identification of required fields	Assist correct completion of attachment
		`G.	
		diletus	
		ses of for airs	

^{*} indicates required field



Storm Water Discharge Points

Storm water is rain water run-off from roof and non-process areas

Complete the table below for all storm water discharge points – (one row per discharge point).

Note: This section is **NOT** for rain water run-off from areas used for the <u>outdoor storage of waste</u> **OR** <u>run-off from process areas likely to be contaminated</u>. (Process effluent discharges and emissions should be described in the **7.2 Emissions to Water** tab of the application form).

Discharge Point Code *	Easting * 1	Northing * 2	Discharges to? (enter relevant option) * 3	Description of Discharge Point and Controls *	Name of receiving water (where applicable) *	Receiving Water Code (where applicable) *
SW1	315170	240821	Storm Sewer	Discharge to existing 900mm diameter surface water drainage pipe via fuel/oil interceptors and vortex type flow control chambers. Discharge limited to comply with GDSDS through a combination of attenuation storage tanks, permeable paving and green roof.	Not Applicable	Not Applicable

¹ Six Digit GPS Irish National Grid Reference

² Six Digit GPS Irish National Grid Reference

Options: 'River', 'Ditch', 'Estuary', 'Lake', 'Land Drain', 'Foul Sewer', 'Percolation Area', 'Groundwater', 'Storm Sewer' or 'Other' (where 'Other' is selected please enter a description)

^{*} indicates required field



Discharge Point Code *	Easting * 1	Northing * 2	Discharges to? (enter relevant option) * 3	Description of Discharge Point and Controls *	Name of receiving water (where applicable) *	Receiving Water Code (where applicable) *
					, USE.	
					. A other	

^{*}add rows to the table as necessary

* indicates required field



Storm Water Discharge Monitoring Points

Enter the Discharge Point Code, the associated Monitoring Point Code and the grid reference details for each Monitoring Point location.

Discharge Point Code*	Monitoring Point Code*	Easting * 4	Northing * 5
SW1	SWM1	314727	240868
		for its fection purpose to the first of the feeting to the feeting	ruse.
			a. A other
		o c	off of at ,
		authos	red
		ction Verteer	
		itispet out	
		FOTHING	
		atoli	
add rows to the table as necess	zarv		

^{&#}x27;add rows to the table as necessary

Six Digit GPS Irish National Grid Reference

Six Digit GPS Irish National Grid Reference

^{*} indicates required field



Storm Water Trigger Levels and Monitoring

Complete the table below with details of the trigger levels and proposed monitoring regime for each parameter.

Select parameters that are a good indicator of loss of containment on-site. Consult the EPA guidance in the setting of trigger values for storm water discharges to off-site surface wastes at EPA licensed facilities (2012).

(If different parameters or monitoring arrangements apply at different storm water discharge points include information on this within the table).

				Sampling / Monitoring	
Parameter*	Trigger Level *	How was the trigger level determined? *	Proposed Monitoring Frequency * 6	Sample Method * 7	Analysis Method and Technique * 8
Fats, Oils and Grease	200 mg/l	Operational performance of oi/fuel separator	As required	Grab Sample	Standard Method
Visual Inspection/Odour	Not Applicable	Not Applicable	As required any difference of the second sec	Visual/Olfactory	Visual/Olfactory
			120 see lited to		
			ion pried		
			: 15 Pot Owl		
			kor yiel		
			\$ CC .		
		Courser			

^{*}add rows to the table as necessary

If not provided for in the table above, upload a document that includes details of how storm water is proposed to be monitored (select Document Type: 'Storm Water Monitoring' in the application form).

Storm Water Monitoring document file name:	

⁶ Option list: 'Continuous', 'Hourly', 'Daily', 'Weekly', 'Monthly', 'Quarterly', 'Biannually' OR 'Annually'.

⁷ Option list: 'Continuous', '24-hour Flow Proportional Composite', '24-hour Time Proportional Composite' OR 'Grab'.

⁸ Option list: 'Gravimetric', 'Online Calibrated Suspended Solids', 'Online Flow Meter with Recorder', 'Online pH electrode/probe Meter and Recorder', 'Online Temperature Probe with Recorder', 'Standard Method', 'Visual', OR 'To be agreed by the Agency'.

^{*} indicates required field



Consent of copyright owner required for any other use.

^{*} indicates required field