

**Ms Bernadine Scanlan
Principal Environmental Health Officer
Health Service Executive
Environmental Health Service
Blackwater House
Mallow Business Park
Mallow
Co Cork**

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland
Y35 W821

Ceanncheathrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire
Y35 W821

T: +353 53 9160600
F: +353 53 9160699
E: info@epa.ie
W: www.epa.ie

LoCall: 1890 33 55 99

31 October 2019

Reg No D0332-02

Dear Ms Scanlan

I am to refer to your letter received on 24 October 2019, in relation to an application for a Waste Water Discharge Licence, Reg No D0332-02, in respect of the agglomeration named Millstreet, Co Cork.

I am to advise that your letter will be treated as a submission and will be taken into account when determining the Wastewater Discharge Licence, in accordance with the Waste Water Discharge (Authorisation) Regulations 2007 as amended.

The application and associated correspondence, including acknowledgements, notifications and general correspondence are available to view on the Agency Website at www.epa.ie.

Please direct any further correspondence in relation to this application to Administration Unit, Environmental Licensing Programme, Environmental Protection Agency, P.O. Box 3000, Johnstown Castle Estate, County Wexford quoting Register No D0332-02.

Yours sincerely



**Eve O'Sullivan
Programme Officer
Office of Environmental Sustainability**