



Electronic Copy

Mr. Mark Heffernan

On behalf of Dublin Waste to Energy Limited

17 December 2019

Reg. No.: W0232-02

Regulation 10(2)(b)(ii) of the EPA (Industrial Emissions) (Licensing) Regulations 2013, in respect of a licence review from Dublin Waste to Energy Limited for an installation located at Dublin Waste to Energy Limited, Pigeon House Road, Poolbeg Peninsula, Dublin 4, Dublin, D04N2P2

Dear Sir or Madam,

I refer to the application for a licence received by the EPA on 27 June 2019.

Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with the above mentioned legislation. You are therefore requested, in accordance with the regulations, to supply the information detailed below.

The Agency notes the licence application documentation is seeking an increase in the waste acceptance tonnage of non-hazardous residual waste by 90,000 tonnes per annum (Ref. Attachment 1.2 Non Technical Summary). The current licence W0232-01, permits the acceptance of 600,000 tonnes per annum of non-hazardous residual waste and commercial and industrial wastes, and An Bord Pleanála approved the capacity as proposed in the W0232-01 licence application.

Please submit to the Agency evidence of planning permission for the additional 90,000 tonnes or in its place confirmation from An Bord Pleanála that additional planning permission is not required. [Regulation (9)(2)(e)]

In addition to the above, please also provide an updated non-technical summary (Application Form, and EIAR where applicable) to reflect the information provided in your reply, insofar as that information impinges on the non-technical summary.

The requested information should be submitted to the Agency within **16 weeks** of the date of this notice, in order to allow the Agency to process and determine your application.

It should be noted that the eight-week period within which the Agency is to decide the proposed determination will commence on the day on which this notice has been complied with. If you have any further queries please contact [licensing@epa.ie](mailto:licensing@epa.ie).

Field Cod

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Your response to this request is to be submitted via EDEN. Guidance on how to use this portal is available on the EPA website at:

<http://www.epa.ie/pubs/forms/lic/industrial%20emissions/licenceapplicationformguidance.html>.

Field Cod

Please direct any queries to [licensing@epa.ie](mailto:licensing@epa.ie).

Field Cod

Yours faithfully,

Environmental Licensing Programme  
Office of Environmental Sustainability  
Tel: 053 – 9160600