

Mr Peter Keegan  
Irish Water  
Colvill House  
24-26 Talbot Street  
Dublin 1

Headquarters, PO Box 3000  
Johnstown Castle Estate  
County Wexford, Ireland  
Y35 W821

Ceanncheathrú, Bosca Poist 3000  
Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman, Éire  
Y35 W821

T: +353 53 9160600  
F: +353 53 9160699  
E: [info@epa.ie](mailto:info@epa.ie)  
W: [www.epa.ie](http://www.epa.ie)

LoCall: 1890 33 55 99

3 March 2020

Reg No D0545-01

Dear Mr Keegan

I refer to your clerical amendment request dated 18 September 2019 in respect of your existing licence.

The EPA has considered your request for an amendment to your existing Licence Register No D0545-01.

I am to advise that the EPA has decided to amend your existing Licence Reg No D0545-01 under Regulation 33 of the Waste Water Discharge (Authorisation) Regulations 2007 as amended, to incorporate the changes as outlined in the attached Clerical Amendment A document. The amendment shall be read in conjunction with and attached to your existing licence.

If you have any further queries please contact the undersigned at Telephone No 053 9160600.

Yours sincerely



---

Eve O'Sullivan  
Programme Officer  
Environmental Licensing Programme  
Office of Environmental Sustainability

Encl