



Interkokask®

- Bacteria, viruses and fungi
- Mites and Mite eggs
- Worms and worm eggs
- Coccidial Oocysts and Cryptosporidium
- DEFRA ,DVG and EC approved

INTERKOKASK® has a unique EC approved chlorocresol formula containing a lipid-solvent that breaks through the protective triple outer protein/lipid/chitin layers of worm eggs and coccidial oocysts. INTERKOKASK® kills immature parasites, which means that only one application is sufficient to remove them from the environment

Active ingredients: Chlorocresol.

UK DEFRA Approvals:

General Orders	2.0%	30 min
Poultry Orders	2.0%	30 min

DVG (German Veterinary Association) approved rates

Disinfection of red mite and red mite eggs	3.0%	24hr
Disinfection of coccidial oocysts	3.0%	>3hr
Disinfection of cryptosporidium	2.0%	2hr
Disinfection of worms and worm eggs	2.0%	2hr
Disinfection of enveloped viruses	1.0%	2hr

European Approval DIN/EN 14349 (12/2004):

Bacteria (light soiling)	0.25%	30mins	<u>Tested against:</u> Staphylococcus Aureus, Enterococcus Hirae Proteus Vulgaris, Pseudomonas Aeruginosa
Bacteria (heavy soiling)	0.50%	30mins	

Footbaths

Bacteria/viruses/fungi (coccidial oocysts) – **2.00% (3.00%)** Change solution weekly or more often if heavily soiled.

Note: Interkokask is not known to be corrosive at recommended ready-to-use dilutions.

Uses:

Disease type

Coccidial oocysts
Mange mites
Red mite
Ticks
Cryptosporidia
Worms
Bacteria (inc. salmonella)
Viruses (inc. avian influenza)

Animal housing indicated

- poultry, pig, cattle
- pigs esp. farrowing crates
- poultry
- sheep, cattle
- calves
- cattle, sheep, poultry, horses
- poultry, pigs, cattle, horses
- poultry, pigs, cattle, horses



Tested by an independent UK food laboratory and shown not to taint eggs. The only phenol based disinfectant to be recommended by the British Egg Industry Council (BEIC) for use in the elite "Lion Brand" egg production code.

Important: After use, rinse all tools and plastic parts (e.g. high pressure tools, hose pipes) thoroughly with a diluted alkaline detergent solution.

Safe for use on vehicles, machinery and equipment: at recommended dilutions.

Works at low temperatures: DEFRA tested at 4°C.

Disinfects in presence of organic matter: tested on absorbent surfaces and in presence of organic matter.

Instructions for use:

- Remove animals and clean the housing thoroughly.
- Rinse all spray and mixing equipment thoroughly with water prior to use.
- Make sure that all traces of previously used chemicals are removed.
- Adjust the sprayer to deliver a 2% or 3% solution, or pour INTERKOKASK into the sprayer's tank (bucket if using a knapsack sprayer) and dilute with approximately 5 x that volume of clean lukewarm/warm water, mix thoroughly to make a pre-dilution. Add further cold clean water until the sprayer is filled to the required level.
- Apply the diluted product on the dry surfaces of the empty animal house with suitable spraying equipment
- **Coccidia/Worms/Cryptosporidium:** Treat the floors and walls up to a minimum of 2 metres.
Walls above 2 metres and ceilings should be treated only if advised. Spray all equipment and built-in parts.
- **Mites/Lice/Ticks/Viruses/Bacteria:** Treat the whole house.
- The buildings and equipment should be treated for 2 – 24 hrs as shown in the 'treatment times' chart overleaf.
- After the building is dry, re-equip and re-stock



Spray Application

- **High pressure spraying equipment:** Adjust down to a max of 1000 psi (70 bar), or if possible 300 psi (20 bar) to reduce spray "bounce-back" during application to walls. Use a "wide angle fan spray nozzle"
- **Knapsack spraying equipment:** Use a "wide angle fan spray nozzle"

Apply a minimum of 100ml solution per square metre on concrete and other smooth surfaces, wooden or porous surfaces should be saturated and may require up to 400ml solution / m²

10 kg Interkokask coverage

- **0.25%** maximum treatable area approx. 38,400 m² - 9,600 m² *
- **0.50%** maximum treatable area approx. 19,200 m² - 4,800 m² *
- **1.00%** maximum treatable area approx. 9,600 m² - 2,400 m² *
- **2.00%** maximum treatable area approx. 4,800 m² - 1,200 m² *
- **3.00%** maximum treatable area approx. 3,200 m² - 800 m² *

* = depending on application rate.

Pack sizes available:

- 10 x 1 kg bottles
- 1 x 10 kg canister
- 1 x 120 kg barrel

When using/working with concentrated disinfectants do not eat, drink or smoke. Avoid contact with eyes skin and clothing. Wear the recommended protective clothing and equipment - see below:

Breathing protection:	Full face mask, filter A2 B2-P2
Hand protection:	Protective rubber gloves e.g. Nitril
Eye protection:	Full mask
Body protection:	Chemical-protective clothing

Wash hands after work.

Use Biocides Safely.

Always read the label and product information before use!

Product disposal: In most instances, Interkokask diluted to approved concentrations may be disposed of through the normal drainage systems. Please check with local authorities if unsure of regional waste disposal requirements.