

## Licence Alteration Request

Alteration Details	
Licence	<b>W0254-01          Walshestown Restoration Ltd</b>
Licensee	Walshestown Restoration Ltd.
Title of Alteration	<b>TA Request - WAC Limits</b>

### Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase or change specified emissions <b>significantly</b> ?	No
4	Does the proposed alteration increase <b>significantly</b> the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See <a href="#">here</a>	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility <b>significantly</b> ?	No

## Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	No
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration require a change to a condition or schedule of the Licence?	Yes

### Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Request Licence Amendment' for this proposed alteration.

To submit this request to the EPA you should locate it in the 'Request Alteration' area in LMA. Click on 'Proceed' against this saved request, and then click on the 'Request Licence Amendment' button (in STEP 2 of the process). Then you will be required to provide more detailed information about your proposed amendment.

Note: The responses you have provided in this Screening Report will form part of the information record if you decide to proceed with this alteration request.

Recommendation Date: 05/03/2019