
ATTACHMENT 8.4
- FULL LIST OF RECORDED FLORA -

*For inspection purposes only
Consent of copyright owner required for any other use.*

ENVIRONMENTAL IMPACT ASSESSMENT REPORT
WOODVILLE PIG FARMS LTD., BALLYMACKEY, CO. TIPPERARY

Habitat	Common Name	Scientific Name	DAFOR Classification
Buildings and artificial surfaces (BL3)	-	-	-
Recolonising bare ground (ED3) – Areas adjacent buildings and site office / canteen	Short-fruited Willowherb	<i>Epilobium obscurum</i>	A
	Common Field-speedwell	<i>Veronica persica</i>	O
	Common Mouse-ear	<i>Cerastium fontanum</i>	O
	Daisy	<i>Bellis perennis</i>	O
	Dandelion	<i>Taraxacum</i> spp.	O
	Dove's-foot Crane's-bill	<i>Geranium molle</i>	O
	Grasses (various)	-	O
	Groundsel	<i>Senecio vulgaris</i>	O
	Redshank	<i>Persicaria maculosa</i>	O
	Sow-thistle	<i>Sonchus</i> spp.	O
	Thistle	<i>Cirsium</i> spp.	O
	White Clover	<i>Trifolium repens</i>	O
	Fumitory	<i>Fumaria</i> sp.	R
	Herb-Robert	<i>Geranium robertianum</i>	R
	Ivy	<i>Hedera helix</i>	R
	Red Dead-nettle	<i>Lamium purpureum</i>	R
Scarlet Pimpernel	<i>Anagallis arvensis</i>	R	
Vetch	<i>Vicia</i> spp.	R	
Recolonising bare ground (ED3) – Area of disturbed ground, located to the east of the piggery buildings	Bramble	<i>Rubus fruticosus</i>	F
	Nettle	<i>Urtica dioica</i>	F
	Willow	<i>Salix</i> spp.	F
	Common Mouse-ear	<i>Cerastium fontanum</i>	O
	Herb-Robert	<i>Geranium robertianum</i>	O
	Rosebay Willowherb	<i>Chamerion angustifolium</i>	O
	Short-fruited Willowherb	<i>Epilobium obscurum</i>	O
	Thistle	<i>Cirsium</i> spp.	O
	Ash	<i>Fraxinus excelsior</i>	R
	Dandelion	<i>Taraxacum</i> spp.	R
	Dock	<i>Rumex</i> spp.	R
	Dog-rose	<i>Rosa canina</i> agg.	R
	Fumitory	<i>Fumaria</i> sp.	R
	Hogweed	<i>Heracleum sphondylium</i>	R
	Marsh Woundwort	<i>Stachys palustris</i>	R
	Ragwort	<i>Senecio jacobaea</i>	R
	Ribwort Plantain	<i>Plantago lanceolata</i>	R
	Sycamore	<i>Acer pseudoplatanus</i>	R
White Clover	<i>Trifolium repens</i>	R	
Amenity grassland (improved) (GA2)	Grasses (various)	-	D
	Buttercup	<i>Ranunculus</i> spp.	O
	Daisy	<i>Bellis perennis</i>	O
	Red Clover	<i>Trifolium pratense</i>	O

ENVIRONMENTAL IMPACT ASSESSMENT REPORT
WOODVILLE PIG FARMS LTD., BALLYMACKEY, CO. TIPPERARY

Habitat	Common Name	Scientific Name	DAFOR Classification
	Ribwort Plantain	<i>Plantago lanceolata</i>	O
	White Clover	<i>Trifolium repens</i>	O
	Common Field-speedwell	<i>Veronica persica</i>	R
	Ragwort	<i>Senecio jacobaea</i>	R
	Thistle	<i>Cirsium spp.</i>	R
Wet grassland (GS4)	Grasses (various)	-	F
	Nettle	<i>Urtica dioica</i>	F
	Soft Rush	<i>Juncus effusus</i>	F
	Thistle	<i>Cirsium spp.</i>	F
	Bent grasses	<i>Agrostis spp.</i>	O
	Cleavers	<i>Galium aparine</i>	O
	Creeping Buttercup	<i>Ranunculus repens</i>	O
	Dock	<i>Rumex spp.</i>	O
	Ryegrasses	<i>Lolium spp.</i>	O
	Short-fruited Willowherb	<i>Epilobium obscurum</i>	O
	Yorkshire Fog	<i>Holcus lanatus</i>	O
	Bramble	<i>Rubus fruticosus</i>	R
	Common Field-speedwell	<i>Veronica persica</i>	R
	Cow Parsley	<i>Anthriscus sylvestris</i>	R
Meadowsweet	<i>Filipendula ulmaria</i>	R	
Scrub (WS1)	Willow	<i>Salix spp.</i>	A
	Ash	<i>Fraxinus excelsior</i>	O
	Creeping Buttercup	<i>Ranunculus repens</i>	O
	Dock	<i>Rumex spp.</i>	O
	Grasses (various)	-	O
	Nettle	<i>Urtica dioica</i>	O
	Soft Rush	<i>Juncus effusus</i>	O
	Thistle	<i>Cirsium spp.</i>	O
	Bramble	<i>Rubus fruticosus</i>	R
	Meadowsweet	<i>Filipendula ulmaria</i>	R
Hedgerows (WL1) - section running in a north- south orientation between site office and dwelling house	Ash	<i>Fraxinus excelsior</i>	O
	Bramble	<i>Rubus fruticosus</i>	O
	Cherry Laurel	<i>Prunus laurocerasus</i>	O
	Cleavers	<i>Galium aparine</i>	O
	Dandelion	<i>Taraxacum spp.</i>	O
	Dog-rose	<i>Rosa canina agg.</i>	O
	Hawthorn	<i>Crataegus monogyna</i>	O
	Hazel	<i>Corylus avellana</i>	O
	Ivy	<i>Hedera helix</i>	O
	Leyland Cypress	<i>Cuprocyparis leylandii</i>	O
	Nettle	<i>Urtica dioica</i>	O
	Snowberry	<i>Symphoricarpos albus</i>	O
	Apple	<i>Malus domestica</i>	R
	Dock	<i>Rumex spp.</i>	R

ENVIRONMENTAL IMPACT ASSESSMENT REPORT
WOODVILLE PIG FARMS LTD., BALLYMACKEY, CO. TIPPERARY

Habitat	Common Name	Scientific Name	DAFOR Classification
	Fumitory	<i>Fumaria</i> sp.	R
	Herb-Robert	<i>Geranium robertianum</i>	R
Hedgerows (WL1) – southern site boundary	Hawthorn	<i>Crataegus monogyna</i>	F
	Hazel	<i>Corylus avellana</i>	F
	Ash	<i>Fraxinus excelsior</i>	O
	Bramble	<i>Rubus fruticosus</i>	O
	Cow Parsley	<i>Anthriscus sylvestris</i>	O
	Dock	<i>Rumex</i> spp.	O
	Dog-rose	<i>Rosa canina</i> agg.	O
	Elm	<i>Ulmus</i> sp.	O
	Nettle	<i>Urtica dioica</i>	O
	Beech	<i>Fagus sylvatica</i>	R
	Hedge Woundwort	<i>Stachys sylvatica</i>	R
	Hogweed	<i>Heracleum sphondylium</i>	R
Hedgerows (WL1) – remainder at site	Leyland Cypress	<i>Cuprocyparis leylandii</i>	D
	Bramble	<i>Rubus fruticosus</i>	R
	Ivy	<i>Hedera helix</i>	R
Treelines (WL2)	Cherry Laurel	<i>Prunus laurocerasus</i>	F
	Elder	<i>Sambucus nigra</i>	F
	Sitka Spruce	<i>Picea sitchensis</i>	F
	Scot's Pine	<i>Pinus sylvestris</i>	F
	Nettle	<i>Urtica dioica</i>	F
	Beech	<i>Fagus sylvatica</i>	O
	Bramble	<i>Rubus fruticosus</i>	O
	Cleavers	<i>Galium aparine</i>	O
	Dock	<i>Rumex</i> spp.	O
	Hawthorn	<i>Crataegus monogyna</i>	O
	Herb-Robert	<i>Geranium robertianum</i>	O
	Ivy	<i>Hedera helix</i>	O
	Ribwort Plantain	<i>Plantago lanceolata</i>	O
	Sycamore	<i>Acer pseudoplatanus</i>	O
	Thistle	<i>Cirsium</i> spp.	O
	Vetch	<i>Vicia</i> spp.	O
	Willow	<i>Salix</i> spp.	O
	Fumitory	<i>Fumaria</i> sp.	R
	Ground Elder	<i>Aegopodium podagria</i>	R
	Hazel	<i>Corylus avellana</i>	R
	Holly	<i>Ilex aquifolium</i>	R
Wood Sage	<i>Teucrium scorodonia</i>	R	
Broadleaved woodland (WD1)	Beech	<i>Fagus sylvatica</i>	F
	Ash	<i>Fraxinus excelsior</i>	O
	Bramble	<i>Rubus fruticosus</i>	O
	Cow Parsley	<i>Anthriscus sylvestris</i>	O

ENVIRONMENTAL IMPACT ASSESSMENT REPORT
WOODVILLE PIG FARMS LTD., BALLYMACKEY, CO. TIPPERARY

Habitat	Common Name	Scientific Name	DAFOR Classification
	Dock	<i>Rumex</i> spp.	O
	Dog-rose	<i>Rosa canina</i> agg.	O
	Elder	<i>Sambucus nigra</i>	O
	Herb-Robert	<i>Geranium robertianum</i>	O
	Hogweed	<i>Heracleum sphondylium</i>	O
	Ivy	<i>Hedera helix</i>	O
	Nettle	<i>Urtica dioica</i>	O
	Sycamore	<i>Acer pseudoplatanus</i>	O
	Thistle	<i>Cirsium</i> spp.	O
	Butterfly-bush	<i>Buddleja davidii</i>	R
	Holly	<i>Ilex aquifolium</i>	R
	Horse-chestnut	<i>Aesculus hippocastanum</i>	R
	Leyland Cypress	<i>Cuprocyparis leylandii</i>	R
	Lime	<i>Tilia</i> spp.	R
	Ox-eye Daisy	<i>Leucanthemum vulgare</i>	R
	Rosebay Willowherb	<i>Chamerion angustifolium</i>	R
	Sun Spurge	<i>Euphorbia helioscopia</i>	R
	Willow	<i>Salix</i> spp.	R

For inspection purposes only.
Consent of copyright owner required for any other use.