

Eve O'Sullivan

From: Licensing Staff
Sent: 11 June 2020 10:14
To: 'Peter Keegan'
Subject: A0336-01 Irish Water - Freemount
Attachments: A0336-01 Letter to Irish Water.pdf; A0336-01 Inspector Report.pdf

Dear Mr Keegan,

Please find attached the Agency's decision on Technical Amendment Request A0336-01 for the Freemount agglomeration received on 3rd February 2020.

Regards

Environmental Licensing Programme

Office of Environmental Sustainability

Email: licensing@epa.ie





Mr Peter Keegan
Environmental Specialist
Irish Water
Colvill House
24-26 Talbot Street
Dublin 1

Headquarters, PO Box 3000
Johnstown Castle Estate
Co Wexford,
Y35 W821, Ireland

Ceannchethrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman,
Y35 W821, Éire

T: +353 53 916 0600

F: +353 53 916 0699

E: info@epa.ie

11 June 2020

Reg No A0336-01

Dear Mr Keegan

I refer to your technical amendment request dated 3 February 2020 in respect of your existing certificate of authorisation.

The EPA has considered your request for an amendment to your existing Certificate of Authorisation, Register No A0336-01.

I am to advise that the EPA has decided not to amend your existing Certificate of Authorisation, Reg No A0336-01.

If you have any further queries please contact the Environmental Licensing Programme at Telephone No 053 9160600 or email licensing@epa.ie.

Yours sincerely

Environmental Licensing Programme
Office of Environmental Sustainability

Encl