



**CAUSEWAY**  
— GEOTECH

**APPENDIX F**

**VARIABLE HEAD PERMEABILITY TEST RESULTS**



## VARIABLE HEAD PERMEABILITY TEST (Standpipe)

Project Name: Monaghan Landfills - Knockcronaghan

Borehole No.: GW01

Project No.: 18-0838B

Date: 11/10/2018

Test No.: Test 1

Type of test: **Rising** Head

Diameter of standpipe (D): 0.05 (m)  
 Depth to top of filter bgl: 12.00 (m)  
 Depth to bottom of filter bgl: 17.00 (m)  
 Length of test section of filter (L): 5.00 (m)  
 Diameter of Filter (D): 0.20 (m)  
 Standing ground water level (SWL) bgl: 2.47 (m) on 11 October 2018

TIME ELAPSED (mins)	WATER LEVEL* (m)	HEAD H (m)	HEAD RATIO H/Ho
0	5.87	3.40	1.00
0.5	5.04	2.57	0.76
1	4.80	2.33	0.69
1.5	4.57	2.10	0.62
2	4.37	1.90	0.56
2.5	4.20	1.73	0.51
3	4.04	1.57	0.46
3.5	3.89	1.42	0.42
4	3.75	1.28	0.38
4.5	3.60	1.13	0.33
5	3.48	1.01	0.30
10	2.64	0.17	0.05
15	2.48	0.01	0.00

### CALCULATION OF PERMEABILITY OF SOIL:

Employing Horslev Method (1951)

$$k = \frac{2.3A}{F(t_2 - t_1)} \log \frac{h_1}{h_2}$$

where:

k is the permeability of soil

A is the cross-section area of borehole/standpipe

F is the shape factor (see below)

$h_1$  and  $h_2$  are the hydraulic heads measured respectively at the times  $t_1$  and  $t_2$

Values of shape factors (F) for various conditions,

Cases (a)-(e), are given in Annex B of BS EN ISO 22282-1:2012

$$L/D = 25.00$$

Assumed condition: Case **E**, hence:

$$F = (2 * \pi * L) / (\ln(2 * (L/D)))$$

$$F = 8.03$$

$$\text{and } A = 0.0020 \text{ (m}^2\text{)}$$

$$\text{and } h_1 = 3.40 \text{ (m)}$$

$$\text{and } h_2 = 0.01 \text{ (m)}$$

$$\text{and } t_1 = 0 \text{ (s)}$$

$$\text{and } t_2 = 900 \text{ (s)}$$

$$\text{hence, } k = \underline{1.581E-06} \text{ m/s}$$



**VARIABLE HEAD PERMEABILITY TEST (Standpipe)**

Project Name: Monaghan Landfills - Knockcronaghan

Borehole No.: GW02

Project No.: 18-0838B

Date: 11/10/2018

Test No.: Test 1

Type of test: **Falling** Head

Diameter of standpipe (D): 0.05 (m)  
 Depth to top of filter bgl: 11.50 (m)  
 Depth to bottom of filter bgl: 14.50 (m)  
 Length of test section of filter (L): 3.00 (m)  
 Diameter of Filter (D): 0.20 (m)  
 Standing ground water level (SWL) bgl: 0.73 (m) on 11 October 2018

TIME ELAPSED (mins)	WATER LEVEL* (m)	HEAD H (m)	HEAD RATIO H/Ho
0	0.35	0.38	1.00
0.5	0.65	0.08	0.21
1	0.73	0.00	0.00

**CALCULATION OF PERMEABILITY OF SOIL:**

Employing Horslev Method (1951)

$$k = \frac{2.3A}{F(t_2 - t_1)} \log \frac{h_1}{h_2}$$

where:

k is the permeability of soil

A is the cross-section area of borehole/standpipe

F is the shape factor (see below)

$h_1$  and  $h_2$  are the hydraulic heads measured respectively at the times  $t_1$  and  $t_2$

Values of shape factors (F) for various conditions,

Cases (a)-(e), are given in Annex B of BS EN ISO 22282-1:2012

L/D= 15.00

Assumed condition: Case **E**, hence:

$$F = (2 * \pi * L) / (\ln(2 * (L/D)))$$

$$F = 5.54$$

$$\text{and } A = 0.0020 \text{ (m}^2\text{)}$$

$$\text{and } h_1 = 0.38 \text{ (m)}$$

$$\text{and } h_2 = 0.00 \text{ (m)}$$

$$\text{and } t_1 = 0 \text{ (s)}$$

$$\text{and } t_2 = 60 \text{ (s)}$$

$$\text{hence, } k = \underline{0.0001029} \text{ m/s}$$

**Note** 200L of water was added in 7mins



## VARIABLE HEAD PERMEABILITY TEST (Standpipe)

Project Name: Monaghan Landfills - Knockcronaghan

Borehole No.: GW02

Project No.: 18-0838B

Date: 11/10/2018

Test No.: Test 1

Type of test: **Rising** Head

Diameter of standpipe (D): 0.05 (m)  
 Depth to top of filter bgl: 11.50 (m)  
 Depth to bottom of filter bgl: 14.50 (m)  
 Length of test section of filter (L): 3.00 (m)  
 Diameter of Filter (D): 0.20 (m)  
 Standing ground water level (SWL) bgl: 0.73 (m) on 11 October 2018

TIME ELAPSED (mins)	WATER LEVEL* (m)	HEAD H (m)	HEAD RATIO H/Ho
0	0.80	0.07	1.00
0.5	0.73	0.00	0.00

### CALCULATION OF PERMEABILITY OF SOIL:

Employing Horslev Method (1951)

$$k = \frac{2.3A}{F(t_2 - t_1)} \log \frac{h_1}{h_2}$$

where:

k is the permeability of soil

A is the cross-section area of borehole/standpipe

F is the shape factor (see below)

$h_1$  and  $h_2$  are the hydraulic heads measured respectively at the times  $t_1$  and  $t_2$

Values of shape factors (F) for various conditions,

Cases (a)-(e), are given in Annex B of BS EN ISO 22282-1:2012

L/D = 15.00

Assumed condition: Case **E**, hence:

$$F = (2 * \pi * L) / (\ln(2 * (L/D)))$$

$$F = 5.54$$

$$\text{and } A = 0.0020 \text{ (m}^2\text{)}$$

$$\text{and } h_1 = 0.07 \text{ (m)}$$

$$\text{and } h_2 = 0.00 \text{ (m)}$$

$$\text{and } t_1 = 0 \text{ (s)}$$

$$\text{and } t_2 = 30 \text{ (s)}$$

$$\text{hence, } k = \underline{0.0001858} \text{ m/s}$$

**Note** BH was pumped for 35mins @7.5l/min



## VARIABLE HEAD PERMEABILITY TEST (Standpipe)

Project Name: Monaghan Landfills - Knockcronaghan

Borehole No.: GW03

Project No.: 18-0838B

Date: 11/10/2018

Test No.: Test 1

Type of test: **Falling** Head

Diameter of standpipe (D): 0.05 (m)  
 Depth to top of filter bgl: 11.50 (m)  
 Depth to bottom of filter bgl: 14.50 (m)  
 Length of test section of filter (L): 3.00 (m)  
 Diameter of Filter (D): 0.20 (m)  
 Standing ground water level (SWL) bgl: 1.19 (m) on 11 October 2018

TIME ELAPSED (mins)	WATER LEVEL* (m)	HEAD H (m)	HEAD RATIO H/Ho
0	0.24	0.95	1.00
0.5	0.24	0.95	1.00
1	0.24	0.95	1.00
1.5	0.24	0.95	1.00
2	0.24	0.95	1.00
2.5	0.25	0.94	0.99
3	0.26	0.93	0.98
3.5	0.27	0.92	0.97
4	0.28	0.91	0.96
4.5	0.29	0.90	0.95
5	0.30	0.89	0.94
10	0.40	0.79	0.83
15	0.51	0.68	0.72
20	0.58	0.61	0.64
25	0.64	0.55	0.58
30	0.70	0.49	0.52
60	0.84	0.35	0.37
90	0.96	0.23	0.24
120	0.99	0.20	0.21

### CALCULATION OF PERMEABILITY OF SOIL:

Employing Horslev Method (1951)

$$k = \frac{2.3A}{F(t_2 - t_1)} \log \frac{h_1}{h_2}$$

where:

k is the permeability of soil

A is the cross-section area of borehole/standpipe

F is the shape factor (see below)

$h_1$  and  $h_2$  are the hydraulic heads measured respectively at the times  $t_1$  and  $t_2$

Values of shape factors (F) for various conditions,

Cases (a)-(e), are given in Annex B of BS EN ISO 22282-1:2012

$$L/D = 15.00$$

Assumed condition: Case **E**, hence:

$$F = (2 * \pi * L) / (\ln(2 * (L/D)))$$

$$F = 5.54$$

$$\text{and } A = 0.0020 \text{ (m}^2\text{)}$$

$$\text{and } h_1 = 0.95 \text{ (m)}$$

$$\text{and } h_2 = 0.20 \text{ (m)}$$

$$\text{and } t_1 = 0 \text{ (s)}$$

$$\text{and } t_2 = 7200 \text{ (s)}$$

hence,  $k = \underline{7.655E-08}$  m/s





**CAUSEWAY**  
— GEOTECH

**APPENDIX F**  
**GEOTECHNICAL LABORATORY TEST RESULTS**





**CAUSEWAY**  
— GEOTECH



+44 (0)28 2766 6640  
info@causewaygeotech.com  
www.causewaygeotech.com

**SOIL AND ROCK SAMPLE ANALYSIS  
LABORATORY TEST REPORT**

<b>Project Name:</b>	Monaghan Landfills - Knockcronaghan
<b>Project No.:</b>	18-0838B
<b>Client:</b>	Monaghan County Council
<b>Engineer:</b>	Fehily Timoney & Company
<b>Date:</b>	16/10/18

We are pleased to attach the results of laboratory testing carried out for the above project. This memo and its attachments constitute a report of the results of tests as detailed in the Contents page(s).

The attached results complete the testing requested and we would therefore wish to confirm that samples will be retained without charge for a period of 28 days from the above date after which they will be appropriately disposed of unless we receive written instructions to the contrary prior to that date.

We trust our report meets with your approval but if you have any queries or require additional information, please do not hesitate to contact the undersigned.

Approved Signatory

Stephen Watson  
Laboratory Manager

Signed for and on behalf of Causeway Geotech Ltd



**CAUSEWAY**  
— GEOTECH



+44 (0)28 2766 6640  
info@causewaygeotech.com  
www.causewaygeotech.com

**Project Name:** Monaghan Landfills - Knockcronaghan

**Report Reference:** 18-0838B – Soils Schedule 1

The table below details the tests carried out, the specifications used, and the number of tests included in this report.

Tests marked with\* in this report are not United Kingdom Accreditation Service (UKAS) accredited and are not included in Causeway Geotech Limited's scope of UKAS Accreditation Schedule of Tests. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.

Material tested	Type of test/Properties measured/Range of measurement	Standard specifications	No. of results included in the report
SOIL	Moisture Content of Soil	BS 1377-2: 1990: Cl 3.2	3
SOIL	Liquid and Plastic Limits of soil-1 point cone penetrometer method	BS 1377-2: 1990: Cl 4.4, 5.3 & 5.4	3
SOIL	Bulk and dry density by Linear Measurement Method	BS 1377-2: 1990: Cl 7.2	3
SOIL	Particle size distribution - wet sieving	BS 1377-2: 1990: Cl 9.2	3
SOIL	Particle size distribution - sedimentation hydrometer method	BS 1377-2: 1990: Cl 9.5	2

**Causeway Geotech Ltd**

8 Drumahiskey Road, Ballymoney  
Co. Antrim, N. Ireland, BT53 7QL

Registered in Northern Ireland. Company Number: NI610766






## Summary of Classification Test Results

Project No. 18-0838B	Project Name Monaghan Landfills - Knockcronaghan
-------------------------	---

Hole No.	Sample				Soil Description	Density		w %	Passing 425µm %	LL %	PL %	PI %	Particle density Mg/m3	Casagrande Classification
	Ref	Top	Base	Type		bulk Mg/m3	dry							
TP03	1	0.50		B	MADE GROUND: Brown sandy gravelly slightly clayey SILT.	2.04	1.69	19.0	48	49 -1pt	40	9		MI
TP07	2	0.50		B	MADE GROUND: Brown sandy slightly gravelly silty CLAY.	1.92	1.50	28.0	71	41 -1pt	23	18		CI
TP09	1	1.00		B	Brown slightly clayey gravelly fine to coarse SAND.	2.07	1.92	8.8	52	28 -1pt	17	11		CL

All tests performed in accordance with BS1377:1990 unless specified otherwise

<b>Key</b>  Density test                      Liquid Limit                      Particle density  Linear measurement unless :    4pt cone unless :                      sp - small pyknometer  wd - water displacement        cas - Casagrande method            gj - gas jar  wi - immersion in water        1pt - single point test	Date Printed  <p style="text-align: center;">16/10/2018</p>	Approved By  <p style="text-align: center;">Stephen.Watson</p>	 <b>UKAS</b> TESTING <b>10122</b>
---	---	--	---



## Density Tests - Summary of Results

Project No. 18-0838B	Project Name Monaghan Landfills - Knockcronaghan
-------------------------	---

Hole No.	Sample				Soil Description	Linear Measurement			Immersion in water			Water displacement			Remarks
	Ref	Top	Base	Type		Bulk density	Dry density	w	Bulk density	Dry density	w	Bulk density	Dry density	w	
						Mg/m3	Mg/m3	%	Mg/m3	Mg/m3	%	Mg/m3	Mg/m3	%	
TP03	1	0.50		B	MADE GROUND: Brown sandy gravelly slightly clayey SILT.	2.04	1.69	20.6							
TP07	2	0.50		B	MADE GROUND: Brown sandy slightly gravelly silty CLAY.	1.92	1.50	28.4							
TP09	1	1.00		B	Brown slightly clayey gravelly fine to coarse SAND.	2.07	1.92	8.0							


Legend      w      moisture content of the density test specimen

<p>Notes</p> <p>Tests carried out in accordance with BS1377:Part2:1990 and the following clauses unless annotated otherwise</p> <table style="margin-left: 20px;"> <tr> <td>Linear measurement</td> <td>clause 7.2</td> </tr> <tr> <td>Immersion in water</td> <td>clause 7.3</td> </tr> <tr> <td>Water displacement</td> <td>clause 7.4</td> </tr> </table>	Linear measurement	clause 7.2	Immersion in water	clause 7.3	Water displacement	clause 7.4	<p>Date Printed</p> <p style="text-align: center;">16/10/2018</p>	<p>Approved By</p> <p style="text-align: center;">Stephen.Watson</p>	<p>10122</p>
Linear measurement	clause 7.2								
Immersion in water	clause 7.3								
Water displacement	clause 7.4								



# PARTICLE SIZE DISTRIBUTION

Job Ref	<b>18-0838B</b>
Borehole/Pit No.	TP03
Sample No.	1
Depth, m	0.50
Sample Type	B
KeyLAB ID	Caus2018100637



Sieving		Sedimentation	
Particle Size mm	% Passing	Particle Size mm	% Passing
125	100	0.0630	18
90	100	0.0480	17
75	100	0.0344	16
63	100	0.0247	14
50	100	0.0178	13
37.5	100	0.0094	11
28	100	0.0048	8
20	100	0.0029	4
14	92	0.0016	1
10	85		
6.3	76		
5	73		
3.35	68		
2	62		
1.18	56		
0.6	47		
0.425	42	Particle density (assumed) 2.65 Mg/m <sup>3</sup>	
0.3	34		
0.212	29		
0.15	23		
0.063	18		

Dry Mass of sample, g 1890

Sample Proportions	% dry mass
Cobbles	0
Gravel	38
Sand	45
Silt	15
Clay	3

Grading Analysis	
D100	mm
D60	mm 1.67
D30	mm 0.228
D10	mm 0.0082
Uniformity Coefficient	200
Curvature Coefficient	3.8

Remarks  
Preparation and testing in accordance with BS1377 unless noted below

Approved  
  
Stephen.Watson

Sheet printed  
  
16/10/2018 10:36





# PARTICLE SIZE DISTRIBUTION

Job Ref **18-0838B**

Borehole/Pit No. TP07

Site Name Monaghan Landfills - Knockcronaghan

Sample No. 2

Soil Description MADE GROUND: Brown sandy slightly gravelly silty CLAY.


Depth, m 0.50

Specimen Reference 8 Specimen Depth m

Sample Type B

Test Method BS1377:Part 2:1990, clauses 9.2 and 9.5

KeyLAB ID Caus2018100638



Sieving		Sedimentation	
Particle Size mm	% Passing	Particle Size mm	% Passing
125	100	0.0602	49
90	100	0.0451	48
75	100	0.0324	45
63	100	0.0235	41
50	100	0.0170	37
37.5	100	0.0090	31
28	100	0.0047	23
20	100	0.0028	14
14	98	0.0015	7
10	96		
6.3	92		
5	91		
3.35	88		
2	86		
1.18	83		
0.6	76	Particle density (assumed)	
0.425	74	2.65	Mg/m3
0.3	69		
0.212	64		
0.15	58		
0.063	49		

Dry Mass of sample, g 569

Sample Proportions	% dry mass
Cobbles	0
Gravel	15
Sand	37
Silt	39
Clay	10

Grading Analysis	
D100	mm
D60	mm 0.169
D30	mm 0.00815
D10	mm 0.00204
Uniformity Coefficient	83
Curvature Coefficient	0.19

Remarks  
Preparation and testing in accordance with BS1377 unless noted below



Approved

Stephen.Watson

Sheet printed


16/10/2018 10:36



# PARTICLE SIZE DISTRIBUTION

Job Ref	<b>18-0838B</b>
Borehole/Pit No.	TP09
Sample No.	1
Depth, m	1.00
Sample Type	B
KeyLAB ID	Caus2018100639

Site Name	Monaghan Landfills - Knockcronaghan	
Soil Description	Brown slightly clayey gravelly fine to coarse SAND.	
Specimen Reference	8	Specimen Depth m
Test Method	BS1377:Part 2:1990, clause 9.2	



Sieving		Sedimentation	
Particle Size mm	% Passing	Particle Size mm	% Passing
125	100		
90	100		
75	100		
63	100		
50	100		
37.5	100		
28	100		
20	100		
14	100		
10	94		
6.3	88		
5	84		
3.35	79		
2	74		
1.18	69		
0.6	60		
0.425	51		
0.3	33		
0.212	21		
0.15	11		
0.063	3		

Dry Mass of sample, g 1347

Sample Proportions	% dry mass
Cobbles	0
Gravel	26
Sand	71
Fines <0.063mm	3

Grading Analysis	
D100	mm
D60	mm 0.593
D30	mm 0.274
D10	mm 0.131
Uniformity Coefficient	4.5
Curvature Coefficient	0.96

Remarks  
Preparation and testing in accordance with BS1377 unless noted below



Approved  
  
Stephen.Watson

Sheet printed  
  
16/10/2018 10:36



**CAUSEWAY**  
— GEOTECH

**APPENDIX G**  
**ENVIRONMENTAL LABORATORY TEST RESULTS**





## Final Report

---

**Report No.:** 18-29456-1

**Initial Date of Issue:** 15-Oct-2018

**Client:** Causeway Geotech Ltd

**Client Address:** 8 Drumahiskey Road  
Balnamore  
Ballymoney  
County Antrim  
BT53 7QL

**Contact(s):** Colm Hurley  
Carin Cornwall  
Darren O'Mahony  
Gabiella Horan  
John Cameron  
Lucy Newland  
Matthew Gilbert  
Neil Haggan  
Paul Dunlop  
Paul McNamara  
Sean Ross  
Stephen Franey  
Stephen Watson  
Stuart Abraham

**Project:** 18-0838B - Knockcronaghan

**Quotation No.:** **Date Received:** 26-Sep-2018

**Order No.:** **Date Instructed:** 04-Oct-2018

**No. of Samples:** 2

**Turnaround (Wkdays):** 7 **Results Due:** 12-Oct-2018

**Date Approved:** 15-Oct-2018

**Approved By:**  


**Details:** Glynn Harvey, Laboratory Manager

---

**Project: 18-0838B - Knockcronaghan**

Chemtest Job No: 18-29456 Chemtest Sample ID: 695584 Sample Ref: Sample ID: Sample Location: TP04 Top Depth(m): 0.2 Bottom Depth(m): Sampling Date: 24-Sep-2018				Landfill Waste Acceptance Criteria Limits					
				Inert Waste Landfill	Stable, Non-reactive hazardous waste in non-hazardous Landfill	Hazardous Waste Landfill			
Determinand	SOP	Accred.	Units						
Total Organic Carbon	2625	U	%		< 0.20	3	5	6	
Loss On Ignition	2610	U	%		1.8	--	--	10	
Total BTEX	2760	U	mg/kg		< 0.010	6	--	--	
Total PCBs (7 Congeners)	2815	U	mg/kg		< 0.10	1	--	--	
TPH Total WAC (Mineral Oil)	2670	U	mg/kg		< 10	500	--	--	
Total (Of 17) PAH's	2700	N	mg/kg		< 2.0	100	--	--	
pH	2010	U			8.5	--	>6	--	
Acid Neutralisation Capacity	2015	N	mol/kg		0.067	--	To evaluate	To evaluate	
Eluate Analysis			2:1 mg/l	8:1 mg/l	2:1 mg/kg	Cumulative mg/kg 10:1	Limit values for compliance leaching test using BS EN 12457 at L/S 10 l/kg		
Arsenic	1450	U	0.0011	0.0011	< 0.050	< 0.050	0.5	2	25
Barium	1450	U	0.021	0.012	< 0.50	< 0.50	20	100	300
Cadmium	1450	U	< 0.00010	< 0.00010	< 0.010	< 0.010	0.04	1	5
Chromium	1450	U	< 0.0010	< 0.0010	< 0.050	< 0.050	0.5	10	70
Copper	1450	U	0.0056	0.0049	< 0.050	< 0.050	2	50	100
Mercury	1450	U	< 0.00050	< 0.00050	< 0.0010	< 0.0050	0.01	0.2	2
Molybdenum	1450	U	0.0019	< 0.0010	< 0.050	< 0.050	0.5	10	30
Nickel	1450	U	0.0015	0.0022	< 0.050	< 0.050	0.4	10	40
Lead	1450	U	0.0010	0.0018	< 0.010	0.017	0.5	10	50
Antimony	1450	U	< 0.0010	< 0.0010	< 0.010	< 0.010	0.06	0.7	5
Selenium	1450	U	< 0.0010	< 0.0010	< 0.010	< 0.010	0.1	0.5	7
Zinc	1450	U	0.0024	0.0045	< 0.50	< 0.50	4	50	200
Chloride	1220	U	1.6	< 1.0	< 10	< 10	800	15000	25000
Fluoride	1220	U	0.25	0.17	< 1.0	1.8	10	150	500
Sulphate	1220	U	23	7.1	46	89	1000	20000	50000
Total Dissolved Solids	1020	N	91	35	180	410	4000	60000	100000
Phenol Index	1920	U	< 0.030	< 0.030	< 0.30	< 0.50	1	-	-
Dissolved Organic Carbon	1610	U	10	9.9	< 50	99	500	800	1000

Solid Information	
Dry mass of test portion/kg	0.175
Moisture (%)	12

Leachate Test Information	
Leachant volume 1st extract/l	0.325
Leachant volume 2nd extract/l	1.400
Eluant recovered from 1st extract/l	0.200

**Waste Acceptance Criteria**

Landfill WAC analysis (specifically leaching test results) must not be used for hazardous waste classification purposes. This analysis is only applicable for hazardous waste landfill acceptance and does not give any indication as to whether a waste may be hazardous or non-hazardous.



**Project: 18-0838B - Knockcronaghan**

Chemtest Job No: 18-29456							Landfill Waste Acceptance Criteria		
Chemtest Sample ID: 695586							Limits		
Sample Ref:							Inert Waste Landfill	Stable, Non-reactive hazardous waste in non-hazardous Landfill	Hazardous Waste Landfill
Sample ID:									
Sample Location: TP07									
Top Depth(m): 0.5									
Bottom Depth(m):									
Sampling Date: 24-Sep-2018									
Determinand	SOP	Accred.	Units						
Total Organic Carbon	2625	U	%	0.87			3	5	6
Loss On Ignition	2610	U	%	4.1			--	--	10
Total BTEX	2760	U	mg/kg	< 0.010			6	--	--
Total PCBs (7 Congeners)	2815	U	mg/kg	< 0.10			1	--	--
TPH Total WAC (Mineral Oil)	2670	U	mg/kg	< 10			500	--	--
Total (Of 17) PAH's	2700	N	mg/kg	< 2.0			100	--	--
pH	2010	U		8.3			--	>6	--
Acid Neutralisation Capacity	2015	N	mol/kg	0.052			--	To evaluate	To evaluate
Eluate Analysis			2:1 mg/l	8:1 mg/l	2:1 mg/kg	Cumulative mg/kg 10:1	Limit values for compliance leaching test using BS EN 12457 at L/S 10 l/kg		
Arsenic	1450	U	< 0.0010	< 0.0010	< 0.050	< 0.050	0.5	2	25
Barium	1450	U	0.043	0.014	< 0.50	< 0.50	20	100	300
Cadmium	1450	U	< 0.00010	< 0.00010	< 0.010	< 0.010	0.04	1	5
Chromium	1450	U	< 0.0010	< 0.0010	< 0.050	< 0.050	0.5	10	70
Copper	1450	U	0.0029	0.0018	< 0.050	< 0.050	2	50	100
Mercury	1450	U	< 0.00050	< 0.00050	< 0.0010	< 0.0050	0.01	0.2	2
Molybdenum	1450	U	0.0055	0.0041	< 0.050	< 0.050	0.5	10	30
Nickel	1450	U	0.0013	< 0.0010	< 0.050	< 0.050	0.4	10	40
Lead	1450	U	< 0.0010	< 0.0010	< 0.010	< 0.010	0.5	10	50
Antimony	1450	U	0.0012	< 0.0010	< 0.010	< 0.010	0.06	0.7	5
Selenium	1450	U	< 0.0010	< 0.0010	< 0.010	< 0.010	0.1	0.5	7
Zinc	1450	U	0.0060	< 0.0010	< 0.50	< 0.50	4	50	200
Chloride	1220	U	1.6	< 1.0	< 10	< 10	800	15000	25000
Fluoride	1220	U	0.34	0.31	< 1.0	3.1	10	150	500
Sulphate	1220	U	58	12	110	170	1000	20000	50000
Total Dissolved Solids	1020	N	230	85	460	1000	4000	60000	100000
Phenol Index	1920	U	< 0.030	< 0.030	< 0.30	< 0.50	1	-	-
Dissolved Organic Carbon	1610	U	12	12	< 50	120	500	800	1000

Solid Information	
Dry mass of test portion/kg	0.175
Moisture (%)	19

Leachate Test Information	
Leachant volume 1st extract/l	0.309
Leachant volume 2nd extract/l	1.400
Eluant recovered from 1st extract/l	0.189

**Waste Acceptance Criteria**

Landfill WAC analysis (specifically leaching test results) must not be used for hazardous waste classification purposes. This analysis is only applicable for hazardous waste landfill acceptance and does not give any indication as to whether a waste may be hazardous or non-hazardous.

## Report Information

### Key

---

- U UKAS accredited
- M MCERTS and UKAS accredited
- N Unaccredited
- S This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
- SN This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
- T This analysis has been subcontracted to an unaccredited laboratory
- I/S Insufficient Sample
- U/S Unsuitable Sample
- N/E not evaluated
- < "less than"
- > "greater than"

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

### Sample Deviation Codes

---

- A - Date of sampling not supplied
- B - Sample age exceeds stability time (sampling to extraction)
- C - Sample not received in appropriate containers
- D - Broken Container
- E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

### Sample Retention and Disposal

---

All soil samples will be retained for a period of 45 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:

[customerservices@chemtest.com](mailto:customerservices@chemtest.com)

# Appendix 3

## Groundwater & Surface Water Sampling Analysis Results





Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
3rd Floor  
North Park Offices  
North Park Business Park  
North Road  
Dublin  
Dublin 11

**Attention:** Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date:** 10 October 2018  
**Customer:** D\_FTIM\_DUB  
**Sample Delivery Group (SDG):** 181002-49  
**Your Reference:** P1724  
**Location:** Knockcronaghan  
**Report No:** 476120

**This report has been revised and directly supersedes 475442 in its entirety.**

We received 7 samples on Tuesday October 02, 2018 and 7 of these samples were scheduled for analysis which was completed on Wednesday October 10, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:

**Sonia McWhan**  
Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

SDG: 181002-49  
Location: Knockcronaghan

Client Reference: P1724  
Order Number:

Report Number: 476120  
Superseded Report: 475442

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18442432	GW01		0.00 - 0.00	01/10/2018
18442441	GW02		0.00 - 0.00	01/10/2018
18442448	GW03		0.00 - 0.00	01/10/2018
18442457	SW1		0.00 - 0.00	01/10/2018
18442464	SW2		0.00 - 0.00	01/10/2018
18442473	SW3		0.00 - 0.00	01/10/2018
18442485	SW4		0.00 - 0.00	01/10/2018

**Maximum Sample/Coolbox Temperature (°C) :**

**13.5**

**ISO5667-3 Water quality - Sampling - Part3 -**

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181002-49  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:**

**Report Number:** 476120  
**Superseded Report:** 475442

Results Legend	Lab Sample No(s)		Customer Sample Reference		AGS Reference		Depth (m)		Container		Sample Type	
	<span style="background-color: yellow; border: 1px solid black; padding: 2px;">X</span> Test											
	<span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">N</span> No Determination Possible											
Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other												
	18442432	18442441	18442448	18442457	18442464	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	GW01	GW02	GW03	SW1	SW2							
	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)
	GW	GW	GW	SW	SW	GW	GW	GW	SW	SW	GW	SW
Alkalinity as CaCO3	All	NDPs: 0 Tests: 3	X				X				X	
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 7		X				X			X	
Anions by Kone (w)	All	NDPs: 0 Tests: 7	X				X			X		X
BOD True Total	All	NDPs: 0 Tests: 4							X		X	
Coliforms (W)	All	NDPs: 0 Tests: 3	X				X			X		
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 7	X				X			X		X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 3					X			X		
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 7					X			X		X
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 7	X				X			X		X
Fluoride	All	NDPs: 0 Tests: 3	X				X			X		
Mercury Dissolved	All	NDPs: 0 Tests: 3					X			X		
pH Value	All	NDPs: 0 Tests: 7	X				X			X		X
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 3		X				X			X	

18442485	SW4		0.00 - 0.00	HNO3 Filtered (ALE204)	SW																		
18442473	SW3		0.00 - 0.00	H2SO4 (ALE244)	SW					X													
				500ml Plastic (ALE208)	SW							X											
				250ml BOD (ALE212)	SW								X										
				HNO3 Filtered (ALE204)	SW														X				
				H2SO4 (ALE244)	SW																		
18442464	SW2		0.00 - 0.00	500ml Plastic (ALE208)	SW																		
				250ml BOD (ALE212)	SW								X										
				HNO3 Filtered (ALE204)	SW														X				



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181002-49  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:**

**Report Number:** 476120  
**Superseded Report:** 475442

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	SW1	SW2	SW3
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Coliforms, Total*	CFU/100ml	SUB	>2420	387	416			
Alkalinity, Total as CaCO3	<2 mg/l	TM043	289	342	200			
BOD, unfiltered	<1 mg/l	TM045				2.12	2.03	<1
Oxygen, dissolved	<0.3 mg/l	TM046	8.34	8.82	9.06	9.9	10.5	9.92
Organic Carbon, Total	<3 mg/l	TM090	<3	3.15	9.35			
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	0.324	0.575	13.9	<0.2	<0.2	<0.2
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5	<0.5			
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.549	0.666	0.433	0.289	0.456	0.283
Arsenic (diss.filt)	<0.5 µg/l	TM152	0.683	1.95	0.805			
Boron (diss.filt)	<10 µg/l	TM152	53.7	17.9	38.1			
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	0.0811			
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1	<1			
Copper (diss.filt)	<0.3 µg/l	TM152	0.528	1.69	3.86			
Lead (diss.filt)	<0.2 µg/l	TM152	63.3	179	67			
Manganese (diss.filt)	<3 µg/l	TM152	37.4	243	77.1			
Nickel (diss.filt)	<0.4 µg/l	TM152	1.75	6.88	3.36			
Phosphorus (diss.filt)	<10 µg/l	TM152	<10	<10	<10			
Zinc (diss.filt)	<1 µg/l	TM152	16.1	15.3	22.9			
Sodium (Dis.Filt)	<0.076 mg/l	TM152	20.3	33.7	14.6	11.6	12.6	14.3
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	27.9	10.8	6.81			
Potassium (Dis.Filt)	<0.2 mg/l	TM152	2.38	2.4	10.9	5.53	5.02	5.45
Calcium (Dis.Filt)	<0.2 mg/l	TM152	70.7	104	63.6			
Iron (Dis.Filt)	<0.019 mg/l	TM152	<0.019	0.0216	0.0232			
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01	<0.01	<0.01			
Chloride	<2 mg/l	TM184	15.9	30.6	21.1	19.5	19.9	19.5
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	0.204	0.188	0.902			
Sulphate (soluble) as S	<1 mg/l	TM184	7.17	8.13	6.47	2.8	6.4	3.07
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05			
pH	<1 pH Units	TM256	8.34	7.55	7.88	7.79	8.05	7.75







# CERTIFICATE OF ANALYSIS

Validated

SDG: 181002-49  
Location: Knockcronaghan

Client Reference: P1724  
Order Number:

Report Number: 476120  
Superseded Report: 475442

## Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2.	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



**CERTIFICATE OF ANALYSIS**

Validated

**SDG:** 181002-49  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:**

**Report Number:** 476120  
**Superseded Report:** 475442

**Test Completion Dates**

Lab Sample No(s)	18442432	18442441	18442448	18442457	18442464	18442473	18442485
Customer Sample Ref.	GW01	GW02	GW03	SW1	SW2	SW3	SW4
AGS Ref.							
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water	Surface Water	Surface Water	Surface Water	Surface Water
Alkalinity as CaCO3	10-Oct-2018	10-Oct-2018	10-Oct-2018				
Ammoniacal Nitrogen	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018
Anions by Kone (w)	10-Oct-2018	10-Oct-2018	10-Oct-2018	09-Oct-2018	09-Oct-2018	09-Oct-2018	09-Oct-2018
BOD True Total				07-Oct-2018	07-Oct-2018	07-Oct-2018	07-Oct-2018
Coliforms (W)	05-Oct-2018	05-Oct-2018	05-Oct-2018				
Conductivity (at 20 deg.C)	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018
Cyanide Comp/Free/Total/Thiocyanate	08-Oct-2018	08-Oct-2018	08-Oct-2018				
Dissolved Metals by ICP-MS	10-Oct-2018	09-Oct-2018	09-Oct-2018	10-Oct-2018	10-Oct-2018	09-Oct-2018	10-Oct-2018
Dissolved Oxygen by Probe	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018
Fluoride	09-Oct-2018	09-Oct-2018	09-Oct-2018				
Mercury Dissolved	05-Oct-2018	08-Oct-2018	05-Oct-2018				
pH Value	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018	10-Oct-2018
Total Organic and Inorganic Carbon	08-Oct-2018	03-Oct-2018	03-Oct-2018				

**Customer**

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Certificate Of Analysis**

**Job Number:** 18-47640  
**Issue Number:** 1  
**Report Date:** 5 October 2018

**Site:** Not Applicable  
**PO Number:** 181002-49  
**Date Samples Received:** 02/10/2018

Please find attached the results for the samples received at our laboratory on 02/10/2018.

Should you have any queries regarding the report or require any further services, we would be happy to discuss your requirements. For additional information about the company please log-on to our website at the above address.

Thank you for choosing City Analysts Limited. We look forward to assisting you again.

**Authorised By:**



Shane Reynolds  
Laboratory Manager

**Authorised Date:** 5 October 2018

**Notes:**

Results relate only to the items tested.  
Information on methods of analysis and performance characteristics is available on request.  
Any opinions or interpretations indicated are outside the scope of our INAB accreditation.  
This test report shall not be reproduced except in full or with written approval of City Analysts Limited.

## Certificate Of Analysis

### Customer

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47640

**Report Version:** 1

**Site:** Not Applicable

**Sample Description:** GW01 Knockcronaghan

**Date of Sampling:** 01/10/2018

**Sample Type:** Ground

**Date Sample Received:** 02/10/2018

**Lab Reference Number:** 413283

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	03/10/2018	Coliforms	> 2419.6	MPN/100ml	-

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

## Certificate Of Analysis

### Customer

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47640

**Report Version:** 1

**Site:** Not Applicable

**Sample Description:** GW02 Knockcronaghan

**Date of Sampling:** 01/10/2018

**Sample Type:** Ground

**Date Sample Received:** 02/10/2018

**Lab Reference Number:** 413284

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	03/10/2018	Coliforms	387.3	MPN/100ml	-

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

## Certificate Of Analysis

### Customer

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47640

**Report Version:** 1

**Site:** Not Applicable

**Sample Description:** GW03 Knockcronaghan

**Date of Sampling:** 01/10/2018

**Sample Type:** Ground

**Date Sample Received:** 02/10/2018

**Lab Reference Number:** 413285

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	03/10/2018	Coliforms	416.0	MPN/100ml	-

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon



# CERTIFICATE OF ANALYSIS

<b>SDG:</b> 181002-49	<b>Client Reference:</b> P1724	<b>Report Number:</b> 476120
<b>Location:</b> Knockcronaghan	<b>Order Number:</b>	<b>Superseded Report:</b> 475442

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

## Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

## Asbestos

### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**





Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
3rd Floor  
North Park Offices  
North Park Business Park  
North Road  
Dublin  
Dublin 11

**Attention:** Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date:** 17 October 2018  
**Customer:** D\_FTIM\_DUB  
**Sample Delivery Group (SDG):** 181010-48  
**Your Reference:** P1724  
**Location:** Knockcronaghan  
**Report No:** 477247

**This report has been revised and directly supersedes 476957 in its entirety.**

We received 7 samples on Wednesday October 10, 2018 and 7 of these samples were scheduled for analysis which was completed on Wednesday October 17, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:

**Sonia McWhan**  
Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

SDG: 181010-48  
Location: Knockcronaghan

Client Reference: P1724  
Order Number: Z1260

Report Number: 477247  
Superseded Report: 476957

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18494217	GW01		0.00 - 0.00	09/10/2018
18494226	GW02		0.00 - 0.00	09/10/2018
18494235	GW03		0.00 - 0.00	09/10/2018
18494244	SW1		0.00 - 0.00	09/10/2018
18494255	SW2		0.00 - 0.00	09/10/2018
18494263	SW3		0.00 - 0.00	09/10/2018
18494271	SW4		0.00 - 0.00	09/10/2018

**Maximum Sample/Coolbox Temperature (°C) :**

**13.0**

**ISO5667-3 Water quality - Sampling - Part3 -**

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181010-48  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:** Z1260

**Report Number:** 477247  
**Superseded Report:** 476957

Results Legend	Lab Sample No(s)		18494217										18494226		18494235				
	Customer Sample Reference		GWM01										GWM02		GWM03				
AGS Reference	Depth (m)		0.00 - 0.00										0.00 - 0.00		0.00 - 0.00				
Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	Container		0.5l glass bottle (ALE212)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	250ml BOD (ALE212)	0.5l glass bottle (ALE227)	Vial (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	HNO3 Filtered (ALE204)	NaOH (ALE245)	Vial (ALE297)	0.5l glass bottle (ALE212)	500ml Plastic (ALE208)	H2SO4 (ALE244)	HNO3 Filtered (ALE204)	GW
	Sample Type		GW	GW	GW	GW	GW	GW	GW	GW	GW	GW	GW	GW	GW	GW	GW	GW	GW
Alkalinity as CaCO3	All	NDPs: 0 Tests: 3		X							X					X			
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 7			X							X					X		
Anions by Kone (w)	All	NDPs: 0 Tests: 7		X							X					X			
BOD True Total	All	NDPs: 0 Tests: 7	X								X					X			
COD Unfiltered	All	NDPs: 0 Tests: 7	X								X					X			
Coliforms (W)	All	NDPs: 0 Tests: 3		X							X					X			
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 7		X							X					X			
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 3						X				X							
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 7				X						X							X
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 7		X							X					X			
Fluoride	All	NDPs: 0 Tests: 3		X							X					X			
Mercury Dissolved	All	NDPs: 0 Tests: 3				X						X							X
Mineral Oil C10-40 Aqueous (W)	All	NDPs: 0 Tests: 3	X								X					X			
Nitrite by Kone (w)	All	NDPs: 0 Tests: 3						X				X							
Organotins in Aqueous Samples	All	NDPs: 0 Tests: 3	X								X					X			





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181010-48  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:** Z1260

**Report Number:** 477247  
**Superseded Report:** 476957

Results Legend	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
					HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227) Vial (ALE297) NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227) Vial (ALE297) NaOH (ALE245)	
<b>X</b> Test  <b>N</b> No Determination Possible  Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	18494217	GW01		0.00 - 0.00		GW
	18494226	GW02		0.00 - 0.00		GW
	18494235	GW03		0.00 - 0.00		GW
Pesticides (Suite I) by GCMS	All	NDPs: 0 Tests: 3				GW
Pesticides (Suite II) by GCMS	All	NDPs: 0 Tests: 3				GW
Pesticides (Suite III) by GCMS	All	NDPs: 0 Tests: 3				GW
pH Value	All	NDPs: 0 Tests: 7				GW
Phosphate by Kone (w)	All	NDPs: 0 Tests: 3				GW
Silicon Dissolved by ICP-OES	All	NDPs: 0 Tests: 3				GW
SVOC MS (W) - Aqueous	All	NDPs: 0 Tests: 3				GW
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 3				GW
VOC MS (W)	All	NDPs: 0 Tests: 3				GW

18494271	SW4	0.00 - 0.00	HN03 Filtered (ALE204) H2SO4 (ALE244)	SW												
18494263	SW3	0.00 - 0.00	500ml Plastic (ALE208)	SW			X									
			250ml BOD (ALE212)	SW												
			HN03 Filtered (ALE204)	SW												
			H2SO4 (ALE244)	SW												
18494255	SW2	0.00 - 0.00	500ml Plastic (ALE208)	SW			X									
			250ml BOD (ALE212)	SW												
			HN03 Filtered (ALE204)	SW												
			H2SO4 (ALE244)	SW												
18494244	SW1	0.00 - 0.00	500ml Plastic (ALE208)	SW			X									
			250ml BOD (ALE212)	SW												
			HN03 Filtered (ALE204)	SW												
			H2SO4 (ALE244)	SW												
18494235	GW03	0.00 - 0.00	500ml Plastic (ALE208)	SW			X									
			250ml BOD (ALE212)	SW												
			Vial (ALE297)	GW												
			NaOH (ALE245)	GW											X	



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181010-48  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:** Z1260

**Report Number:** 477247  
**Superseded Report:** 476957

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	SW1	SW2	SW3
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
**	Subcontracted test.							
	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Coliforms, Total*	CFU/100ml	SUB	866	1590	698			
Alkalinity, Total as CaCO3	<2 mg/l	TM043	291	421	333			
BOD, unfiltered	<1 mg/l	TM045	<1	<1	<1	<1	2.18	<1
Oxygen, dissolved	<0.3 mg/l	TM046	9.45	9.04	8.81	10.1	9.88	9.64
Organic Carbon, Total	<3 mg/l	TM090	<3	<3	9.93			
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	<0.2	1.14	33.2	0.258	<0.2	<0.2
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5	<0.5			
COD, unfiltered	<7 mg/l	TM107	7.21	<7	30.9	29.9	28.5	28.1
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.524	0.793	0.702	0.466	0.3	0.29
Antimony (diss.filt)	<1 µg/l	TM152	1.05	<1	1.51			
Arsenic (diss.filt)	<0.5 µg/l	TM152	0.81	4.53	1.15			
Barium (diss.filt)	<0.2 µg/l	TM152	133	780	352			
Beryllium (diss.filt)	<0.1 µg/l	TM152	<0.1	<0.1	<0.1			
Boron (diss.filt)	<10 µg/l	TM152	57.6	18.2	88.8			
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	0.101			
Chromium (diss.filt)	<1 µg/l	TM152	1.02	<1	<1			
Cobalt (diss.filt)	<0.5 µg/l	TM152	0.794	<0.5	<0.5			
Copper (diss.filt)	<0.3 µg/l	TM152	4.46	<0.3	3.35			
Lead (diss.filt)	<0.2 µg/l	TM152	278	27.4	136			
Manganese (diss.filt)	<3 µg/l	TM152	51.6	406	51.2			
Molybdenum (diss.filt)	<3 µg/l	TM152	<3	3.08	4.14			
Nickel (diss.filt)	<0.4 µg/l	TM152	3.27	0.771	4.13			
Phosphorus (diss.filt)	<10 µg/l	TM152	31.2	13.7	910			
Selenium (diss.filt)	<1 µg/l	TM152	<1	6.06	<1			
Tellurium (diss.filt)	<2 µg/l	TM152	<2	<2	<2			
Thallium (diss.filt)	<2 µg/l	TM152	<2	<2	<2			
Titanium (diss.filt)	<1 µg/l	TM152	10.8	2.96	6.11			
Uranium (diss.filt)	<0.5 µg/l	TM152	<0.5	2.99	1.87			
Vanadium (diss.filt)	<1 µg/l	TM152	1.12	<1	<1			
Zinc (diss.filt)	<1 µg/l	TM152	53.3	6.97	18.9			
Tin (Diss.Filt)	<1 µg/l	TM152	<1	<1	<1			
Silver (diss.filt)	<0.5 µg/l	TM152	<0.5	<0.5	<0.5			
Sodium (Dis.Filt)	<0.076 mg/l	TM152	19.1	43	20.2	13.5	11.7	11.4



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	181010-48	<b>Client Reference:</b>	P1724	<b>Report Number:</b>	477247
<b>Location:</b>	Knockcronaghan	<b>Order Number:</b>	Z1260	<b>Superseded Report:</b>	476957

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	SW1	SW2	SW3		
#	ISO17025 accredited.									
M	mCERTS accredited.									
aq	Aqueous / settled sample.									
diss.filt	Dissolved / filtered sample.									
tot.unfilt	Total / unfiltered sample.									
*	Subcontracted test.									
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery									
(F)	Trigger breach confirmed									
1-5&*\$@	Sample deviation (see appendix)									
Component	LOD/Units	Method	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received	SDG Ref	Lab Sample No.(s)	AGS Reference
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	0.00 - 0.00	Ground Water (GW)	09/10/2018	-	10/10/2018	181010-48	18494217	
Potassium (Dis.Filt)	<0.2 mg/l	TM152	0.00 - 0.00	Ground Water (GW)	09/10/2018	-	10/10/2018	181010-48	18494226	
Calcium (Dis.Filt)	<0.2 mg/l	TM152	0.00 - 0.00	Ground Water (GW)	09/10/2018	-	10/10/2018	181010-48	18494235	
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494244	
Mineral oil >C10 C40 (aq)	<100 µg/l	TM172	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494255	
Mercury (diss.filt)	<0.01 µg/l	TM183	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Chloride	<2 mg/l	TM184	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Nitrite as N	<0.0152 mg/l	TM184	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Sulphate (soluble) as S	<1 mg/l	TM184	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Cyanide, Total	<0.05 mg/l	TM227	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Cyanide, Free	<0.05 mg/l	TM227	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
pH	<1 pH Units	TM256	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Silicon (diss.filt)	<0.05 mg/l	TM284	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Dibutyl tin	<5 ng/l	TM328	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Tributyl tin	<1 ng/l	TM328	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Tetrabutyl tin	<2 ng/l	TM328	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Triphenyl tin	<1 ng/l	TM328	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Surrogate	%	TM328	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Trifluralin	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
alpha-HCH	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
gamma-HCH (Lindane)	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Heptachlor	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Aldrin	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
beta-HCH	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Isodrin	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Heptachlor epoxide	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
o,p'-DDE	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
Endosulphan I	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
trans-Chlordane	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	
cis-Chlordane	<0.01 µg/l	TM343	0.00 - 0.00	Surface Water (SW)	09/10/2018	-	10/10/2018	181010-48	18494263	





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 181010-48	<b>Client Reference:</b> P1724	<b>Report Number:</b> 477247
<b>Location:</b> Knockcronaghan	<b>Order Number:</b> Z1260	<b>Superseded Report:</b> 476957

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	SW1	SW2	SW3
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method	Depth (m)	Sample Type	Ground Water (GW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
p,p'-DDE	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Dieldrin	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
o,p'-DDD (TDE)	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Endrin	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
o,p'-DDT	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
p,p'-DDD (TDE)	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Endosulphan II	<0.02 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
p,p'-DDT	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
p,p'-Methoxychlor	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Endosulphan Sulphate	<0.02 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Permethrin I	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Permethrin II	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Dichlorvos	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Mevinphos	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Tecnazene	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Hexachlorobenzene	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Diazinon	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Triallate	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Atrazine	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Simazine	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Disulfoton	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Propetamphos	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Chlorpyriphos-methyl	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Dimethoate	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Pirimiphos-methyl	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Chlorpyriphos	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Methyl Parathion	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Malathion	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Fenthion	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Fenitrothion	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Triadimefon	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Pendimethalin	<0.01 µg/l	TM344	0.00 - 0.00	Ground Water (GW)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00



### CERTIFICATE OF ANALYSIS

SDG: 181010-48  
Location: Knockcronaghan

Client Reference: P1724  
Order Number: Z1260

Report Number: 477247  
Superseded Report: 476957

Results Legend			Customer Sample Ref.	GW01	GW02	GW03	SW1	SW2	SW3
#	ISO17025 accredited.								
M	mCERTS accredited.								
aq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted test.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-5&*\$@	Sample deviation (see appendix)								
			Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
			Sample Type	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
			Date Sampled	09/10/2018	09/10/2018	09/10/2018	09/10/2018	09/10/2018	09/10/2018
			Sample Time	-	-	-	-	-	-
			Date Received	10/10/2018	10/10/2018	10/10/2018	10/10/2018	10/10/2018	10/10/2018
			SDG Ref	181010-48	181010-48	181010-48	181010-48	181010-48	181010-48
			Lab Sample No.(s)	18494217	18494226	18494235	18494244	18494255	18494263
			AGS Reference						
Component	LOD/Units	Method							
Parathion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01			
Chlorfenvinphos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01			
Ethion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01			
Carbophenothion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01			
Triazophos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01			
Phosalone	<0.01 µg/l	TM344		<0.01	<0.01	<0.01			
Azinphos methyl	<0.02 µg/l	TM344		<0.02	<0.02	<0.02			
Azinphos ethyl	<0.02 µg/l	TM344		<0.02	<0.02	<0.02			
Quintozene (PCNB)	<0.01 µg/l	TM345		<0.01	<0.01	<0.01			
Telodrin	<0.01 µg/l	TM345		<0.01	<0.01	<0.01			
Chlorothalonil	<0.01 µg/l	TM345		<0.01	<0.01	<0.01			
Etrimphos	<0.01 µg/l	TM345		<0.01	<0.01	<0.01			



CERTIFICATE OF ANALYSIS

Validated

SDG: 181010-48
Location: Knockcronaghan

Client Reference: P1724
Order Number: Z1260

Report Number: 477247
Superseded Report: 476957

Table with columns: Results Legend, Customer Sample Ref., SW4, Component, LOD/Units, Method, and numerical data for various parameters like BOD, Oxygen, Ammoniacal Nitrogen, COD, Conductivity, Sodium, Potassium, Chloride, Sulphate, and pH.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181010-48  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:** Z1260

**Report Number:** 477247  
**Superseded Report:** 476957

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	GW01	GW02	GW03		
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
aq	Aqueous / settled sample.		09/10/2018	09/10/2018	09/10/2018		
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.		10/10/2018	10/10/2018	10/10/2018		
*	Subcontracted test.		181010-48	181010-48	181010-48		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		18494217	18494226	18494235		
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1		
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1		
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1		
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1		
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1		
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1		
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1		
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<1	<1	<1		
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<1	<1		
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<1	<1		
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<1	<1	<1		
2-Chlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1		
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<1	<1	<1		
2-Methylphenol (aq)	<1 µg/l	TM176	<1	<1	<1		
2-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1	<1		
2-Nitrophenol (aq)	<1 µg/l	TM176	<1	<1	<1		
3-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1	<1		
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<1	<1	<1		
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<1	<1	<1		
4-Chloroaniline (aq)	<1 µg/l	TM176	<1	<1	<1		
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<1	<1	<1		
4-Methylphenol (aq)	<1 µg/l	TM176	<1	<1	<1		
4-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1	<1		
4-Nitrophenol (aq)	<1 µg/l	TM176	<1	<1	<1		
Azobenzene (aq)	<1 µg/l	TM176	<1	<1	<1		
Acenaphthylene (aq)	<1 µg/l	TM176	<1	<1	<1		
Acenaphthene (aq)	<1 µg/l	TM176	<1	<1	<1		
Anthracene (aq)	<1 µg/l	TM176	<1	<1	<1		
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<1	<1	<1		
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<1	<1	<1		
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<2	14.3	10.6		
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1		
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<1	<1	<1		



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181010-48  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:** Z1260

**Report Number:** 477247  
**Superseded Report:** 476957

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	GW01	GW02	GW03		
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
aq	Aqueous / settled sample.		09/10/2018	09/10/2018	09/10/2018		
diss.filt	Dissolved / filtered sample.		-	-	-		
tot.unfilt	Total / unfiltered sample.		10/10/2018	10/10/2018	10/10/2018		
*	Subcontracted test.		181010-48	181010-48	181010-48		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		18494217	18494226	18494235		
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Benzo(a)pyrene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Carbazole (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Chrysene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Dibenzofuran (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Diethyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Dimethyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	<5	<5	<5	#	#
Fluoranthene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Fluorene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Hexachlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Hexachlorobutadiene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Pentachlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Phenol (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Hexachloroethane (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Nitrobenzene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Naphthalene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Isophorone (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Phenanthrene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#
Pyrene (aq)	<1 µg/l	TM176	<1	<1	<1	#	#



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181010-48  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:** Z1260

**Report Number:** 477247  
**Superseded Report:** 476957

## VOC MS (W)

Results Legend		Customer Sample Ref.	GW01	GW02	GW03		
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
aq	Aqueous / settled sample.		09/10/2018	09/10/2018	09/10/2018		
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.		10/10/2018	10/10/2018	10/10/2018		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		181010-48	181010-48	181010-48		
(F)	Trigger breach confirmed		18494217	18494226	18494235		
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
Dibromofluoromethane**	%	TM208	112	115	115		
Toluene-d8**	%	TM208	101	101	101		
4-Bromofluorobenzene**	%	TM208	97	97.4	97.7		
Dichlorodifluoromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Chloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Vinyl chloride	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Bromomethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Chloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Trichlorofluoromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,1-Dichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Carbon disulphide	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Dichloromethane	<3 µg/l	TM208	<3 #	<3 #	<3 #		
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1 #	<1 #	1.33 #		
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,1-Dichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
2,2-Dichloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Bromochloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Chloroform	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,1,1-Trichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,1-Dichloropropene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Carbontetrachloride	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,2-Dichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Benzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Trichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,2-Dichloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Dibromomethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Bromodichloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Toluene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,1,2-Trichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,3-Dichloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #		



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181010-48  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:** Z1260

**Report Number:** 477247  
**Superseded Report:** 476957

## VOC MS (W)

Results Legend		Customer Sample Ref.	GW01	GW02	GW03		
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
aq	Aqueous / settled sample.		09/10/2018	09/10/2018	09/10/2018		
diss.filt	Dissolved / filtered sample.		-	-	-		
tot.unfilt	Total / unfiltered sample.		10/10/2018	10/10/2018	10/10/2018		
*	Subcontracted test.		181010-48	181010-48	181010-48		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		18494217	18494226	18494235		
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1	#	#
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1	#	#
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	<1	#	#
Chlorobenzene	<1 µg/l	TM208	<1	<1	<1	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	#	#
Ethylbenzene	<1 µg/l	TM208	<1	<1	<1	#	#
m,p-Xylene	<1 µg/l	TM208	<1	<1	<1	#	#
o-Xylene	<1 µg/l	TM208	<1	<1	<1	#	#
Styrene	<1 µg/l	TM208	<1	<1	<1	#	#
Bromoform	<1 µg/l	TM208	<1	<1	<1	#	#
Isopropylbenzene	<1 µg/l	TM208	<1	<1	<1	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	<1	#	#
Bromobenzene	<1 µg/l	TM208	<1	<1	<1	#	#
Propylbenzene	<1 µg/l	TM208	<1	<1	<1	#	#
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	#	#
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	#	#
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	#	#
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	#	#
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	<1	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	#	#
n-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1	<1	#	#
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	#	#
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	<1	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	<1	#	#
Naphthalene	<1 µg/l	TM208	<1	<1	<1	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 181010-48
Location: Knockcronaghan

Client Reference: P1724
Order Number: Z1260

Report Number: 477247
Superseded Report: 476957

VOC MS (W)

Table with columns: Results Legend, Customer Sample Ref., GW01, GW02, GW03, Component, LOD/Units, Method. Includes data for 1,3,5-Trichlorobenzene and a large grid of empty rows.





# CERTIFICATE OF ANALYSIS

Validated

SDG: 181010-48  
Location: Knockcronaghan

Client Reference: P1724  
Order Number: Z1260

Report Number: 477247  
Superseded Report: 476957

## Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM284		
TM328		
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



**CERTIFICATE OF ANALYSIS**

Validated

**SDG:** 181010-48  
**Location:** Knockcronaghan

**Client Reference:** P1724  
**Order Number:** Z1260

**Report Number:** 477247  
**Superseded Report:** 476957

**Test Completion Dates**

Lab Sample No(s)	18494217	18494226	18494235	18494244	18494255	18494263	18494271
Customer Sample Ref.	GW01	GW02	GW03	SW1	SW2	SW3	SW4
AGS Ref.							
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water	Surface Water	Surface Water	Surface Water	Surface Water
Alkalinity as CaCO3	16-Oct-2018	16-Oct-2018	16-Oct-2018				
Ammoniacal Nitrogen	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018
Anions by Kone (w)	16-Oct-2018	16-Oct-2018	16-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018
BOD True Total	16-Oct-2018	16-Oct-2018	15-Oct-2018	15-Oct-2018	16-Oct-2018	15-Oct-2018	16-Oct-2018
COD Unfiltered	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018
Coliforms (W)	16-Oct-2018	16-Oct-2018	16-Oct-2018				
Conductivity (at 20 deg.C)	11-Oct-2018	11-Oct-2018	11-Oct-2018	11-Oct-2018	11-Oct-2018	11-Oct-2018	11-Oct-2018
Cyanide Comp/Free/Total/Thiocyanate	12-Oct-2018	12-Oct-2018	12-Oct-2018				
Dissolved Metals by ICP-MS	12-Oct-2018	17-Oct-2018	12-Oct-2018	12-Oct-2018	16-Oct-2018	12-Oct-2018	16-Oct-2018
Dissolved Oxygen by Probe	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018
Fluoride	16-Oct-2018	16-Oct-2018	16-Oct-2018				
Mercury Dissolved	12-Oct-2018	12-Oct-2018	12-Oct-2018				
Mineral Oil C10-40 Aqueous (W)	16-Oct-2018	17-Oct-2018	17-Oct-2018				
Nitrite by Kone (w)	16-Oct-2018	16-Oct-2018	16-Oct-2018				
Organotins in Aqueous Samples	16-Oct-2018	16-Oct-2018	16-Oct-2018				
Pesticides (Suite I) by GCMS	15-Oct-2018	15-Oct-2018	15-Oct-2018				
Pesticides (Suite II) by GCMS	15-Oct-2018	15-Oct-2018	15-Oct-2018				
Pesticides (Suite III) by GCMS	15-Oct-2018	15-Oct-2018	15-Oct-2018				
pH Value	12-Oct-2018	15-Oct-2018	15-Oct-2018	12-Oct-2018	12-Oct-2018	15-Oct-2018	15-Oct-2018
Phosphate by Kone (w)	15-Oct-2018	15-Oct-2018	15-Oct-2018				
Silicon Dissolved by ICP-OES	16-Oct-2018	16-Oct-2018	16-Oct-2018				
SVOC MS (W) - Aqueous	15-Oct-2018	15-Oct-2018	15-Oct-2018				
Total Organic and Inorganic Carbon	11-Oct-2018	11-Oct-2018	11-Oct-2018				
VOC MS (W)	11-Oct-2018	11-Oct-2018	11-Oct-2018				

**Customer**

Customer Services  
ALS Life Sciences  
Hawarden Business Park  
Manor Lane  
Hawarden, Deeside  
UK  
CH5 3US

**Certificate Of Analysis**

**Job Number:** 18-47978  
**Issue Number:** 1  
**Report Date:** 15 October 2018


**Site:** Knockcronaghan: 181010-48  
**PO Number:** Not Supplied  
**Date Samples Received:** 10/10/2018

Please find attached the results for the samples received at our laboratory on 10/10/2018.

Should you have any queries regarding the report or require any further services, we would be happy to discuss your requirements. For additional information about the company please log-on to our website at the above address.

Thank you for choosing City Analysts Limited. We look forward to assisting you again.

**Authorised By:**



Caitlin Quinn  
Deputy Quality Manager

**Authorised Date:** 15 October 2018

**Notes:**

Results relate only to the items tested.  
Information on methods of analysis and performance characteristics is available on request.  
Any opinions or interpretations indicated are outside the scope of our INAB accreditation.  
This test report shall not be reproduced except in full or with written approval of City Analysts Limited.

## Certificate Of Analysis

### Customer

Customer Services  
ALS Life Sciences  
Hawarden Business Park  
Manor Lane  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47978

**Report Version:** 1

**Site:** Knockcronaghan: 181010-48

**Sample Description:** GW 01

**Date of Sampling:** 09/10/2018

**Sample Type:** Ground

**Date Sample Received:** 10/10/2018

**Lab Reference Number:** 414288

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	10/10/2018	Coliforms	866.4	MPN/100ml	-

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities. (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

## Certificate Of Analysis

### Customer

Customer Services  
ALS Life Sciences  
Hawarden Business Park  
Manor Lane  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47978

**Report Version:** 1

**Site:** Knockcronaghan: 181010-48

**Sample Description:** GW 02

**Date of Sampling:** 09/10/2018

**Sample Type:** Ground

**Date Sample Received:** 10/10/2018

**Lab Reference Number:** 414289

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	10/10/2018	Coliforms	1594.0	MPN/100ml	-

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities. (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

## Certificate Of Analysis

### Customer

Customer Services  
ALS Life Sciences  
Hawarden Business Park  
Manor Lane  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47978

**Report Version:** 1

**Site:** Knockcronaghan: 181010-48

**Sample Description:** GW 03

**Date of Sampling:** 09/10/2018

**Sample Type:** Ground

**Date Sample Received:** 10/10/2018

**Lab Reference Number:** 414290

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	10/10/2018	Coliforms	698.0	MPN/100ml	-

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities. (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon



# CERTIFICATE OF ANALYSIS

<b>SDG:</b> 181010-48	<b>Client Reference:</b> P1724	<b>Report Number:</b> 477247
<b>Location:</b> Knockcronaghan	<b>Order Number:</b> Z1260	<b>Superseded Report:</b> 476957

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

## Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

## Asbestos

### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**