

#### Waste Management Act 1996 as amended

# NOTIFICATION OF A PROPOSED DECISION ON AN APPLICATION FOR A WASTE LICENCE IN ACCORDANCE WITH SECTION 42(2) OF THE WASTE MANAGEMENT ACT 1996 AS AMENDED

In pursuance of the powers conferred on it by the above mentioned Act, the Environment Protection Agency (the Agency) proposes, under Section 40(1) of the said Act, to determine the following application for a waste licence:

Waste Licence Register No:

W0305-01

Applicant:

MSK Silversands Limited, Ballyfarnogue, Screen, County Wexford.

CRO Number:

407022

Facility:

MSK Silversands Limited, Ballinrooaun, Screen, County Wexford.

The application was submitted by the applicant on 09/08/2019.

**Proposed Decision:** It is proposed, for the reasons hereinafter set out, to grant the licence to the above named applicant to carry on the following activities at the above named facility, subject to twelve Conditions:

# Licensed waste recovery activities in accordance with the Fourth Schedule of the Waste Management Act 1996 as amended:

| Class R 5.(P) | Recycling/reclamation of other inorganic materials, which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials.   |
|---------------|---|
| Class R 13.   | Storage of waste pending any of the operations numbered R 1 to R 12 (excluding temporary storage (being preliminary storage according to the definition of 'collection' in section 5(1)), pending collection, on the site where the waste is produced). |

Proposed Licence: A copy of the proposed decision, including the reasons for the proposed decision, the proposed twelve Conditions and the reasons therefor and associated schedules attached thereto accompanies this notification. A copy of the proposed licence may also be obtained from the Environmental Protection Agency, P.O. Box 3000, Johnstown Castle Estate, County Wexford.

#### **OBJECTIONS & ORAL HEARINGS**

Any person may object to the proposed decision, in accordance with Section 42 of the Waste Management Act 1996 as amended, at any time no later than 5.00 pm on <u>6 August 2020</u>. A person making an objection may also request an oral hearing of the objection, in accordance with Section 42 of the Acts, at any time no later than the date specified above. It is important to note that any objection to a proposed decision/request for an oral hearing must be received by the Agency before the appropriate period expires.

An objection/request for an oral hearing must be made on-line on the Agency's website at <a href="https://www.epa.ie">www.epa.ie</a> or by sending the objection or request by prepaid post to the Agency, or by leaving the objection or request with an employee of the Agency at the principal offices of the Agency in Wexford during office hours, i.e. 9.00 a.m. to 5.00 p.m. Monday to Friday.





An objection against the proposed decision must state in full the grounds of the objection. An objection and a request for an oral hearing of an objection must each be accompanied by the appropriate fee and also comply with the other statutory requirements set out in the Waste Management Act 1996 as amended and the Waste Management (Licensing) Regulations. Extracts from the Acts and the Regulations accompany this notification. For the purposes of making an objection and/or a request for an oral hearing, the address of the principal office of the Agency is P.O. Box 3000, Johnstown Castle Estate, County Wexford.

In the event that;

- (a) no objection is taken against the proposed decision or
- (b) an objection or objections is or are taken against the proposed decision and the objection or objections is or are withdrawn.

the decision of the Agency will be in accordance with the proposed decision and will be issued as soon as may be after the appropriate period expires.

Signed on behalf of the Agency: on the 8th day of July, 2020

Tara Gillen, Authorised Person





# re: Proposed Decisions of the Environmental Protection Agency in respect of Waste Licence applications

### FEES FOR THE MAKING OF OBJECTIONS AND ORAL HEARING REQUESTS

#### Fees for making an Objection:

- Article 42 (1) A fee shall be paid to the Agency in respect of the making of an objection.
  - (2) Subject to sub-article (3), the fee payable under sub-article (1) shall be the amount indicated in column (3) of Part II of the Second Schedule opposite the appropriate mention of objection in column (2) of the said Part of the Schedule.
  - (3) Where an objection is made to the Agency by -
    - (a) A local authority,
    - (b) A planning authority,
    - (c) A sanitary authority,
    - (d) The Central Fisheries Board,
    - (e) An Taisce The National Trust for Ireland,
    - (f) Failte Ireland,
    - (g) In the case of an activity any part of which is situate within the functional area of the Shannon Free Airport Development Company Limited, that Company, a reduced fee shall be payable in respect of the said objection, in accordance with sub-article (2).

Fees for making a request for an Oral Hearing (payable in addition to the fee payable for making the associated objection)

Article 44

- (1) A fee shall be paid to the Agency in respect of a request for an oral hearing of an objection. (See table of fees below).
- (2) The fee payable under sub-article (1) shall be the amount indicated in column (3) of Part II of the Second Schedule opposite the mention of a request for an oral hearing in column (2) of the said Part of the Schedule.

### Table of Fees for Objections and Requests for Oral Hearings

| (1)        | (2)  | (3)               |
|------------|--|-------------------|
| _          |  | Amount of fee (€) |
| Article 42 | Objection by the applicant or licensee                       | €500              |
|            | Objection by an authority or body mentioned in Article 42(3) | €100              |
|            | Objection by any other person                                | €200              |
| Article 44 | Request for an oral hearing                                  | €100              |





Making an Objection and requesting an Oral Hearing of an objection on a Proposed Decision of the

Environmental Protection Agency on a Waste Licence Application.

#### Extracts from the relevant sections of the Waste Management Act 1996 as amended.

#### Section

- 42(2) Before making a decision under Section 40 in respect of an application made to it for the grant of a waste licence, or under Section 46(2) in consequence of a review of a waste licence that has been conducted by it under that section, the Agency shall give notice in writing to—
  - (a) the applicant or the holder of the licence, as the case may be,
  - (b) any person who has made a written submission to it in relation to the application or the review, in accordance with regulations under this Part,
  - (c) where relevant, the local authority in whose functional area the activity, the subject matter of the proposed waste licence or the waste licence, as the case may be, is intended to be, or is, carried on, and
    - (d) such other persons as may be prescribed, of the decision it proposes to make in respect of the application or in consequence of the review and, where the decision so notified is a decision to grant a waste licence or a revised waste licence, shall specify where a copy of the proposed licence or revised licence may be obtained.
- Any person may, subject to compliance with the requirements of any regulations under Sections 45 and 50, and at any time before the expiration of the appropriate period, make an objection to the Agency in relation to a decision referred to in subsection (2) that it proposes to make.
- 42(4) An objection shall—
  - (a) be made in writing.
  - (b) state the name and address of the objector,
  - (c) state the subject matter of the objection,
  - (d) state in full the grounds of objection and the reasons, considerations and arguments on which they are based, and
  - (e) be accompanied by such fee (if any) as may be payable in respect of the making of such objection in accordance with regulations under Section 50.
- 42(5) (a) An objection which does not comply with the requirements of subsection (4) shall be invalid.
  - (b) The requirement of subsection (4) (d) shall apply whether or not the objector requests, or proposes to request, under subsection (9) an oral hearing of the objection.
- 42(6) An objection shall be accompanied by such documents, particulars, or other information relating to the objection as the objector considers necessary or appropriate.
- Without prejudice to the provisions of any regulations under Section 45, an objector shall not be entitled to elaborate in writing upon, or make further submissions in writing in relation to, the grounds of objection stated in the objection, and any such elaboration, submissions or further grounds of objection that is or are received by the Agency shall not be considered by it.
- 42(8) Any documents, particulars or other information submitted by an objector, other than such documents, particulars or other information which accompanied the objection or which were furnished to the Agency under and in accordance with a requirement of, or made pursuant to, regulations under Section 45, shall not be considered by the Agency.
- 42(9) (a) A person making an objection under subsection (3) may request an oral hearing of the objection.



- (b) (i) A request for an oral hearing of an objection shall be made in writing to the Agency and shall be accompanied by such fee (if any) as may be payable in respect of such request in accordance with regulations under Section 50.
- (ii) A request for an oral hearing of an objection which is not accompanied by such fee (if any) as may be payable in respect of such request shall not be considered by the Agency.
- (c) A request for an oral hearing of an objection shall be made within the appropriate period, and any request received by the Agency after the expiration of that period shall not be considered by it.
- 42(10) An objection, or a request for an oral hearing under subsection (9), shall be made—
  - (a) by sending the objection or request by prepaid post to the Agency, or
  - (b) by leaving the objection or request with an employee of the Agency, at the principal office of the Agency, during office hours, or
  - (c) by such other means as may be prescribed.
- 42(11)

  (a) Where a request for an oral hearing of an objection is made in accordance with subsection (9), or otherwise where an objection has been made, the Agency shall have an absolute discretion to hold an oral hearing in relation to the objection and, if it decides to hold such a hearing, it shall give notice in writing of that decision to—
  - the applicant or the holder of the licence, as the case may be,
  - (ii) where relevant, the local authority in whose functional area the activity, the subject matter of the pro-posed waste licence or the waste licence, as the case may be, is intended to be, or is, carried on,
  - (iii) any person who requested an oral hearing, and
  - (iv) such other person as may be prescribed.
  - (b) Where the Agency decides not to hold an oral hearing under this subsection, it shall give notice in writing of its decision to the person who requested the oral hearing.
- 42(12) In this section "the appropriate period" means the period of 30 days beginning on the day on which notification is sent under subsection (2) in respect of the matter concerned.
- 42.A Calculation of appropriate period and other time limits over holidays

  When calculating the appropriate period (within the meaning of Section 42) or any other time limit under this Act or in any regulations made under this Act, the period between the 24th day of December and the 1st day of January, both days inclusive, shall be disregarded.
- 43(1) (a) Where
- (i) no objection is made in accordance with Section 42(3) to the Agency in relation to a decision that it proposes to make in respect of an application made to it for the grant of a waste licence or in consequence of a review conducted by it of a waste licence, or
- (ii) any objection or objections that has or have been so made to it in relation thereto is or are withdrawn,

the decision of the Agency in relation to that application or in consequence of the review shall be that as notified by it under Section 42(2).

(b) Where the decision of the Agency is to grant a waste licence or a revised waste

licence, such a licence shall be granted by it as soon as may be after the making of the decision.





Headquarters
P.O. Box 3000
Johnstown Castle Estate
County Wexford
Ireland

# Waste Licence Proposed Decision

| Licence Register Number: | W0305-01                |
|--------------------------|-------------------------|
| Company Register         | 407922                  |
| Number:                  |                         |
| Applicant:               | MSK Silversands Limited |
| Location of Facility:    | Ballinrooaun,           |
| ·                        | Screen,                 |
|                          | County Wexford.         |

## INTRODUCTION

This introduction is not part of the licence and does not purport to be a legal interpretation of the licence.

The licence relates to the operation of an inert waste recovery facility at Ballinrooaun, Screen, County Wexford by MSK Silversands Limited. The activity relates to the deposition of material for the progressive restoration of a sandpit void using imported inert soil and stone. The waste intake at the facility is 80,000 tonnes per annum. An estimated total of c.1,354,400 tonnes (c.846,000 cubic metres) of inert soil and stone will be imported at the site over approximately 17 years.

The licence specifies a number of environmental controls in order to minimise the risk of environmental pollution and nuisance to the public arising from the activities of the facility. The environmental monitoring requirements include monitoring of groundwater quality and ambient dust and noise.

The licence sets out in detail the conditions under which MSK Silversands Limited will operate and manage this facility.

# Table of Contents

|                       |   | Page No |
|-----------------------|---|---------|
| Glossary of Terms     | ***************************************       | 1       |
| Decision & Reasons    | for the Decision                              | 8       |
| Part I Schedule of Ac | tivities Licensed                             | 11      |
| Part II Schedule of A | ctivities Refused                             | 12      |
| Part III Conditions   |   | 13      |
| Condition 1.          | Scope   | 13      |
| Condition 2.          | Management of the Facility                    | 14      |
| Condition 3.          | Infrastructure and Operation                  | 16      |
| Condition 4.          | Interpretation                                | 19      |
| Condition 5.          | Emissions                                     | 19      |
| Condition 6.          | Control and Monitoring                        | 20      |
| Condition 7.          | Resource Use and Energy Efficiency            | 23      |
| Condition 8.          | Materials Handling                            | 23      |
| Condition 9.          | Accident Prevention and Emergency Response    | 25      |
| Condition 10.         | Closure, Restoration and Aftercare Management | 26      |
| Condition 11.         | Notification, Records and Reports             | 27      |
| Condition 12.         | Financial Charges and Provisions              | 30      |
| SCHEDULE A:           | Limitations                                   | 31      |
| SCHEDULE B:           | Emission Limits                               | 32      |
| SCHEDULE C:           | Control & Monitoring                          | 34      |
| SCHEDULE D:           | Specified Engineering Works                   | 36      |
| SCHEDULE E:           | Annual Environmental Report                   | 36      |

# Glossary of Terms

All terms in this licence should be interpreted in accordance with the definitions in the Waste Management

Act 1996 as amended, unless otherwise defined in the section.

Adequate

20 lux measured at ground level.

lighting

AER Annual Environmental Report.

Aerosol A suspension of solid or liquid particles in a gaseous medium.

Approval Approval in writing/electronically.

Annually At approximately twelve-monthly intervals.

**Application** The application by the licensee for this licence.

Appropriate Facility A waste management facility or installation, duly authorised under relevant

law and technically suitable.

Attachment Any reference to Attachments in this licence refers to attachments submitted

as part of this licence application.

Basic characterisation of waste A thorough determination, according to standardised analysis and behaviour testing methods, of the short and long-term leaching behaviour and/or

characteristic properties of the waste.

BAT Best Available Techniques.

Backfilling A recovery operation where suitable non-hazardous waste is used for purposes

of reclamation in excavated areas or for engineering purposes in landscaping. Waste used for backfilling must substitute non-waste material, be suitable for the aforementioned purposes, and be limited to the amount strictly necessary

to achieve those purposes.

Blannually At approximately six – monthly intervals.

Biennially Once every two years.

By-product Material notified under Article 27 of the European Community (Waste

Directive) Regulations 2011 (SI No. 126 of 2011) which the Agency has not

determined (under article 27(3) of the Regulations) to be waste.

BOD 5 day Biochemical Oxygen Demand (without nitrification suppression).

CEN Comité Européen De Normalisation – European Committee for

Standardisation.

COD Chemical Oxygen Demand.

Compliance Point The point (location, depth) at which a compliance value should be met.

Generally it is represented by a borehole or monitoring well from which

representative groundwater samples can be obtained.

Compliance Value The concentration of a substance and associated compliance regime that,

when not exceeded at the compliance point, will prevent pollution and/or

achieve water quality objectives at the receptor.

Compliance testing of waste

Periodical testing by standard analysis and behaviour-testing methods to determine whether a waste complies with a condition and/or specific reference criteria. The tests focus on key variables and behaviour identified by basic

characterisation.

Contaminated soil

and stone

Soil and stone that contains anthropogenic or man-made substances (such as rubble, concrete, bricks, metal and bitumen) that are not natural to the

environment from which the material was extracted.

Construction and demolition (C&D)

weste

Wastes that arise from construction, renovation and demolition activities:

Chapter 17 of the LoW or as otherwise may be agreed.

Containment

boom

A boom that can contain spillages and prevent them from entering drains or

watercourses or from further contaminating watercourses.

CRO Number Company Register Number.

Daily During all days of plant operation and, in the case of emissions, when

emissions are taking place; with at least one measurement on any one day.

Day Any 24 hour period.

Daytime 0700 hrs to 1900 hrs.

dB(A) Decibels (A weighted).

DO Dissolved oxygen.

**Documentation** Any report, record, results, data, drawing, proposal, interpretation or other

document in written or electronic form which is required by this licence.

**Drawing** Any reference to a drawing or drawing number means a drawing or drawing

number contained in the application, unless otherwise specified in this

licence.

Emission limits Those limits, including concentration limits and deposition rates, established

in Schedule B: Emission Limits, of this licence.

EMP Environmental Management Programme.

End-of-Waste As specified in Article 28 of the European Community (Waste Directive)

status Regulations 2011 (SI No. 126 of 2011).

**Environmental** As defined in Directive 2004/35/EC.

EPA Environmental Protection Agency.

**Evening Time** 1900hrs to 2300hrs.

damage

Facility Any site or premises used for the purpose of the recovery or disposal of

waste.

Fortnightly A minimum of 24 times per year, at approximately two week intervals.

Gas Oil Gas oil as defined in DIRECTIVE (EU) 2016/802 OF THE EUROPEAN

PARLIAMENT AND OF THE COUNCIL of 11 May 2016 relating to a

reduction in the sulphur content of certain liquid fuels.

GC/MS Gas chromatography/mass spectroscopy.

Greenfield soil Soil and stone from land that has not been previously developed and is not

and stone contaminated soil and stone.

Green Waste Wood (excluding timber), plant matter such as grass cuttings, and other

vegetation.

Groundwater Has the meaning assigned to it by Regulation 3 of the European Communities

Environmental Objectives (Groundwater) Regulations 2010 (S.I. No. 9 of

2010), as amended.

ha

Hectare.

Hazardous Substances Substances or mixtures as defined in Article 3 of Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures.

Heavy metals

This term is to be interpreted as set out in "Parameters of Water Quality, Interpretation and Standards" published by the Agency in 2001. ISBN 1-84095-015-3.

HFO

Heavy Fuel Oil as defined in Council Directive 1999/32/EC and meeting the requirements of S.I. No. 119 of 2008.

Hours of operation

The hours during which the facility is authorised to be operational.

Hours of waste acceptance

The hours during which the facility is authorised to accept waste.

ICP

Inductively coupled plasma spectroscopy.

Incident

The following shall constitute an incident for the purposes of this licence:

- (i) an emergency;
- (ii) any emission which does not comply with the requirements of this licence:
- (iii) any malfunction or breakdown of key environmental abatement, control or monitoring equipment;
- (iv) any trigger level specified in this licence which is attained or exceeded:
- (v) any indication that environmental pollution has, or may have, taken place.

**Inert** waste

Waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant, and in particular must not endanger the quality of surface water and/or groundwater.

Industrial waste

As defined in Section 5(1) of the Waste Management Act 1996 as amended.

**IPC** 

Integrated Pollution Control.

K

Kelvin.

kPa

Kilopascals.

LAeq,T

This is the equivalent continuous sound level. It is a type of average and is used to describe a fluctuating noise in terms of a single noise level over the sample period (T).

Landfill Directive

Council Directive 1999/31/EC.

LAPT

The Rated Noise Level, equal to the L<sub>Aeq</sub> during a specified time interval (T), plus specified adjustments for tonal character and/or impulsiveness of the sound.

# Letter of suitability

A letter from a qualified person which states the following:

- (i) The waste is greenfield soil and stone.
- (ii) A description of the source and nature of the soil and stone.
- (iii) The location of the source of the soil and stone (including a map showing the source site boundary).
- (iv) The material is suitable for use as backfill at the facility.
- (v) The material will not cause environmental pollution at the facility.

List of Waste (LoW)

A harmonised, non-exhaustive list of wastes drawn up by the European Commission and published as Commission Decision 2000/532/EC, as amended by Commission Decision 2014/955/EU and any subsequent amendment published in the official Journal of the European Community.

Licensee

MSK Silversands Limited, Ballyfarnogue, Screen, County Wexford, CRO Number 407922.

Liquid waste

Any waste in liquid form and containing less than 2% dry matter.

List I

As listed in the EC Directives 2006/11/EC and 80/68/EEC and amendments.

List II

As listed in the EC Directives 2006/11/EC and 80/68/EEC and amendments.

**Local Authority** 

Wexford County Council.

Maintain

Keep in a fit state, including such regular inspection, servicing, calibration and repair as may be necessary to perform its function adequately.

Mass flow limit

An emission limit value expressed as the maximum mass of a substance that can be emitted per unit time.

Mass flow threshold

A mass flow rate above which a concentration limit applies.

**Monthly** 

A minimum of 12 times per year, at intervals of approximately one month.

Night-time

2300 hrs to 0700 hrs.

Noise-sensitive location (NSL)

Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other facility or area

of high amenity which for its proper enjoyment requires the absence of noise

at nuisance levels.

Non-greenfield soil and stone

Soil and stone that is not greenfield soil and stone.

Oil separator

Device installed according to the International Standard I.S. EN 858-2:2003 (Separator system for light liquids, (e.g. oil and petrol) - Part 2: Selection of

normal size, installation, operation and maintenance).

On-site verification of waste Rapid check methods to confirm that a waste is the same as that which has been subjected to compliance testing and that which is described in any accompanying documents. It may merely consist of a visual inspection of a

load of waste before and after unloading at the waste facility,

PRTR

Pollutant Release and Transfer Register.

Quarterly

At approximately three - monthly intervals.

SAC

Special Area of Conservation designated under the *Habitats Directive*, Council Directive 92/43/EBC of 21 May 1992 on the conservation of natural

habitats and of wild fauna and flora.

Sample(s)

Unless the context of this licence indicates to the contrary, the term samples shall include measurements taken by electronic instruments.

Sanitary effluent

Wastewater from facility toilet, washroom and canteen facilities.

Secondary aggregate

Recycled engineering material that has been recovered from inert construction and demolition waste and has achieved end-of-waste status.

SOP

Standard operating procedure.

Soil and stone

Excavation or dredge spoil comprising natural materials of clay, silt, sand, gravel or stone and which comes within the meaning of inert waste.

Soil and stone derived from construction and demolition (C&D) waste Soil and stone (and equivalent material) that is recovered from construction and demolition waste.

Source segregated waste

Waste which is separated at source; meaning that the waste is sorted at the point of generation into a recyclable fraction(s) for separate collection (e.g., paper, metal, glass, plastic, bulk dry recyclables, biodegradables, etc.,) and a residual fraction. The expression 'separate at source' shall be construed accordingly.

**SPA** 

Special Protection Area designated under the Birds Directive, Directive 2009/147/EC of the European Parliament and of the Council of 30 November 2009 on the conservation of wild birds.

Specified emissions

Those emissions listed in Schedule B: Emission Limits, of this licence.

Standard method

A National, European or internationally recognised procedure (e.g. I.S. EN, ISO, CEN, BS or equivalent); or an in-house documented procedure based on the above references; a procedure as detailed in the current edition of "Standard Methods for the Examination of Water and Wastewater" (prepared and published jointly by A.P.H.A., A.W.W.A. & W.E.F.), American Public Health Association, 1015 Fifteenth Street, N.W., Washington DC 20005, USA; or an alternative method as may be agreed by the Agency.

Storm water

Rain water run-off from roof and non-process areas.

The Agency

Environmental Protection Agency.

TOC

Total organic carbon.

Trade effluent

Trade effluent has the meaning given in the Water Services Act, 2007.

Trigger level

A parameter value, the achievement or exceedance of which requires certain actions to be taken by the licensee.

Water Services Authority Irish Water.

Weekly

During all weeks of plant operation and, in the case of emissions, when emissions are taking place; with at least one measurement in any one week.

WWTP

Waste water treatment plant.

# **Decision & Reasons for the Decision**

The Environmental Protection Agency is satisfied, on the basis of the information available, that subject to compliance with the conditions of this licence, any emissions from the activities will comply with and will not contravene any of the requirements of Section 40(4) of the Waste Management Act 1996 as amended.

The Agency also considers that the activities will not adversely affect the integrity of any European Site, and has decided to impose conditions for the purposes of ensuring they do not do so. It has determined that the activities, if managed, operated and controlled in accordance with the licence, will not have any adverse effect on the integrity of any of those sites.

The Agency accordingly proposes to grant a licence to MSK Silversands Limited to carry on the activities listed in *Part I, Schedule of Activities Licensed*, subject to the conditions set out in *Part III, Conditions*.

In reaching this decision the Agency has considered the documentation relating to:

- the application, Register Number: W0305-01 and the supporting documentation received from the applicant;
- the submission received;
- the Inspector's Report dated 29/04/2020; and
- the Inspector's Report Addendum dated 23/06/2020

and has carried out an Environmental Impact Assessment (EIA) and an Appropriate Assessment (AA) of the likely significant effects of the activity on European Sites.

It is considered that the Inspector's Report and the Inspector's Report Addendum contain a fair and reasonable examination, evaluation and analysis of the likely significant effects of the activities on the environment, and adequately and accurately identify, describe and assess those effects. The assessment as reported in these documents is adopted as the assessment of the Agency. Having regard to this assessment, it is considered that the activities, if managed, operated and controlled in accordance with the licence will not result in the contravention of any relevant environmental quality standards or cause environmental pollution.

Having regard to the examination of environmental information in the Inspector's Reports, and in particular to the content of the Environmental Impact Assessment Report (EIAR) and supplementary information provided by the applicant, the submissions from the planning authorities and the third party in the course of the application, it is considered that the potential significant direct and indirect effects of the activities on the environment are as follows:

- · emissions to air;
- · noise emissions; and
- accidental leakages or spills.

Having assessed those potential effects, the Agency has concluded as follows:

- emissions to air will be mitigated through: imposing emission limit values to comply with ambient air quality standards; and implementing monitoring, maintenance and control measures;
- noise emissions will be mitigated through: imposing daytime, evening-time and night-time noise limits at noise sensitive locations; and implementing monitoring, maintenance and control measures; and
- accidental leakages or spills will be mitigated through inspection and maintenance of bunds and tanks; and accident and emergency requirements specified in the licence.

Having regard to the effects (and interactions) identified, described and assessed throughout the Inspector's Reports, it is considered that the monitoring, mitigation and preventative measures proposed will enable the activities to operate without causing environmental pollution, subject to compliance with the licence.

The conditions of the licence and the mitigation measures proposed will significantly reduce the likelihood of accidental emissions occurring and limit the environmental consequences of an accidental emission should one occur.

A screening for Appropriate Assessment was undertaken to assess, in view of best scientific knowledge and the conservation objectives of the site, if the activities, individually or in combination with other plans or projects are likely to have a significant effect on any European Site. In this context, particular attention was paid to the European Sites at Screen Hills SAC (Site Code 000708), The Raven SPA (Site Code 004019), Wexford Harbour & Slobs SPA (Site Code 004076) and Slaney Valley SAC (Site Code 000781).

The activities are not directly connected with or necessary to the management of any European Site and the Agency considered, for the reasons set out below, that it cannot be excluded, on the basis of objective information, that the activities, individually or in combination with other plans or projects, will have a significant effect on any European Site and accordingly determined that an Appropriate Assessment of the activities was required, and for this reason determined to require the applicant to submit a Natura Impact Statement.

The proposed activities are directly adjacent to Screen Hills SAC (000708), are hydrologically connected to Slaney River Valley SAC (000781) and Wexford Harbour & Slobs SPA (004076) and are in close proximity (c. 2.2 kms) to The Raven SPA (004019).

The Agency has completed the Appropriate Assessment of potential impacts on these sites and has made certain, based on best scientific knowledge in the field and in accordance with the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, pursuant to Article 6(3) of the Habitats Directive, that the activities, individually or in combination with other plans or projects, will not adversely affect the integrity of any European Site, in particular Screen Hills SAC (Site Code 000708), The Raven SPA (Site Code 004019), Wexford Harbour & Slobs SPA (Site Code 004076) and Slaney Valley SAC (Site Code 000781), having regard to their conservation objectives and will not affect the preservation of these sites at favourable conservation status if carried out in accordance with this licence and the conditions attached hereto for the following reasons:

- The proposed waste recovery facility does not have the potential for significant effects on any European site due to the inert nature of the soil and stone waste.
- There are no direct discharges from the proposed facility to surface water, ground or groundwater. During normal operating conditions the only water with the potential to percolate to ground/groundwater is rain water and associated run-off.
- It is considered that wind-blown dust/sand from the proposed facility will be limited and does not
  have the potential to damage the dry heath habitat or impact on the surface waters of the Screen
  Hills SAC which is adjacent to the facility nor will it impact on the other European Sites because of
  distance.
- Potential operations noise is not an issue for the Qualifying Interests of the adjacent Screen Hills
   SAC nor will it impact on the other European Sites because of distance.
- The licence requires the licensee to comply with conditions that protect habitat, groundwater and surface water under normal operating conditions and in the unlikely event of accident / emergency.
- Condition 8.10 of the licence requires the licensee to implement waste acceptance procedures to
  prevent the acceptance of unauthorised (including contaminated) waste at the facility.
- Condition 5.5 requires that other than naturally percolating uncontaminated storm water and surface run-off, there shall be no direct emissions to ground, groundwater or surface water.
- Condition 3 requires the licensee to implement a range of measures including management of drainage, onsite storage, tanks, bunds, level alarms and containment booms to protect groundwater and surface water.

- Condition 6.11 requires measures for dust control. Specifically, Condition 6.11.2 requires that in dry weather all stockpiles, site roads and any other areas used by vehicles shall be sprayed with water.
- Condition 5.4 requires that the licensee shall ensure that dust associated with the activity does not
  result in an impairment of, or an interference with, amenities beyond the facility boundary or any
  other legitimate uses of the environment beyond the facility boundary.
- In respect of risk due to accident or emergency, the licence requires the licensee to:
  - o put in place a documented Accident Prevention Procedure which addresses all hazards onsite (Condition 9.1);
  - o put in place an Emergency Response Procedure which will ensure any effects of an emergency on-site are minimised (Condition 9.2);
  - o implement a preventative maintenance programme (Condition 2.2.2.8); and
  - o implement procedures to ensure corrective and preventative action is taken should the specified requirements of the licence not be fulfilled (Condition 2.2.2.5).
- Condition 10 requires the proper closure of the activity with the aim of protecting the environment upon cessation of activity.

The Agency is satisfied that no reasonable scientific doubt remains as to the absence of adverse effects on the integrity of those European Sites Screen Hills SAC (Site Code 000708), The Raven SPA (Site Code 004019), Wexford Harbour & Slobs SPA (Site Code 004076) and Slaney Valley SAC (Site Code 000781).

# Part I Schedule of Activities Licensed

In pursuance of the powers conferred on it by the Waste Management Act 1996 as amended, the Environmental Protection Agency (the Agency) proposes, under Section 40(1) of the said Act to grant this Waste Licence to MSK Silversands Limited, Ballyfarnogue, Screen, County Wexford, CRO Number 407922, to carry on the waste activities listed below at Ballinrooaun, Screen, County Wexford subject to conditions, with the reasons therefor and the associated schedules attached thereto set out in the licence.

# Licensed Waste Recovery Activities, in accordance with the Fourth Schedule of the Waste Management Act 1996 as amended

| Class R 5.(P) | Recycling/reclamation of other inorganic materials, which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials.   |
|---------------|---|
| Class R 13.   | Storage of waste pending any of the operations numbered R 1 to R 12 (excluding temporary storage (being preliminary storage according to the definition of 'collection' in section 5(1)), pending collection, on the site where the waste is produced). |

# Part II Schedule of Activities Refused

None of the activities as set out in the licence application have been refused.

## Part III Conditions

# Condition 1. Scope

- 1.1 Waste activities at this facility shall be restricted to those listed and described in *Part I Schedule of Activities Licensed* and shall be as set out in the licence application or as modified under Condition 1.4 of this licence and subject to the conditions of this licence.
- 1.2 Activities at this facility shall be limited as set out in Schedule A: Limitations of this licence.
- 1.3 For the purposes of this licence, the facility authorised by this licence is the area of land outlined in red on Drawing No. Plan 2A 'Site Plan' of the application. Any reference in this licence to "facility" shall mean the area thus outlined in red. The licensed activities shall be carried on only within the area outlined.
- 1.4 No alteration to, or reconstruction in respect of, the activity, or any part thereof, that would, or is likely to, result in
  - (i) a material change or increase in:
    - the nature or quantity of any emission;
    - the abatement/treatment or recovery systems;
    - the range of processes to be carried out;
    - the fuels, raw materials, intermediates, products or wastes generated, or
  - (ii) any changes in:
    - site management, infrastructure or control with adverse environmental significance.

shall be carried out or commenced without prior notice to, and without the approval of, the Agency.

- 1.5 The facility shall be controlled, operated and maintained, and emissions shall take place as set out in the licence. All programmes required to be carried out under the terms of this licence become part of this licence.
- 1.6 This licence is for purposes of waste licensing under the Waste Management Act 1996 as amended only and nothing in this licence shall be construed as negating the licensee's statutory obligations, or requirements under any other enactments or regulations.
- 1.7 Having regard to the nature of the activity and arrangements necessary to be made or made in connection with the carrying on of the activity, the specified period for the purposes of Section 49(2)(a) of the Waste Management Act 1996 as amended, is four years.
- 1.8 Hours of Operation and Waste acceptance
  - 1.8.1 The facility may operate and accept waste between 07:00 to 18:00 Monday to Friday and between 08:00 to 13:00 on Saturday.
  - 1.8.2 The facility shall not operate on Sundays nor on public or bank holidays.

Reason: To clarify the scope of this licence.

# Condition 2. Management of the Facility

#### 2.1 Facility Management

- 2.1.1 The licensee shall employ a suitably qualified and experienced facility manager who shall be designated as the person in charge. The facility manager or a nominated, suitably qualified and experienced deputy shall be present on the facility at all times during its operation or as otherwise required by the Agency.
- 2.1.2 The licensee shall ensure that personnel performing specifically assigned tasks shall be qualified on the basis of appropriate education, training and experience as required and shall be aware of the requirements of this licence.

#### 2.2 Environmental Management System (EMS)

- 2.2.1 The licensee shall establish, maintain and implement an Environmental Management System (EMS) in advance of the commencement of the activities. The EMS shall be updated on an annual basis.
- 2.2.2 The EMS shall include, as a minimum, the following elements:
  - 2.2.2.1 Management and Reporting Structure.
  - 2.2.2.2 Schedule of Environmental Objectives and Targets

The licensee shall prepare, maintain and implement a Schedule of Environmental Objectives and Targets. The Schedule shall, as a minimum, provide for a review of all operations and processes, including an evaluation of practicable options, for energy and resource efficiency, reduction in water consumption, the use of cleaner technology, cleaner production, noise management, and the prevention, reduction and minimisation of waste and shall include waste reduction targets. The Schedule shall include time frames for the achievement of set targets and shall address a five-year period as a minimum. The Schedule shall be reviewed annually.

#### 2.2.2.3 Environmental Management Programme (EMP)

The licensee shall, before the commencement of the activities authorised in this licence, submit to the Agency for agreement an EMP, including a time schedule, for achieving the Environmental Objectives and Targets prepared under Condition 2.2.2.2. Once agreed the EMP shall be established and maintained by the licensee. It shall include:

- designation of responsibility for targets;
- the means by which they may be achieved; and
- the time within which they may be achieved.

The EMP shall be reviewed annually.

A report on the programme, including the success in meeting agreed targets, shall be prepared and submitted to the Agency as part of the AER. Such reports shall be retained on-site for a period of not less than seven years and shall be available for inspection by authorised persons of the Agency.

#### 2.2.2.4 Documentation

- (i) The licensee shall establish, maintain and implement an environmental management documentation system which shall be to the satisfaction of the Agency.
- (ii) The licensee shall issue a copy of this licence to all relevant personnel whose duties relate to any condition of this licence.

### 2.2.2.5 Corrective and Preventative Action

- (i) The licensee shall establish, maintain and implement procedures to ensure that corrective and preventative action is taken should the specified requirements of this licence not be fulfilled. The responsibility and authority for persons initiating further investigation and corrective and preventative action in the event of a reported non-conformity with this licence shall be defined.
- (ii) Where a breach of one or more of the conditions of this licence occurs, the licensee shall without delay take measures to restore compliance with the conditions of this licence in the shortest possible time and initiate any feasible preventative actions to prevent recurrence of the breach.
- (iii) All corrective and preventative actions shall be documented.

#### 2.2.2.6 Awareness and Training

The licensee shall establish, maintain and implement procedures for identifying training needs, and for providing appropriate training, for all personnel whose work can have a significant effect upon the environment. Appropriate records of training shall be maintained.

#### 2.2.2.7 Communications Programme

The licensee shall establish, maintain and implement a Public Awareness and Communications Programme to ensure that members of the public can obtain information at the facility, at all reasonable times, concerning the environmental performance of the facility.

#### 2.2.2.8 Maintenance Programme

The licensee shall establish, maintain and implement a programme for maintenance of all plant and equipment based on the instructions issued by the manufacturer/supplier or installer of the equipment. Appropriate record keeping and diagnostic testing shall support this maintenance programme. The licensee shall clearly allocate responsibility for the planning, management and execution of all aspects of this programme to appropriate personnel (see Condition 2.1 above).

#### 2.2.2.9 Efficient Process Control

The licensee shall establish, maintain and implement a programme to ensure there is adequate control of processes under all modes of operation. The programme shall identify the key indicator parameters for process control performance, as well as identifying methods for measuring and controlling these parameters. Abnormal process operating conditions shall be documented and analysed to identify any necessary corrective action.

#### 2.2.2.10 Invasive Species Prevention and Eradication Plan

The licensee shall establish, maintain and implement an invasive species prevention and eradication plan, to cover at least, Japanese Knotweed, Giant Knotweed, Bohemian Knotweed and any other relevant invasive species. The plan shall as a minimum identify specific actions for:

- (i) the prevention, to the extent possible, of acceptance of invasive species in loads of soil and stone arriving at the facility, actions to include requesting of information on the presence of invasive species at source sites:
- (ii) quarterly surveys of filled areas for the detection of the growth of invasive species:

- (iii) the method for plant detection and identification;
- the remedial actions for eradication of invasive species growing at the facility;
- (v) staff training on plant identification and eradication; and
- (vi) validation to confirm the absence of invasive species at the restored facility.

The licensee shall maintain evidence of having obtained the advice and implemented the recommendations of an independent and appropriately qualified consultant, in the establishment of the Plan and any amendments to it that concern the action items listed above.

Reason:

To make provision for management of the activity on a planned basis having regard to the desirability of ongoing assessment, recording and reporting of matters affecting the environment.

## Condition 3. Infrastructure and Operation

- 3.1 The licensee shall establish and maintain, for each component of the facility, all infrastructure referred to in this licence in advance of the commencement of the licensed activities in that component, or as required by the conditions of this licence. Infrastructure specified in the application that relates to the environmental performance of the installation and is not specified in the licence, shall be installed in accordance with the schedule submitted in the application.
- 3.2 Facility Notice Board
  - 3.2.1 The licensee shall, prior to the commencement of activities authorised in this licence, provide a Facility Notice Board on the facility so that it is legible to persons outside the main entrance to the facility. The minimum dimensions of the board shall be 1200 mm by 750 mm. The notice board shall be maintained thereafter.
  - 3.2.2 The board shall clearly show:
    - (i) the name and telephone number of the facility;
    - (ii) the normal hours of opening;
    - (iii) the name of the licence holder;
    - (iv) an emergency out of hours contact telephone number;
    - (v) the licence reference number; and
    - (vi) where environmental information relating to the facility can be obtained.
  - 3.2.3 A plan of the facility clearly identifying the location of each storage and treatment area shall be displayed as close as is possible to the entrance to the facility. The plan shall be displayed on a durable material such that is legible at all times. The plan shall be replaced as material changes to the facility are made.
- 3.3 The licensee shall clearly label and provide safe and permanent access to all on-site sampling and monitoring points and to off-site points as required by the Agency. The requirement with regard to off-site points is subject to the prior agreement of the landowner(s) concerned.

- 3.4 Tank, Container and Drum Storage Areas
  - 3.4.1 All tank, container and drum storage areas at the facility and associated maintenance, service and repair areas, shall be rendered impervious to the materials stored therein. Bunds shall be designed having regard to Agency guidelines 'Storage and Transfer of Materials for Scheduled Activities' (2004).
  - 3.4.2 All tank and drum storage areas shall, as a minimum, be bunded, either locally or remotely, to a volume not less than the greater of the following:
    - (i) 110% of the capacity of the largest tank or drum within the bunded area; or
    - (ii) 25% of the total volume of substance that could be stored within the bunded area.
  - 3.4.3 All drainage from bunded areas shall be treated as contaminated unless it can be demonstrated to be otherwise. All drainage from bunded areas shall be diverted for collection and safe disposal, unless it can be deemed uncontaminated.
  - 3.4.4 All inlets, outlets, vent pipes, valves and gauges must be within the bunded area.
  - 3.4.5 All tanks, containers and drums shall be labelled to clearly indicate their contents.
  - 3.4.6 All bunds shall be uniquely identified and labelled at the bund.
- 3.5 The licensee shall have in storage an adequate supply of containment booms and/or suitable absorbent material to contain and absorb any spillage at the facility and associated maintenance, service and repair areas. Once used, the absorbent material shall be disposed of at an appropriate facility.
- 3.6 Silt Traps and Oil Separators

The licensee shall, prior to commencement of activities authorised in the licence, install and maintain silt traps and oil separators at the facility and associated maintenance, service and repair areas:

- (i) Silt traps to ensure that all storm water discharges, other than from roofs, from the facility pass through a silt trap in advance of discharge;
- (ii) An oil separator on the storm water discharge from yard areas. The separator shall be a Class I full retention separator.

The separator shall be in accordance with I.S. EN-858-2: 2003 (separator systems for light liquids).

- 3.7 All pump sumps, storage tanks, lagoons or other treatment plant chambers from which spillage of environmentally significant materials might occur in such quantities as are likely to breach local or remote containment or separators, shall be fitted with high liquid level alarms (or oil detectors as appropriate) prior to the commencement of activities authorised in this licence. All alarms and detectors shall be maintained and operating at all times.
- 3.8 The provision of a catchment system to collect any leaks from flanges and valves of all over-ground pipes used to transport material other than water shall be examined. This shall be incorporated into a Schedule of Environmental Objectives and Targets set out in Condition 2 of this licence for the reduction in fugitive emissions.
- 3.9 Groundwater / Monitoring Wells
  - 3.9.1 All wellheads at the facility shall be adequately protected to prevent contamination or physical damage.
  - 3.9.2 Any new groundwater monitoring wells shall be constructed having regard to the guidance given in the Guidance Note Landfill Manual Guidance Note on Landfill Monitoring, and any other relevant guidance published by the Agency.

- 3.10 The licensee shall, prior to commencement of activities authorised in this licence, install and maintain in a prominent location on the site a wind sock, or other wind direction indicator, which shall be visible from the public roadway outside the site.
- 3.11 Specified Engineering Works (SEW)
  - 3.11.1 The licensee shall submit proposals for all Specified Engineering Works, as defined in Schedule D: Specified Engineering Works, of this licence, to the Agency for its agreement at least two months in advance of the intended date of commencement of any such works. No such works shall be carried out without the prior agreement of the Agency.
  - 3.11.2 All specified engineering works shall be supervised by a competent person(s) and that person, or persons, shall be present at all times during which relevant works are being undertaken.
  - 3.11.3 Following the completion of all specified engineering works, the licensee shall complete a construction quality assurance validation. The validation report shall be made available to the Agency on request. The report shall, as appropriate, include the following information:
    - (i) a description of the works;
    - (ii) as-built drawings of the works; and
    - (iii) any other information requested in writing by the Agency
- 3.12 All specified engineering works shall be supervised by a competent person(s) and that person, or persons, shall be present at all times during which relevant works are being undertaken.
- 3.13 Facility Security
  - 3.13.1 Security and stockproof fencing and gates shall be installed and maintained. Subject to the implementation of the Closure, Restoration and Aftercare Management Plan (as required by Condition 10.2 of this licence) the requirement for such facility security may be removed.
  - 3.13.2 The licensee shall install and maintain a CCTV system which records all truck movement into and out of the facility; the CCTV system shall be operated at all times and copies of recording kept on site and made available to the Agency on request.
  - 3.13.3 There shall be no unauthorised public access to the facility.
  - 3.13.4 Gates shall be locked shut when the facility is unsupervised.
  - 3.13.5 The licensee shall remedy any defect in the gates and/or fencing as follows:
    - (i) a temporary repair shall be made by the end of the working day; and
    - (ii) a repair to the standard of the original gates and/or fencing shall be undertaken within three working days.
- 3.14 Facility Roads and Hardstanding
  - 3.14.1 Effective site roads shall be provided and maintained to ensure the safe and nuisance-free movement of vehicles within the facility.
  - 3.14.2 The facility entrance and hardstanding areas shall be appropriately paved and maintained in a fit and clean condition.
- 3.15 Facility Office
  - 3.15.1 The licensee shall provide and maintain an office at the facility. The office shall be constructed and maintained in a manner suitable for the processing and storing of documentation.
  - 3.15.2 The licensee shall provide and maintain a working telephone and a method for electronic transfer of information at the facility.

### 3.16 Waste Inspection and Quarantine Areas

- 3.16.1 A Waste Inspection Area and a covered Waste Quarantine Area shall be provided and maintained at the facility.
- 3.16.2 These areas shall be constructed and maintained in a manner suitable, and be of a size appropriate, for the inspection of waste and subsequent quarantine if required. The waste inspection area and the waste quarantine area shall be clearly identified and segregated from each other.
- 3.16.3 All waste deposited at the waste quarantine area shall be stored in a skip or other appropriate vessel as may be agreed by the Agency.
- 3.16.4 Drainage from these areas shall be directed for collection and safe disposal.
- 3.17 Weighbridge and Wheel Cleaning
  - 3.17.1 The licensee shall provide and maintain a weighbridge and wheel cleaner at the facility.
  - 3.17.2 The wheel wash shall be used by all vehicles leaving the facility as required to ensure that no wastewater, waste or storm water is carried off-site. All water from the wheel cleaning area shall be directed for collection and safe disposal.
  - 3.17.3 The wheel wash shall be inspected on a daily basis and drained as required. Silt, stones and other accumulated material shall be removed as required from the wheel-wash and disposed of appropriately.

Reason: To provide for appropriate operation of the facility to ensure protection of the environment.

## Condition 4. Interpretation

4.1 Noise

Noise from the facility shall not give rise to sound pressure levels measured at the noise-sensitive locations (NSLs) which exceed the limit values.

4.2 Dust

Dust from the activity shall not give rise to deposition levels which exceed the limit value.

Reason: To clarify the interpretation of limit values fixed under the licence.

### Condition 5. Emissions

- 5.1 No specified emission from the facility shall exceed the emission limit values set out in Schedule B: Emission Limits, of this licence. There shall be no other emissions of environmental significance.
- No emissions, including odours, from the activities carried on at the site shall result in an impairment of, or an interference with amenities or the environment beyond the facility boundary or any other legitimate uses of the environment beyond the facility boundary.
- 5.3 No substance shall be discharged in a manner, or at a concentration, that, following initial dilution, causes tainting of fish or shellfish.

- 5.4 The licensee shall ensure that all or any of the following:
  - Vermin
  - Mud
  - Dust
  - Litter

associated with the activity do not result in an impairment of, or an interference with, amenities or the environment at the facility or beyond the facility boundary or any other legitimate uses of the environment beyond the facility boundary. Any method used by the licensee to control or prevent any such impairment/interference shall not cause environmental pollution.

5.5 Other than naturally percolating uncontaminated storm water and surface water run-off, there shall be no direct emissions to ground, groundwater or surface water.

Reason: To provide for the protection of the environment by way of control and limitation of emissions.

# Condition 6. Control and Monitoring

- 6.1 The licensee shall carry out such sampling, analyses, measurements, examinations, maintenance and calibrations as set out below and as in accordance with *Schedule C: Control & Monitoring*, of this licence.
  - 6.1.1 Sampling and analysis shall be undertaken by competent staff in accordance with documented operating procedures. Unless otherwise approved by the Agency, sampling and analysis of emissions to atmosphere shall be carried out by ISO 17025 accredited persons/organisations, with accreditation for the relevant scope of sampling and analysis, and in accordance with the Agency's air monitoring policy.
  - 6.1.2 Such procedures shall be assessed for their suitability for the test matrix and performance characteristics shall be determined.
  - 6.1.3 Such procedures shall be subject to a programme of Analytical Quality Control using appropriate control standards with evaluation of test responses.
  - 6.1.4 Where any analysis is sub-contracted it shall be outsourced to a competent laboratory.
- 6.2 The licensee shall ensure that:
  - (i) sampling and analysis for all parameters listed in the schedules to this licence; and
  - (ii) any reference measurements for the calibration of automated measurement systems

shall be carried out in accordance with CEN-standards. If CEN standards are not available, ISO, national or international standards that will ensure the provision of data of an equivalent scientific quality shall apply.

- 6.3 Monitoring and analysis equipment shall be installed, operated and maintained as necessary so that all monitoring accurately reflects the emission/discharge (or ambient conditions where that is the monitoring objective).
- 6.4 All treatment/abatement and emission control equipment shall be calibrated and maintained in accordance with the instructions issued by the manufacturer/supplier or installer.
- 6.5 The frequency, methods and scope of monitoring, sampling and analyses, as set out in this licence, may be amended as required or approved by the Agency following evaluation of test results.

- The licensee shall prepare a programme, to the satisfaction of the Agency, for the identification and reduction of fugitive emissions using an appropriate combination of best available techniques. This programme shall be included in the Environmental Management Programme.
- 6.7 The integrity and water tightness of all tanks, bunding structures, containers and underground pipes and their resistance to penetration by water or other materials carried or stored therein shall be tested and demonstrated by the licensee prior to use. This testing shall be carried out by the licensee at least once every three years thereafter and reported to the Agency on each occasion. This testing shall be carried out in accordance with any guidance published by the Agency. A written record of all integrity tests and any maintenance or remedial work arising from them shall be maintained by the licensee.
- 6.8 The storm water drainage system (i.e., gullies, manholes, any visible drainage conduits and such other aspects as may be required by the Agency), bunds, silt traps and oil separators shall be inspected weekly, desludged as necessary and properly maintained at all times. All sludge and drainage from these operations shall be collected for safe disposal. The licensee shall maintain a drainage map on site. The drainage map shall be reviewed annually and updated as necessary.
- An inspection for leaks on all flanges and valves on over-ground pipes, bowsers / mobile storage tanks and associated pipework used to transport materials other than water shall be carried out weekly. A log of such inspections shall be maintained.
- 6.10 Storm Water and Run-Off Management
  - 6.10.1 Run-off from areas of the facility used for the holding and storage of contaminated waste shall be diverted for collection and safe disposal.
  - 6.10.2 The licensee shall ensure that storm / run off waters that have the potential to come in contact with contaminated waste are physically segregated from and managed separately to storm / run off waters that do not have the potential to come in contact with contaminated waste.

#### 6.11 Dust and Noise Control

- 6.11.1 The licensee shall implement adequate measures for the control of noise and dust, including fugitive dust emissions from the facility.
- 6.11.2 In dry weather all stockpiles, site roads and any other areas used by vehicles shall be sprayed with water as and when required to minimise airborne dust nuisance.
- 6.11:3 The road network in the vicinity of the facility shall be kept free from any debris caused by vehicles entering or leaving the facility. Any such debris or deposited materials shall be removed without delay.

#### 6.12 Noise

The licensee shall carry out a noise survey of the site operations annually. The survey programme shall be undertaken in accordance with the methodology specified in the 'Guidance Note for Noise: Licence Applications, Surveys and Assessments in Relation to Scheduled Activities (NG4)' as published by the Agency.

6.13 Pollutant Release and Transfer Register (PRTR)

The licensee shall submit a PRTR data report for the site. The substance and/or wastes to be included in the PRTR shall be determined by reference to EC Regulations No. 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register. The PRTR shall be prepared in accordance with any relevant Agency guidance and shall be submitted electronically in the format specified by the Agency.

6.14 The licensee shall, prior to the commencement of activities authorised in this licence, develop and establish a Data Management System for collation, archiving, assessing and graphically presenting the monitoring data generated as a result of this licence.

## 6.15 Stability Assessment

A stability assessment of the temporary side slopes at the facility shall be carried out on an annual basis. The results of this assessment shall be reported as part of the Annual Environmental Report (AER).

#### 6.16 Groundwater

- 6.16.1 The licensee shall annually assess groundwater monitoring data and determine compliance under this licence with the European Communities Environmental Objectives (Groundwater) Regulations 2010, S.I. No. 9 of 2010 as amended.
- 6.16.2 A report on this assessment shall be included in the AER.
- 6.16.3 The licensee shall, in the event of a failure to demonstrate compliance with the European Communities Environmental Objectives (Groundwater) Regulations 2010 as amended or if instructed by the Agency, arrange for the completion, by an appropriately qualified consultant/professional, of a hydrogeological risk assessment to:
  - (i) identify the risk of groundwater contamination arising from licensed and past activities;
  - (ii) assess the impact of extant groundwater contamination;
  - (iii) propose preventative and, as appropriate, remedial actions to be undertaken;
  - (iv) propose groundwater compliance values to be maintained at compliance points;
     and,
  - (v) address other matters that may be identified by the Agency.
- 6.16.4 A hydrogeological risk assessment prepared under Condition 6.16.3 of this licence shall be submitted to the Agency.
- 6.16.5 The licensee shall implement the following:
  - (i) any proposals or recommendations arising from the hydrogeological risk assessment;
  - (ii) the installation of new groundwater monitoring boreholes where necessary to characterise groundwater quality; and
  - (iii) any other matters that may be directed by the Agency.
- 6.16.6 The licensee shall ensure that groundwater monitoring well sampling equipment is available or installed on-site at the facility and is fit for purpose at all times. The sampling equipment shall be to Agency specifications.

Reason: To provide for the protection of the environment by way of treatment and monitoring of emissions.

## Condition 7. Resource Use and Energy Efficiency

- 7.1 The licensee shall carry out an audit of the energy efficiency of the site within one year of the date of grant of this licence. The audit shall be carried out in accordance with the guidance published by the Agency, 'Guidance Note on Energy Efficiency Auditing'. The energy efficiency audit shall be repeated at intervals as required by the Agency.
- 7.2 The audit shall identify all practicable opportunities for energy use reduction and efficiency and the recommendations of the audit will be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2 above.
- 7.3 The licensee shall identify opportunities for reduction in the quantity of water used on site including recycling and reuse initiatives, wherever possible. Reductions in water usage shall be incorporated into the Schedule of Environmental Objectives and Targets.
- 7.4 The licensee shall undertake an assessment of the efficiency of use of raw materials in all processes, having particular regard to the reduction in waste generated. The assessment should take account of best international practice for this type of activity. Where improvements are identified, these shall be incorporated into the Schedule of Environmental Objectives and Targets.

Reason: To provide for the efficient use of resources and energy in all site operations.

## Condition 8. Materials Handling

- 8.1 Disposal or recovery of waste on-site shall only take place in accordance with the conditions of this licence and in accordance with the appropriate National and European legislation and protocols.
- 8.2 Waste sent off-site for recovery or disposal
  - 8.2.1 Waste sent off-site for recovery or disposal shall be transported only by an authorised waste contractor. The waste shall be transported from the site of the activity to the site of recovery/disposal only in a manner that will not adversely affect the environment and in accordance with the appropriate National and European legislation and protocols.
  - 8.2.2 Waste sent off-site for recovery or disposal shall be transferred only to an appropriate facility.

#### 8.3 Greenfield soil and stone

- 8.3.1 Prior to the acceptance of greenfield soil and stone from any individual source site, the licensee shall obtain a letter of suitability for the first 5,000 tonnes of the material obtained from that source.
- 8.3.2 The licensee shall obtain a further letter of suitability for each subsequent 5,000 tonnes of material obtained from that source.
- 8.3.3 The licensee shall, if directed by the Agency, carry out basic characterisation of greenfield soil and stone from any individual source site. The basic characterisation shall be carried out in a manner agreeable to the Agency.

#### 8.4 Backfill

8.4.1 Only soil and stone that meet the appropriate waste acceptance criteria as stipulated in Schedule A.2: Waste Acceptance Criteria for Backfill Material of this licence shall be used for backfill at the facility.

- 8.4.2 The following materials shall not be used for backfill at the facility:
  - (i) Top soil;
  - (ii) Peat;
  - (iii) Soil and stone and fines derived from the treatment of construction and demolition waste; and,
  - (iv) Any other waste that the Agency deems to be unsuitable.
- 8.5 No hazardous waste, liquid waste or vector material shall be accepted at the facility.
- 8.6 Scavenging shall not be permitted at the facility.
- 8.7 The loading and unloading of materials, other than waste taken directly to the backfilling area and to be used for backfill, shall be carried out in designated areas protected against spillage and leachate run-off.
- Waste, other than waste taken directly to the backfilling area and to be used for backfill, shall be stored in designated areas, protected as may be appropriate against spillage and leachate run-off. The waste shall be clearly labelled and appropriately segregated.
- 8.9 Unless otherwise agreed only secondary or recovered aggregate that has achieved end-of-waste status shall be used for engineering purposes at the facility.
- 8.10 Waste Acceptance and Characterisation Procedures

Prior to the acceptance of waste at the facility the licensee shall develop and maintain written procedures for the acceptance, characterisation, processing and backfill of waste arriving at the facility. The procedures shall, as a minimum, address the following conditions:

- 8.10.1 Waste shall only be accepted at the facility from holders of valid waste collection permits issued under the Waste Management (Collection Permit) Regulations 2007, as amended, unless exempted or excluded.
- 8.10.2 Waste shall only be accepted at the facility from known pre-cleared customers.
- 8.10.3 Waste shall be accepted from new customers only after initial waste profiling and waste characterisation off-site. The written records of this off-site waste profiling and characterisation shall be retained by the licensee for all active customers and for a two year period following termination of licensee/customer agreements.
- 8.10.4 Waste arriving at the facility shall be visually inspected (on-site verification) before and after unloading to confirm the nature of the waste and that it is as described in the accompanying documents.
- 8.10.5 The documentation of waste arriving at the facility shall be checked at the point of entry to the facility. Subject to its verification, the waste shall be weighed, recorded and directed to the waste acceptance/quarantine area as appropriate.
- 8.10.6 Waste accepted for backfill shall, prior to its use as backfill, be checked against the appropriate waste acceptance criteria as specified in Schedule A2: Waste Acceptance Criteria for Backfill Material of this licence.
- 8.10.7 In the case of suspicion of contamination (either from visual inspection or from knowledge of the origin of the waste) the waste shall be refused/rejected.
- 8.10.8 Any waste deemed unsuitable for backfill at the facility and/or in contravention of this licence shall be immediately separated and removed from the facility at the earliest possible time to an off-site authorised facility. Temporary storage of such wastes shall be in the designated Waste Quarantine Area. Waste shall be stored under appropriate conditions in the quarantine area to avoid odour nuisance, the attraction of vermin and any other nuisance or objectionable condition.

- 8.11 The licensee shall neither import waste into the State nor export waste out of the State except in accordance with the relevant provisions of Regulation (EC) No 1013/2006 of the European Parliament and of the Council of 14th June 2006 on shipments of waste and associated national regulations.
- 8.12 Unless agreed by the Agency the licensee shall not dispose of any waste that has been accepted at the facility for the purpose of recovery.

Reason: To provide for the appropriate handling of material and the protection of the environment.

# Condition 9. Accident Prevention and Emergency Response

- 9.1 The licensee shall, in advance of the commencement of the activity, ensure that a documented Accident Prevention Procedure is in place that addresses the hazards on-site, particularly in relation to the prevention of accidents with a possible impact on the environment. This procedure shall be reviewed annually and updated as necessary.
- 9.2 The licensee shall, in advance of the date of commencement of the activity, ensure that a documented Emergency Response Procedure is in place, that addresses any emergency situation which may originate on-site. This procedure shall include provision for minimising the effects of any emergency on the environment. This procedure shall be reviewed annually and updated as necessary.
- 9.3 Incidents
  - 9.3.1 In the event of an incident the licensee shall immediately:
    - (i) carry out an investigation to identify the nature, source and cause of the incident and any emission arising therefrom;
    - (ii) isolate the source of any such emission;
    - (iii) evaluate the environmental pollution, if any, caused by the incident;
    - (iv) identify and execute measures to minimise the emissions/malfunction and the effects thereof;
    - (v) identify the date, time and place of the incident;
    - (vi) notify the Agency as required by Condition 11.2 of this licence.
  - 9.3.2 The licensee shall provide a proposal to the Agency for its agreement within one month of the incident occurring or as otherwise agreed by the Agency, to:
    - (i) identify and put in place measures to avoid recurrence of the incident; and
    - (ii) identify and put in place any other appropriate remedial actions.

Reason: To provide for the protection of the environment.

# Condition 10. Closure, Restoration and Aftercare Management

- 10.1 Following termination, or planned cessation for a period greater than six months, of use or involvement of all or part of the site in the licensed activity, the licensee shall, to the satisfaction of the Agency, decommission, render safe or remove for disposal/recovery any soil, subsoil, buildings, plant or equipment, or any waste, materials or substances or other matter contained therein or thereon, that may result in environmental pollution. A final validation report to include a certificate of completion to demonstrate there is no continuing risk to the environment shall be submitted to the Agency within three months of termination or planned cessation of the activity.
- 10.2 Closure, Restoration and Aftercare Management Plan (CRAMP)
  - 10.2.1 The licensee shall prepare, to the satisfaction of the Agency, a fully detailed plan for the decommissioning or closure of the site or part thereof. This plan shall be submitted for agreement by the Agency within six months of the date of grant of the licence.
  - 10.2.2 The plan shall be reviewed annually and proposed amendments thereto notified to the Agency for agreement as part of the AER. No amendments may be implemented without the agreement of the Agency.
  - 10.2.3 The licensee shall have regard to the Environmental Protection Agency's Guidance on Assessing and Costing Environmental Liabilities (2014) and, as appropriate, Guidance on Financial Provision (2015) when implementing Condition 10.2.1 above.
- 10.3 The Closure, Restoration and Aftercare Management Plan (CRAMP) shall include, as a minimum, the following:
  - (i) a scope statement for the plan;
  - (ii) the criteria that define the successful closure and restoration and aftercare of the activity or part thereof, which ensures minimum impact on the environment;
  - (iii) a programme to achieve the stated criteria;
  - (iv) where relevant, a test programme to demonstrate the successful implementation of the plan;and
  - (v) details of the long-term supervision, monitoring, control, maintenance and reporting requirements for the restored facility.

Reason: To make provision for the proper closure of the activity ensuring protection of the environment.

## Condition 11. Notification, Records and Reports

- 11.1 The licensee shall submit the reports, proposals and submissions required by this licence by the deadlines specified. The licensee shall not be in compliance with the requirements of this condition unless and until it has submitted every report, proposal and submission, the deadline for which has passed.
- 11.2 The licensee shall carry out every action required by the Agency, and arising out of such reports, proposals or submission, by such deadline as the Agency may specify. The licensee shall not be in compliance with the requirements of this condition unless and until it has carried out every such action.
- 11.3 The licensee shall notify the Agency, in writing, one month in advance of the intended date of commencement of acceptance of waste for Recovery activities at the facility.
- 11.4 The licensee shall notify the Agency by both telephone and either email or webform, to the Agency's headquarters in Wexford, or to such other Agency office as may be specified by the Agency, as soon as practicable after the occurrence of any of the following:
  - (i) any waste imported to the facility for backfill that does not meet Waste Acceptance Criteria as specified in Schedule A.2: Waste Acceptance Criteria for Backfill Material of this licence:
  - (ii) an incident or accident as defined by the glossary; or
  - (iii) any breach of one or more of the conditions attached to this licence;

The licensee shall include as part of the notification, date and time of the incident, summary details of the occurrence, and where available, the steps taken to minimise any emissions. All details required to be communicated must be in accordance with any guidance provided by the Agency.

- In the event of any incident which relates to discharges to sewer having taken place, the licensee shall notify Irish Water and the Local Authority in a manner prescribed by Irish Water, as soon as practicable after such an incident.
- 11.6 The following shall be notified, as soon as practicable after the occurrence of any incident which relates to a discharge to ground, groundwater or surface water:
  - (i) Inland Fisheries; and
  - (ii) Irish Water and/or Water Services Authority and/or other groups responsible for the downstream abstraction of drinking water.
- 11.7 The licensee shall make a record of any notification made under Condition 11.6 above. This record shall include details of the nature, extent, and impact of, and circumstances giving rise to, the incident or accident. The record shall include all corrective actions taken to manage the incident or accident, minimise wastes generated and the effect on the environment, and avoid recurrence. In the case of a breach of a condition, the record shall include measures to restore compliance.
- 11.8 The licensee shall record all complaints of an environmental nature related to the operation of the activity. Each such record shall give details of the date and time of the complaint, the name of the complainant (if provided), and give details of the nature of the complaint. A record shall also be kept of the response made in the case of each complaint.
- 11.9 The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility.
- 11.10 The licensee shall as a minimum ensure that the following documents are accessible at the site:
  - (i) the licences relating to the facility;
  - (ii) the current EMS for the facility;
  - (iii) the previous year's AER for the facility;

- (iv) records of all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility;
- (v) relevant correspondence with the Agency;
- (vi) up-to-date site drawings/plans showing the location of key process and environmental infrastructure, including monitoring locations and emission points;
- (vii) up-to-date Standard Operational Procedures for all processes, plant and equipment necessary to give effect to this licence or otherwise to ensure that standard operation of such processes, plant or equipment does not result in unauthorised emissions to the environment; and
- (viii) any elements of the licence application or EIA documentation referenced in this licence. This documentation shall be available to the Agency for inspection at all reasonable times.
- 11.11 The licensee shall submit to the Agency, by the 31<sup>st</sup> March of each year, an AER covering the previous calendar year. This report, which shall be to the satisfaction of the Agency, shall include as a minimum the information specified in Schedule E: Annual Environmental Report, of this licence and shall be prepared in accordance with any relevant guidelines issued by the Agency.
- 11.12 Waste Recovery Reports
  - The licensee shall as a part of the AER submit a report on the contribution by this facility to the achievement of the recovery targets and strategy stated in national and European Union waste policies.
- 11.13 A full record, which shall be open to inspection by authorised persons of the Agency at all times, shall be kept by the licensee on matters relating to the waste management operations and practices at this site. This record shall be maintained on a monthly basis and shall as a minimum contain details of the following:
  - (i) the tonnages and LoW Code for the waste materials imported and/or sent off-site for disposal/recovery;
  - (ii) the names of the agent and carrier of the waste, and their waste collection permit details, if required (to include issuing authority and vehicle registration number);
  - (iii) details of the ultimate disposal/recovery destination facility for the waste and its appropriateness to accept the consigned waste stream, to include its permit/licence details and issuing authority, if required;
  - (iv) written confirmation of the acceptance and disposal/recovery of any hazardous waste consignments sent off-site;
  - (v) details of any rejected consignments;
  - (vi) the results of any waste analyses required under Schedule C: Control & Monitoring, of this licence;
  - (vii) the tonnage and LoW Code for the waste materials recovered on-site; and
  - (viii) original copies of letters of suitability for greenfield soil and stone.
- 11.14 The licensee shall maintain a computer-based record for each load of waste arriving at the facility.

  The licensee shall record the following:
  - (i) the date and time;
  - (ii) the name of the carrier (including if appropriate, the waste carrier registration details);
  - (iii) the vehicle registration number;
  - (iv) the trailer, skip or other container unique identification number (where relevant);
  - (v) the job/order/invoice number for the load;
  - (vi) the name of the producer(s)/collector(s) of the waste as appropriate;
  - (vii) the name of the waste facility (if appropriate) from which the load originated including the waste licence or waste permit register number;

- (viii) the type, source and origin of the waste;
- (ix) the type of process producing the waste;
- (x) reference to the applicable letter of suitability (for greenfield soil and stone);
- (xi) a description of the waste including physical form, colour and odour;
- (xii) the quantity of the waste, recorded in tonnes;
- (xiii) data on the waste, where available:
- (xiv) details of the treatment(s) to which the waste has been subjected;
- (xv) the classification and LoW coding of the waste;
- (xvi) the name of the person checking the load;
- (xvii) where loads or wastes are removed or rejected, details of the date of occurrence, the types of waste and the facility to which they were removed; and
- (xviii) confirmation that the load, or any part of the load, is not vector material.
- 11.15 The licensee shall submit reports as required by the conditions of this licence to the Agency's Headquarters in Wexford, or to such other Agency office as may be specified by the Agency.
- 11.16 All reports shall be certified accurate and representative by the facility manager or a nominated, suitably qualified and experienced deputy.

Reason: To provide for the collection and reporting of adequate information on the activity.

# Condition 12. Financial Charges and Provisions

#### 12.1 Agency Charges

- 12.1.1 The licensee shall pay to the Agency an annual contribution of €5,088 or such sum as the Agency from time to time determines, having regard to variations in the extent of reporting, auditing, inspection, sampling and analysis or other functions carried out by the Agency, towards the cost of monitoring the activity as the Agency considers necessary for the performance of its functions under the Waste Management Act 1996 as amended. The first payment shall be a pro-rata amount for the period from the date of grant of this licence to the 31<sup>st</sup> day of December and shall be paid to the Agency within one month from the date of grant of the licence. In subsequent years the licensee shall pay to the Agency such revised annual contribution as the Agency shall from time to time consider necessary to enable performance by the Agency of its relevant functions under the Waste Management Act 1996 as amended, and all such payments shall be made within one month of the date upon which demanded by the Agency.
- 12.1.2 In the event that the frequency or extent of monitoring or other functions carried out by the Agency needs to be increased, the licensee shall contribute such sums as determined by the Agency to defray its costs in regard to items not covered by the said annual contribution.

#### 12.2 Environmental Liabilities

- 12.2.1 The licensee shall as part of the AER, provide an annual statement as to the measures taken or adopted at the site in relation to the prevention of environmental damage, and the financial provisions in place, as appropriate in relation to the underwriting of costs for remedial actions following anticipated events (including closure) or accidents/incidents, as may be associated with the carrying on of the activity.
- 12.2.2 The Agency may amend this licence at any time in certain circumstances in accordance with Section 96 of the Environmental Protection Agency Act 1992 as amended, to require, or not require as the case may be, the putting in place of a financial provision to incorporate costings for CRAMP and/or Environmental Liabilities Risk Assessment. This amendment may be implemented by the Agency in the event of an incident that creates a significant residual environmental liability or where the environmental risk profile changes on site.


Reason: To provide for adequate financing for monitoring and financial provisions for measures to protect the environment.

## SCHEDULE A: Limitations

The following waste related processes are authorised:

Backfilling through the importation, stockpiling and recovery of inert greenfield soil and stone through deposition for the purposes of quarry restoration.

No additions to these processes are permitted unless agreed in advance by the Agency.



## A.1 Waste Acceptance

Only the wastes as specified in Table A.1.1 are acceptable for recovery at the facility unless otherwise agreed by the Agency.

Table A.1.1 Waste Categories and Quantities

| LoW<br>CODE | WASTE TYPE Note 1   | MAXIMUM<br>(Tonnes per<br>calendar year) |
|-------------|---|--|
| 17 05 04    | Soils and stones other than those mentioned in 17 05 03 Greenfield soil and stone only. | 80,000 Note 2                            |

Note 1: Any proposals to accept other compatible inert waste types shall be agreed in advance by the Agency.

Note 2: Waste to be accepted for the backfill of the quarry.



## Table A.1.2 Total Waste Quantity for Backfill

| Total quantity of greenfield soil and stone permitted for backfill at the facility | 1,354,400 tonnes Note 1 |
|--|-------------------------|
|--|-------------------------|

Note 1: Not including material required for final profiling as may be required by the Planning Authority and agreed by the Agency.

## A.2 Waste Acceptance Criteria for Backfill Material

| Soil and Stone            | Minimum Criteria      |
|---------------------------|-----------------------|
| Greenfield soil and stone | Letter of suitability |
|                           |                       |

### **SCHEDULE B: Emission Limits**

### B.1 Emissions to Air

There shall be no emissions to air of environmental significance.

## B.2 Emissions to Water

There shall be no direct emissions to water of environmental significance.

#### **B.3** Emissions to Sewer

There shall be no process effluent emissions to sewer.

#### **B.4** Noise Emissions

| Daytime dB L <sub>Ar,T</sub> (30 minutes) | Evening time dB L <sub>Ar,T</sub> (30 minutes) | Night-time dB LAcq,T<br>(15-30 minutes) |
|---|--|---|
| 55  | 50   | 45                                      |

Note 1: During night time hours, there shall be no clearly sudible tonal component or impulsive component in the noise emission from the activity at any noise-sensitive location.

## **B.5** Dust Deposition Limits

| Level (mg/m2/day) Note 1 |     |  |
|--------------------------|-----|--|
|                          | 350 |  |

Note 1: 30 day composite sample with the results expressed as mg/m2/day.

## SCHEDULE C: Control & Monitoring

## C.1 Waste Monitoring

| Waste                  | Frequency   | Parameter    | Method       |
|------------------------|---|--------------|--------------|
| Deposited waste Nots 1 | Dependent on<br>rate of waste<br>deposition. See<br>Note 1. | To be agreed | To be agreed |
|                        | Maximum 5<br>samples per year                               |              |              |
| Other Note 2           |   |              |              |

Note 1: A representative sample of the deposited waste shall be taken at least every 3,000m<sup>2</sup> area of fill and depth of fill of 1.5 metres, or at an equivalent frequency as may be agreed by the Agency. Samples of the deposited waste shall be taken by trial pit or other appropriate method.

Note 2: Analytical requirements to be determined on a case by case basis.

## C.2 Noise Monitoring

Location / Reference No.

N1 (E309039, E130586), N2 (N309668, 129704), N3 (309139, 129398) and N4 (N308469, N130125) (as listed in 'Attachment 7.5 – Noise Emissions' of the application form, dated Mar 2018) and at any additional locations as may be agreed by the Agency.

| Period                                    | Minimum Survey Duration   |
|---|---|
| Daytime<br>(07:00 to 19:00 hrs)           | A minimum of 3 sampling periods at each noise monitoring location. Note 2 |
| Evening-time<br>(19:00 to 23:00 hrs)      | A minimum of 1 sampling period at each noise monitoring location.         |
| Night-time Note 1<br>(23:00 to 07:00 hrs) | A minimum of 2 sampling periods at each noise monitoring location.        |

Note 1: Night-time measurements should be made between 2300hrs and 0400hrs, Sunday to Thursday, with 2300hrs being the preferred start time.

preferred start time.

Note 2: Sampling period is to be the time period T stated within the relevant licence. Typically, this will be either 15 minutes or 30 minutes in duration. This applies to day, evening and night time periods.

## C.3 Ambient Monitoring

Location / Reference No.:

D1, D2, D3 and D4 as shown on Figure 9.2 titled 'Dust Monitoring Point Map' and listed in Table 9.3 titled 'Dust Monitoring Results 2013-2015' in 'Attachment 7.1.3.2 – Dust Emissions Compliance Report' of the application form, and at additional locations as may be agreed by the Agency.

| Parameter       | Monitoring Frequency | Analysis Method/Technique    |
|-----------------|----------------------|------------------------------|
| Dust deposition | Bi-annual            | VDI 2119 (Bergerhoff method) |

## C.4 Groundwater Monitoring

Location / Reference No:

MW-1 (E309485, N129918), MW-2 (E309686, N129940, MW-4 (E309442, 130179), MW-5 (E309133, N129712) (as listed in 'Attachment 9.1 – Environmental Management Techniques' of the application form, dated Mar 2018)

and at additional locations as may be agreed by the Agency.

| Parameter                    | Monitoring Frequency | Analysis Method/Techniques |
|------------------------------|----------------------|----------------------------|
| Level                        | Quarterly            | Standard Method            |
| Visual Inspection            | Quarterly            | Standard Method            |
| рН                           | Quarterly            | pH electrode/meter         |
| Conductivity                 | Quarterly            | Standard Method            |
| Ammonia (as N)               | Biannually           | Standard Method            |
| Nitrate                      | Biannually           | Standard Method            |
| Nitrite                      | Biannually           | Standard Method            |
| Orthophosphate (as P)        | Biannually           | Standard Method            |
| Total Dissolved Solids       | Biannually           | Standard Method            |
| Dissolved Metals Note 1:     | Annually             | Standard Method            |
| Total Petroleum Hydrocarbons | Annually             | Standard Method            |
| Diesel Range Organics        | Annually             | Standard Method            |
| Petrol Range Organics        | Annually             | Standard Method            |

Note 1: As, Cd, Cr, Cu, Fe, Hg, Pb, Mg, Mn, Ni and Zn.

# SCHEDULE D: Specified Engineering Works

#### Specified Engineering Works

Any works notified in writing by the Agency.

## SCHEDULE E: Annual Environmental Report

## Annual Environmental Report Content Note 1

Emissions from the facility

Waste management record.

Resource consumption summary.

Complaints summary.

Schedule of Environmental Objectives and Targets.

Environmental management programme - report for previous year.

Environmental management programme - proposal for current year.

Noise monitoring report summary.

Ambient monitoring summary.

Tank and pipeline testing and inspection report.

Reported incidents summary.

Energy efficiency audit report summary.

Report on the assessment of the efficiency of use of raw materials in facility operations and the reduction in waste generated.

Report on progress made and proposals being developed to minimise water demand.

Reports on management and staffing structure of the facility, and a programme for public information.

Review of Closure, Restoration & Aftercare Management Plan.

Statement of measures in relation to prevention of environmental damage and remedial actions (Environmental Liabilities).

Any other items specified by the Agency.

Note 1: Content may be revised subject to the approval of the Agency.

Signed on behalf of the said Agency On the 8th day of July, 2020

Tara Gillen, Authorised Person