

## APPENDIX 8

SHALLOW GAS MONITORING WELL  
BOREHOLE LOGS  
GS01 – GS04







GROUNDWATER MONITORING/GAS MONITORING WELL  
BOREHOLE LOGS BH1 – BH17

PASSIVE GAS VENTING WELL  
BOREHOLE LOGS  
GV01 – GS05








For general purposes only.  
Consent of copyright owner required for any other use.

For inspection purposes only.  
Consent of copyright owner required for any other use.

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: GS01		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 15/06/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: PMcC						GRID REF.: E323192 N260854			
	CHECKED BY: PM						ELEVATION: approx 22.30m			

		DESCRIPTION	COMMENTS	0
  	  	0 firm/stiff brown gravelly sandy SILT/CLAY some sub rounded cobbles plastics identified at 0.5m bgl	No evidence of VOC/Hydrocarbon contamination.	
		2.0 dark grey/brown sandy SILT/CLAY some angular & sub angular cobbles glass and concrete identified	No evidence of VOC/Hydrocarbon contamination.	2.0
		4.0 soft/firm dark grey/dark brown sandy SILT/CLAY glass, concrete, metal and plastics identified	No evidence of VOC/Hydrocarbon contamination.	4.0
		6.0 Terminated at 4.0m - Due to limitation of the drilling machine		6.0
				8.0
				10.0
				12.0
				14.0
				16.0
				18.0
				20.0


For inspection purposes only.  
Consent of copyright owner required for any other use.

<u>LOCATION / NOTES:</u>	<u>LEGEND</u>  Disturbed Sample  Undisturbed Sample  Headspace Analysis  Down Borehole Analysis  Groundwater Table  Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE <b>Skerries, Phase II Site Investigation</b>	
		LOCATION <b>Barnageeragh Cove, Skerries</b>	
		CLIENT <b>Winsac Ltd.</b>	
			

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: GS02		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 15/06/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: PMcC						GRID REF.: E323168 N260863			
	CHECKED BY: PM						ELEVATION: approx 22.48m			

			DESCRIPTION	COMMENTS	0
BN	BN		Dark brown very sandy very gravelly SILT/CLAY (MADE GROUND) with concrete, plastics and red brick identified	No evidence of VOC/Hydrocarbon contamination.	
			brown/grey coarse gravelly SAND	No evidence of VOC/Hydrocarbon contamination.	2.0
			Terminated at 1.3m - Due to refusal on cobbles / boulders  (Refusal at 3 separate locations at 1.3m)		4.0
					6.0
					8.0
					10.0
					12.0
					14.0
					16.0
					18.0
					20.0








For inspection purposes only.  
Consent of copyright owner required for any other use.

<u>LOCATION / NOTES:</u>	<u>LEGEND</u> <input checked="" type="checkbox"/> Disturbed Sample <input type="checkbox"/> Undisturbed Sample * Headspace Analysis † Down Borehole Analysis ▼ Groundwater Table ▽ Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.
			

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: GS03		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 15/06/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: PMcC						GRID REF.: E323161 N260866			
	CHECKED BY: PM						ELEVATION: approx 25.06m (TOC)			

			DEPTH (m)	DESCRIPTION	COMMENTS	
BN	BN		0	(MADE GROUND)	No evidence of VOC/Hydrocarbon contamination.	
			2.0	dark brown/grey coarse gravelly SAND	No evidence of VOC/Hydrocarbon contamination.	2.0
			4.0	Terminated at 2.0m - Due to refusal on cobbles / boulders		4.0
			6.0			6.0
			8.0			8.0
			10.0			10.0
			12.0			12.0
			14.0			14.0
			16.0			16.0
			18.0			18.0
			20.0			20.0








For inspection purposes only.  
Consent of copyright owner required for any other use.

<u>LOCATION / NOTES:</u>	<u>LEGEND</u>  Disturbed Sample  Undisturbed Sample  Headspace Analysis  Down Borehole Analysis  Groundwater Table  Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE <b>Skerries, Phase II Site Investigation</b>	
		LOCATION <b>Barnageeragh Cove, Skerries</b>	
		CLIENT <b>Winsac Ltd.</b>	
			

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: GS04		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 15/06/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: PMcC						GRID REF.: E323144 N260876			
	CHECKED BY: PM						ELEVATION: approx 25.06m (TOC)			

			DEPTH (m)	DESCRIPTION	COMMENTS	
BN	BN		0	(MADE GROUND)		0
				dark brown/grey very gravelly course SAND		
				brown/dark brown very gravelly silty fine SAND		
			2.0	dark brown/grey very gravelly course SAND		2.0
			4.0	Terminated at 2.0m - Due to refusal on cobbles / boulders		4.0
			6.0			6.0
			8.0			8.0
			10.0			10.0
			12.0			12.0
			14.0			14.0
			16.0			16.0
			18.0			18.0
			20.0			20.0

For inspection purposes only.  
Consent of copyright owner required for any other use.

<u>LOCATION / NOTES:</u>	<u>LEGEND</u>  Disturbed Sample  Undisturbed Sample  Headspace Analysis  Down Borehole Analysis  Groundwater Table  Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE <b>Skerries, Phase II Site Investigation</b>	
		LOCATION <b>Barnageeragh Cove, Skerries</b>	
		CLIENT <b>Winsac Ltd.</b>	
			

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH1		PAGE 1 OF 1
							NUMBER	TYPE	DRILL DATE: 15/06/2017
	CONTRACTOR: Causeway Geotech Ltd								BOREHOLE DIAMETER: 50mm
	LOGGED BY: PMcC						GRID REF.: E323179 N260812		
	CHECKED BY: PM						ELEVATION: approx 24.80m		

		DESCRIPTION	COMMENTS	0
	Groundwater Sample - WA-BH1-01 	very dark brown/black sandy SILT/CLAY (MADE GROUND) with plastic	No evidence of VOC/Hydrocarbon contamination.	2.0
		very dark brown/black sandy very gravelly SILT/CLAY (MADE GROUND) with plastic identified to 9.0m timber was identified at 8.0m	No evidence of VOC/Hydrocarbon contamination.	8.0
		very dark brown/black sandy SILT/CLAY (MADE GROUND)	No evidence of VOC/Hydrocarbon contamination.	10.0
		brown gravelly SAND	No evidence of VOC/Hydrocarbon contamination.	12.0
		brown very gravelly SAND	No evidence of VOC/Hydrocarbon contamination.	14.0
		silty sandy GRAVEL	No evidence of VOC/Hydrocarbon contamination.	16.0
		Terminated at 18.5m bgl, sufficient depth achieved to provide groundwater.		20.0

<b>LOCATION / NOTES:</b> Drilling conditions very difficult. Lead bit lost. Changed to larger rig due to difficulty in casing out sandy GRAVELS. Groundwater level found to be 10.78m bgl on the 7 <sup>th</sup> July 2017. Well badly silted up to approx. 12.5m on sampling.	<b>LEGEND</b> 	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH2		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 19/06/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: PMcC						GRID REF.: E 323121 N 260847			
	CHECKED BY: PM						ELEVATION: approx 25.08m			

		DESCRIPTION	COMMENTS	0		
	Groundwater Sample - WA-BH2-01	sandy GRAVEL (MADE GROUND)	No evidence of VOC/Hydrocarbon contamination.	2.0		
		brown gravelly SAND	No evidence of VOC/Hydrocarbon contamination.	6.0		
		light grey BOULDER		8.0		
		dark brown silty gravelly SAND	No evidence of VOC/Hydrocarbon contamination.			
		light grey sandy BOULDERS	No evidence of VOC/Hydrocarbon contamination.	10.0		
		dark brown gravelly SAND		12.0		
		dark brown silty gravelly SAND				
		dark brown silty very gravelly SAND		14.0		
		Terminated at 14.6m bgl, sufficient depth achieved to provide groundwater.				16.0
						18.0
				20.0		

<u>LOCATION / NOTES:</u> Groundwater encountered at 11.5m bgl during the drilling of the borehole.  Groundwater level found to be 10.43m bgl on the 7 <sup>th</sup> July 2017.	<u>LEGEND</u> Disturbed Sample Undisturbed Sample Headspace Analysis Down Borehole Analysis Groundwater Table Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
LOCATION	Barnageeragh Cove, Skerries		
CLIENT	Winsac Ltd.		



BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH3		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 19/06/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: PMcC						GRID REF.: E323181 N260845			
	CHECKED BY: PM						ELEVATION: approx 22.5m			

		DESCRIPTION	COMMENTS	0
BN	PLAIN	BN		
GRAVEL	SLOT	GRAVEL		
Groundwater Sample - WA-BH3-01				
				7.94m
		dark brown sandy gravelly SILT/CLAY (MADE GROUND) with plastics	No evidence of VOC/Hydrocarbon contamination.	2.0
		brown silty sandy GRAVEL with cobbles/boulders @7.0m	No evidence of VOC/Hydrocarbon contamination.	6.0
		brown very gravelly SAND	No evidence of VOC/Hydrocarbon contamination.	10.0
		brown silty very gravelly SAND	No evidence of VOC/Hydrocarbon contamination.	10.0
		brown gravelly silty SAND with boulder @13.0m bgl	No evidence of VOC/Hydrocarbon contamination.	12.0
		brown silty very gravelly SAND	No evidence of VOC/Hydrocarbon contamination.	14.0
		Terminated at 14.6m bgl, sufficient depth achieved to provide groundwater.		16.0
				18.0
				20.0




<p><u>LOCATION / NOTES:</u></p> <p>Groundwater encountered at 9.8m bgl during the drilling of the borehole.</p> <p>Groundwater level found to be 7.94m bgl on the 7<sup>th</sup> July 2017.</p>	<p><u>LEGEND</u></p> <ul style="list-style-type: none"> <li> Disturbed Sample</li> <li> Undisturbed Sample</li> <li> Headspace Analysis</li> <li> Down Borehole Analysis</li> <li> Groundwater Table</li> <li> Perched Water Table</li> </ul>	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
LOCATION	Barnageeragh Cove, Skerries		
CLIENT	Winsac Ltd.		





BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH4		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 19/06/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: PMcC						GRID REF.: E 323231 N 260839			
	CHECKED BY: PM						ELEVATION: approx 18.82m			

		DESCRIPTION	COMMENTS	0
	Groundwater Sample - WA-BH4-01	dark brown sandy gravelly SILT/CLAY	No evidence of VOC/Hydrocarbon contamination.	2.0
		very dark brown sandy gravelly SILT/CLAY black peaty SILT with wood identified from approx.3.0m - 3.5m	No evidence of VOC/Hydrocarbon contamination.	4.0
		brown silty sandy GRAVEL with cobbles/boulders	No evidence of VOC/Hydrocarbon contamination.	6.0
		brown gravelly silty SAND	No evidence of VOC/Hydrocarbon contamination.	8.0
		brown silty v.gravelly SAND		
		brown sandy GRAVEL	No evidence of VOC/Hydrocarbon contamination.	10.0
		blue / grey weathered BEDROCK	No evidence of VOC/Hydrocarbon contamination.	
		Terminated at 11.5m bgl, sufficient depth achieved to provide groundwater.		12.0
				14.0
				16.0
				18.0
				20.0

<u>LOCATION / NOTES:</u>  Groundwater encountered at 8.0m bgl during the drilling of the borehole.  Groundwater level found to be 5.13m bgl on the 4 <sup>th</sup> July 2017.	<u>LEGEND</u> 	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
LOCATION	Barnageeragh Cove, Skerries	CLIENT	Winsac Ltd.





BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH5		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 15/06/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
							LOGGED BY: PMcC		GRID REF.: E323150 N260854	
							CHECKED BY: PM		ELEVATION: approx 24.61m	

						DESCRIPTION	COMMENTS	0
  					0	Very dark brown/black gravelly sandy SILT/CLAY (MADE GROUND)  red brick identified from 0 - 3.0m	No evidence of VOC/Hydrocarbon contamination.	0
					2.0			2.0
					4.0			4.0
					6.0			6.0
					6.0	blue grey sandy GRAVEL		6.0
					8.0	blue grey GRAVEL	No evidence of VOC/Hydrocarbon contamination.	8.0
					8.0	Terminated at 8.1m bgl, sufficient depth achieved for gas well.		8.0
					10.0			10.0
					12.0			12.0
					14.0			14.0
					16.0			16.0
					18.0			18.0
					20.0			20.0

<u>LOCATION / NOTES:</u>  Drilled with the purpose of constructing a gas well.  Groundwater not encountered.  No evidence of dumped plastic.	<u>LEGEND</u>  <input checked="" type="checkbox"/> Disturbed Sample <input type="checkbox"/> Undisturbed Sample * Headspace Analysis  Down Borehole Analysis  Groundwater Table  Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.
			


BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH6		PAGE 1 OF 1		
	NUMBER	TYPE					DRILL DATE: 15/06/2017			METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd			BOREHOLE DIAMETER: 50mm	
							LOGGED BY: PMcC			GRID REF.: E323195 N260821	
							CHECKED BY: PM			ELEVATION: approx 23.99m	

						DESCRIPTION	COMMENTS	0
BN	PLAIN	BN				0 2.0 4.0 6.0 8.0	black slightly gravelly sandy SILT/CLAY (MADE GROUND)  plastic & glass throughout          Slight hydrocarbon contamination at 4.0m bgl.          No evidence of VOC/Hydrocarbon contamination.	2.0 4.0 6.0 8.0
						10.0 12.0 14.0 16.0 18.0 20.0	Terminated at 8.1m bgl, sufficient depth achieved for gas well.	10.0 12.0 14.0 16.0 18.0 20.0

<u>LOCATION / NOTES:</u>  Drilled with the purpose of constructing a gas well.  Groundwater not encountered.	<u>LEGEND</u>  <input checked="" type="checkbox"/> Disturbed Sample <input type="checkbox"/> Undisturbed Sample * Headspace Analysis  Down Borehole Analysis  Groundwater Table  Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.
			

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH7		PAGE 1 OF 1			
	NUMBER	TYPE					DRILL DATE: 14/06/2017			METHOD: Air Rotary ODEX		
							CONTRACTOR: Causeway Geotech Ltd			BOREHOLE DIAMETER: 50mm		
							LOGGED BY: PMcC			GRID REF.: E323241 N260782		
							CHECKED BY: PM			ELEVATION: approx 22.5m		

		DEPTH (m)	DESCRIPTION	COMMENTS	
BN	PLAIN	BN			0
GRAVEL	SLOT	GRAVEL			
			brown gravelly sandy slightly gravelly SILT/CLAY (MADE GROUND)  plastic & glass throughout		2.0
			black SILT/CLAY	Slight hydrocarbon odour	4.0
			black SILT/CLAY  with high volume of plastic bags intermingled	No water	6.0
			blue/grey/brown silty sandy GRAVELS angular/subangular & subrounded		8.0
			Terminated at 8.1m bgl. sufficient depth achieved for gas well.		10.0
					12.0
					14.0
					16.0
					18.0
					20.0

<p><u>LOCATION / NOTES:</u></p> <p>Drilled with the purpose of constructing a gas well.</p> <p>Groundwater not encountered.</p>	<p><u>LEGEND</u></p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Disturbed Sample</li> <li><input type="checkbox"/> Undisturbed Sample</li> <li>* Headspace Analysis</li> <li>† Down Borehole Analysis</li> <li>▼ Groundwater Table</li> <li>▽ Perched Water Table</li> </ul>	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.
			

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH8		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 2/08/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
							LOGGED BY: PMcC		GRID REF.: E 3232315 N 260853	
							CHECKED BY: PM		ELEVATION: approx 18.43m	

		DESCRIPTION	COMMENTS	0		
	Groundwater Sample - WA-BH08-01 	0.0 - 2.0	dark brown gravelly CLAY/SILT	No evidence of contamination (NEOC)	2.0	
		2.0 - 4.0				
		4.0 - 6.0	brown gravelly SAND	NEOC	6.0	
		6.0 - 8.0	brown sandy GRAVEL	NEOC	8.0	
		8.0 - 10.0	gravelly silty SAND	NEOC	10.0	
		10.0 - 12.0	blue weathered SILTSTONE (BEDROCK)	NEOC	12.0	
		12.0 - 14.0	Terminated at 12m bgl - Due to sufficient depth achieved for groundwater monitoring		14.0	
		14.0 - 16.0			16.0	
		16.0 - 18.0			18.0	
		18.0 - 20.0			20.0	

<b>LOCATION / NOTES:</b> <u>Borehole Construction</u> Plain pipe (0m - 1.0m bgl) Slotted pipe (1.0 - 12.0m bgl)  Groundwater encountered at 7.50m during drilling.  Groundwater S.W.L recorded at 4.775m bgl after standpipe installation	<b>LEGEND</b> 	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.


BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH9		PAGE 1 OF 1
							DRILL DATE: 1/08/2017	METHOD: Air Rotary ODEX	
	CONTRACTOR: Causeway Geotech Ltd	BOREHOLE DIAMETER: 50mm							
	LOGGED BY: PMcC	GRID REF.: E 323229 N 260846							
	CHECKED BY: PM	ELEVATION: approx 18.60m							

		DESCRIPTION	COMMENTS	0	
	Groundwater Sample - WA-BH09-01 	0.0 - 4.0	dark brown gravelly CLAY/SILT	No evidence of contamination (NEOC)	2.0
		4.0 - 6.0	firm brown gravelly CLAY	(Driller noted) NEOC	4.0
		6.0 - 8.0	brown gravelly SAND	NEOC	6.0
		8.0 - 10.0	brown very gravelly SAND	NEOC	8.0
		10.0 - 12.0	competent blue SILTSTONE (BEDROCK)		10.0
		12.0 - 20.0	Terminated at 12m bgl - Due to sufficient depth achieved for groundwater monitoring		12.0
					14.0
					16.0
					18.0
					20.0

<b>LOCATION / NOTES:</b> <u>Borehole Construction</u> Plain pipe (0m - 1.0m bgl) Slotted pipe (1.0 - 12.0m bgl)  Groundwater not encountered during drilling.  Groundwater S.W.L recorded at 5.01m bgl after standpipe installation	<b>LEGEND</b> Disturbed Sample Undisturbed Sample Headspace Analysis Down Borehole Analysis Groundwater Table Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH10		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 1/08/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
							LOGGED BY: PMcC		GRID REF.: E 323243 N 260841	
							CHECKED BY: PM		ELEVATION: approx 18.64m	








			DESCRIPTION	COMMENTS	0
BN	PLAIN	BN	dark brown gravelly CLAY/SILT (Fill)	No evidence of contamination (NEOC)	2.0
GRAVEL	SLOT	GRAVEL	soft gravelly sandy CLAY	(Driller noted) NEOC	4.0
			stiff gravelly CLAY	(Driller noted)	6.0
			brown sandy GRAVEL	NEOC	8.0
			blue weathered bedrock 9.5m - 10.0m bgl competent blue SILTSTONE (BEDROCK)	NEOC	10.0
			Terminated at 12m bgl - Due to sufficient depth achieved for groundwater monitoring		12.0
					14.0
					16.0
					18.0
					20.0

<p><b>LOCATION / NOTES:</b></p> <p><u>Borehole Construction</u> Plain pipe (0m - 1.0m bgl) Slotted pipe (1.0 - 12.0m bgl)</p> <p>Subsoil observed to be damp at 6.0m during drilling.</p> <p>Groundwater S.W.L recorded at 5.225m bgl after standpipe installation</p>	<p><b>LEGEND</b></p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Disturbed Sample</li> <li><input type="checkbox"/> Undisturbed Sample</li> <li>* Headspace Analysis</li> <li>† Down Borehole Analysis</li> <li>▼ Groundwater Table</li> <li>▽ Perched Water Table</li> </ul>	<b>BOREHOLE LOG</b>		
		JOB TITLE	Skerries, Phase II Site Investigation	
		LOCATION	Barnageeragh Cove, Skerries	
		CLIENT	Winsac Ltd.	
				



BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH11		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 31/07/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: PMcC						GRID REF.: E 323260 N 260825			
	CHECKED BY: PM						ELEVATION: approx 18.97m			

			DESCRIPTION	COMMENTS	0
BN	PLAIN	BN	dark brown gravelly CLAY/SILT (Fill)	No evidence of contamination (NEOC)	0
			dark brown/dark grey CLAY/SILT with pieces of wood identified at 3.0m - 3.5m		2.0
GRAVEL	SLOT	GRAVEL	brown very gravelly silty SAND	(NEOC)	4.0
			brown silty sandy GRAVEL	(NEOC)	6.0
			light grey/blue SANDSTONE (BEDROCK)	(NEOC)	10.0
			very competent dark blue SILTSTONE (BEDROCK)	(NEOC)	12.0
			Terminated at 12m bgl - Due to sufficient depth achieved for groundwater monitoring		12.0
					14.0
					16.0
					18.0
					20.0



<b>LOCATION / NOTES:</b> <u>Borehole Construction</u> Plain pipe (0m - 1.0m bgl) Slotted pipe (1.0 - 12.0m bgl)  Groundwater encountered at 6.50m during drilling.  Groundwater S.W.L recorded at 5.54m bgl after standpipe installation	<b>LEGEND</b>  Disturbed Sample  Undisturbed Sample  Headspace Analysis  Down Borehole Analysis  Groundwater Table  Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
LOCATION	Barnageeragh Cove, Skerries		
CLIENT	Winsac Ltd.		
			








BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH12		PAGE 1 OF 1		
	NUMBER	TYPE					DRILL DATE: 31/07/2017			METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd			BOREHOLE DIAMETER: 50mm	
							LOGGED BY: PMcC			GRID REF.: E 323277 N 260821	
							CHECKED BY: PM			ELEVATION: approx 18.97m	

		DESCRIPTION	COMMENTS	0
	Groundwater Sample - WA-BH12-01 	0.0 dark brown gravelly CLAY/SILT (Fill)  Dark brown/dark grey CLAY/SILT with pieces of wood identified at 3.0m - 3.5m	No evidence of contamination (NEOC)	2.0 4.0
		4.0 brown very gravelly silty SAND	(NEOC)	6.0
		6.0 brown sandy GRAVEL	(NEOC)	8.0
		8.0 blue SANDSTONE (BEDROCK)	(NEOC)	10.0
		10.0 very competent dark blue SILTSTONE (BEDROCK)	(NEOC)	12.0
		12.0 Terminated at 12m bgl - Due to sufficient depth achieved for groundwater monitoring		14.0 16.0 18.0 20.0



<b>LOCATION / NOTES:</b> <u>Borehole Construction</u> Plain pipe (0m - 1.0m bgl) Slotted pipe (1.0 - 12.0m bgl)  Groundwater encountered at 5.50m during drilling. Productive groundwater strike noted at 9.0m during drilling  Groundwater S.W.L recorded at 5.50m bgl after standpipe installation	<b>LEGEND</b> Disturbed Sample Undisturbed Sample Headspace Analysis Down Borehole Analysis Groundwater Table Perched Water Table	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.








BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH13		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 31/07/2017		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
							LOGGED BY: PMcC		GRID REF.: E323266 N260856	
							CHECKED BY: PM		ELEVATION: approx. 15.94 m (AOD)	

		DESCRIPTION	COMMENTS	0	
					
			brown sandy very gravelly CLAY/SILT (Fill)	No evidence of contamination (NEOC)	
			stiff brown sandy gravelly CLAY	(Driller noted)	2.0
			brown very gravelly silty SAND	NEOC	4.0
			light grey/blue SILTSTONE (BEDROCK)	NEOC	6.0
Groundwater Sample - WA-BH13-01					
				10.0	
		Terminated at 10m bgl - Due to sufficient depth achieved for groundwater monitoring		12.0	
				14.0	
				16.0	
				18.0	
				20.0	



<p><u>LOCATION / NOTES:</u></p> <p><u>Borehole Construction</u> Plain pipe (0m - 1.0m bgl) Slotted pipe (1.0 - 10.0m bgl)</p> <p>Groundwater not encountered during drilling</p> <p>Groundwater S.W.L recorded at 3.60m bgl after standpipe installation</p>	<p><u>LEGEND</u></p> <ul style="list-style-type: none"> <li> Disturbed Sample</li> <li> Undisturbed Sample</li> <li> Headspace Analysis</li> <li> Down Borehole Analysis</li> <li> Groundwater Table</li> <li> Perched Water Table</li> </ul>	<b>BOREHOLE LOG</b>		
		JOB TITLE	Skerries, Phase II Site Investigation	
		LOCATION	Barnageeragh Cove, Skerries	
		CLIENT	Winsac Ltd.	
				








BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH14		PAGE 1 OF 1		
	NUMBER	TYPE					DRILL DATE: 26/10/2017			METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd			BOREHOLE DIAMETER: 50mm	
							LOGGED BY: PMcC			GRID REF.: E323246 N260906	
							CHECKED BY: PM			ELEVATION: approx. 15.34 m (AOD)	

		DESCRIPTION	COMMENTS	0	
		0 - 2.0	brown very gravelly SAND some cobbles	No evidence of contamination (NEOC)	0 - 2.0
		2.0 - 3.5	dark brown CLAY some gravel	(Driller noted)	2.0 - 3.5
		3.5 - 4.0	brown very gravelly SAND some cobbles	NEOC	3.5 - 4.0
		4.0 - 15.0	dark grey/blue SILTSTONE (BEDROCK)	NEOC	4.0 - 15.0
		15.0 - 16.0	Terminated at 15m bgl - Due to sufficient depth achieved for groundwater monitoring		15.0 - 16.0
Groundwater Sample - WA-BH14-01					

<p><b>LOCATION / NOTES:</b></p> <p><u>Borehole Construction</u> Plain pipe (0m - 2.0m bgl) Slotted pipe (2.0 - 15.0m bgl)</p> <p>Groundwater strike recorded at 3.5m bgl during drilling</p> <p>Groundwater S.W.L recorded at 2.72m bgl on the 15th of November 2017</p>	<p><b>LEGEND</b></p> <ul style="list-style-type: none"> <li> Disturbed Sample</li> <li> Undisturbed Sample</li> <li> Headspace Analysis</li> <li> Down Borehole Analysis</li> <li> Groundwater Table</li> <li> Perched Water Table</li> </ul>	<b>BOREHOLE LOG</b>	
		JOB TITLE <b>Skerries, Phase II Site Investigation</b>	
		LOCATION <b>Barnageeragh Cove, Skerries</b>	
		CLIENT <b>Winsac Ltd.</b>	
			

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH15		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 17/05/2018		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: DP						GRID REF.: E 323290.9 N 260834.5			
	CHECKED BY: PM						ELEVATION: approx. 16.37m (AOD)			

		DESCRIPTION	COMMENTS	0	
		0 - 1.5m	brown silty SAND		0
		1.5 - 2.0m	GRAVEL (subangular and subrounded)	No evidence of VOC/Hydrocarbon contamination.	2.0
		2.0 - 4.0m	mix of brown sandy GRAVEL & v. gravelly brown SAND	No evidence of VOC/Hydrocarbon contamination.	4.0
		4.0 - 6.0m	brown grey/grey slightly calcareous weathered SILTSTONE (BEDROCK)	No evidence of VOC/Hydrocarbon contamination.	6.0
		6.0 - 8.0m	brown grey/grey slightly calcareous slightly weathered SILTSTONE (BEDROCK)	No evidence of VOC/Hydrocarbon contamination.	8.0
		8.0 - 10.0m	brown grey/grey slightly calcareous slightly weathered to competent SILTSTONE (BEDROCK)	No evidence of VOC/Hydrocarbon contamination.	10.0
		10.0 - 20.0m	Terminated at 10m bgl, sufficient depth achieved to provide groundwater.		10.0
					12.0
					14.0
					16.0
					18.0
					20.0

<p><b>LOCATION / NOTES:</b></p> <p>Soil sample taken at 3.5m for ammonia analysis.</p> <p>Groundwater strike at 2.5m during drilling.</p> <p>Groundwater level recorded at 2.47m bgl on 28/05/18</p>	<p><b>LEGEND</b></p> <ul style="list-style-type: none"> <li> Disturbed Sample</li> <li> Undisturbed Sample</li> <li> Headspace Analysis</li> <li> Down Borehole Analysis</li> <li> Groundwater Table</li> <li> Perched Water Table</li> </ul>	<b>BOREHOLE LOG</b>		
		JOB TITLE	<b>Skerries, Phase II Site Investigation</b>	
		LOCATION	<b>Barnageeragh Cove, Skerries</b>	
		CLIENT	<b>Winsac Ltd.</b>	
				

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH16		PAGE 1 OF 1	
							DRILL DATE: 17/05/2018		METHOD: Air Rotary ODEX	
	NUMBER	TYPE					CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
							LOGGED BY: DP		GRID REF.: E 323308.2 N 260870.6	
							CHECKED BY: PM		ELEVATION: approx. 15.74m (AOD)	

		DESCRIPTION	COMMENTS	0
	0	brown silty SAND (FINE) some rounded gravel	No evidence of VOC/Hydrocarbon contamination.	
	2.0	v. dark grey/ v. brown sandy firm CLAY/SILT some sub angular gravel with pockets of brown sand	No evidence of VOC/Hydrocarbon contamination.	2.0
	4.0	brown grey/grey slightly calcareous weathered SILTSTONE (BEDROCK)	No evidence of VOC/Hydrocarbon contamination.	4.0
	6.0	brown grey/grey competent SILTSTONE (BEDROCK)	No evidence of VOC/Hydrocarbon contamination.	6.0
	10.0	dark grey competent SILTSTONE (BEDROCK) at 10.0m		10.0
	3.0	Terminated at 10m bgl, sufficient depth achieved to provide groundwater.		
	12.0			12.0
	14.0			14.0
	16.0			16.0
	18.0			18.0
	20.0			20.0

<p><b>LOCATION / NOTES:</b></p> <p>Soil sample taken at 3.0m for ammonia analysis</p> <p>Small groundwater strike at 3.0m during drilling with a further GW strike at 7.5m</p> <p>Groundwater standing level recorded at 2.96m on the 28.05.18</p>	<p><b>LEGEND</b></p> <ul style="list-style-type: none"> <li> Disturbed Sample</li> <li> Undisturbed Sample</li> <li> Headspace Analysis</li> <li> Down Borehole Analysis</li> <li> Groundwater Table</li> <li> Perched Water Table</li> </ul>	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: BH17		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 17/05/2018		METHOD: Air Rotary ODEX	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 50mm	
	LOGGED BY: DP						GRID REF.: E 323268.2 N 260803.3			
	CHECKED BY: PM						ELEVATION: approx. 19.23m (AOD)			

		DESCRIPTION	COMMENTS	0
BN	BN	brown silty SAND some rounded gravel no waste identified	No evidence of VOC/Hydrocarbon contamination.	
		grey sandy SILT	No evidence of VOC/Hydrocarbon contamination.	2.0
		dark grey/black CLAY some sub-rounded & sub-angular gravel some plastic & ceramic waste identified from 4.0m - 5.0m	No evidence of VOC/Hydrocarbon contamination.	4.0
		GRAVEL (rounded, sub rounded and subangular)	No evidence of VOC/Hydrocarbon contamination.	6.0
		grey/dark grey slightly calcareous very weathered SILTSTONE (BEDROCK)	No evidence of VOC/Hydrocarbon contamination.	8.0
		Terminated at 10.1m bgl, sufficient depth achieved to provide groundwater.		10.0
				12.0
				14.0
				16.0
				18.0
				20.0

<p><u>LOCATION / NOTES:</u></p> <p>Soil sample taken at 4.0m for ammonia analysis</p> <p>Groundwater strike at 5.5m during drilling</p> <p>Groundwater standing level recorded at 5.43m on the 28/05/18</p>	<p><u>LEGEND</u></p> <ul style="list-style-type: none"> <li> Disturbed Sample</li> <li> Undisturbed Sample</li> <li> Headspace Analysis</li> <li> Down Borehole Analysis</li> <li> Groundwater Table</li> <li> Perched Water Table</li> </ul>	<b>BOREHOLE LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.



BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: GV1		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 25/04/2018		METHOD: CFA ON EXCAVATOR	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 160mm	
	LOGGED BY: DP						GRID REF. E 323228 N 260835			
	CHECKED BY: PM						ELEVATION:GL 19.13mAOD(TOC 19.80m)			

			DESCRIPTION	COMMENTS	0
	SO-GV1-01	SO-GV1-02	0.0 - 1.5m light brown dry v. gravelly SAND/SILT rare large subrounded and subangular cobbles frequent smaller ones	No evidence of VOC/Hydrocarbon contamination.	0.0
			1.5 - 3.0m grey dry v. gravelly sandy SILT less gravel with depth waste begins at 3m - mostly plastics	No evidence of VOC/Hydrocarbon contamination.	2.0
			3.0 - 4.5m grey dry v. gravelly sandy SILT more subangular and subrounded cobbles waste consists of plastics and glass damp/increased cohesion at 4.5m	No evidence of VOC/Hydrocarbon contamination.	4.0
			4.5 - 7.5m black damp SILT with lots of plastic fibres patches of brown sand some subrounded cobbles slight sulphide odour	No evidence of VOC/Hydrocarbon contamination.	6.0
			7.5m - 20.0m Terminated at 7.5m due to collapsing/ v. difficult drilling with no advancement after 2-3 hours.		8.0



For inspection purposes only. Consent of copyright owner required for any other use.

<b>LOCATION / NOTES:</b> Groundwater visible at base	<b>LEGEND</b> 	<b>Gas Venting Well LOG</b>	
		JOB TITLE <b>Skerries, Phase II Site Investigation</b>	
		LOCATION <b>Barnageeragh Cove, Skerries</b>	
		CLIENT <b>Winsac Ltd.</b>	



BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: GV2		PAGE 1 OF 1		
	NUMBER	TYPE					DRILL DATE: 26/04/2018			METHOD: CFA ON EXCAVATOR	
							CONTRACTOR: Causeway Geotech Ltd.			BOREHOLE DIAMETER: 160mm	
							LOGGED BY: DP			GRID REF. E 323218 N 260835	
							CHECKED BY: PM			ELEVATION: GL 19.2m AOD (TOC 19.76m)	

				DEPTH (m)	DESCRIPTION	COMMENTS	
	SO-GV2-01	SO-GV2-02		0	brown v gravelly coarse SAND lots of subrounded cobbles Waste at 0.7m - glass, plastics, ceramics and cloth	No evidence of VOC/Hydrocarbon contamination.	0
				2.0	dark grey soft/firm sandy SILT freq. small subrounded cobbles waste as above with some redbrick	No evidence of VOC/Hydrocarbon contamination.	2.0
				4.0	dark grey soft/firm SILT with patches of brown coarse sand lots of plastic fibres and cloth damp with slight sulphur smell	No evidence of VOC/Hydrocarbon contamination.	4.0
				6.0	very wet grey sandy SLIT  some waste difficult to drill through	No evidence of VOC/Hydrocarbon contamination.	6.0
				8.0	Terminated at 7.5 due to rapid ingress of groundwater/ collapsing and difficult ground.  No advancement following 2.5 hours drilling.		8.0

<b>LOCATION / NOTES:</b> Difficulty drilling at 2.5m, 4.5m and 6.5m No spoil past 4.5m due to overly wet material	<b>LEGEND</b> <input checked="" type="checkbox"/> Disturbed Sample <input type="checkbox"/> Undisturbed Sample * Headspace Analysis Down Borehole Analysis Groundwater Table Perched Water Table	<b>Gas Venting Well LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: GV3		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 26/04/2018 & 27/04/2018		METHOD: CFA ON EXCAVATOR	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 160mm	
	LOGGED BY: DP						GRID REF.: E 323219 N 260826			
	CHECKED BY: PM						ELEVATION: GL 19.15m AOD (TOC 19.89m)			

			DESCRIPTION	COMMENTS	0
	SO-GV3-01  SO-GV3-02		light brown sandy GRAVEL grey v gravelly sandy dry SILT waste at 0.3m - plastics, glass, cloth freq cobbles subangular and subrounded	No evidence of VOC/Hydrocarbon contamination.	
			dark grey soft/firm damp sandy SILT  waste present as above mix with brown sands slight sulphide odour	No evidence of VOC/Hydrocarbon contamination.	2.0
			very wet soft sandy SILT some waste frequent subrounded pebbles	No evidence of VOC/Hydrocarbon contamination.	4.0
			Terminated at 6m due to collapsing/rapid groundwater ingress and very difficult drilling (i.e. 3 hours & no advance).  		6.0
					8.0
					10.0
					12.0
					14.0
					16.0
					18.0
					20.0

<b>LOCATION / NOTES:</b> Refusals/blockages at 4.4m and 5.75m bgl.	<b>LEGEND</b> 	<b>Gas Venting Well LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.

BOREHOLE CONSTRUCTION	SAMPLE		SOIL VAPOUR (ppm)	GROUNDWATER	DEPTH (m)	GEOLOGY	BOREHOLE NUMBER: GV4		PAGE 1 OF 1	
	NUMBER	TYPE					DRILL DATE: 30/04/2018 & 01/05/2018		METHOD: CFA ON EXCAVATOR	
							CONTRACTOR: Causeway Geotech Ltd		BOREHOLE DIAMETER: 160mm	
	LOGGED BY: DP						GRID REF. E 323191 N 260820			
	CHECKED BY: PM						ELEVATION:GL 24.04mAOD(TOC 25.36m)			

			DEPTH (m)	DESCRIPTION	COMMENTS	
	SO-GV4-01	SO-GV4-02	0	brown dry soft v gravelly silty SAND some subangular cobbles	No evidence of VOC/Hydrocarbon contamination.	0
			2.0	light grey dry soft v. gravelly sandy SILT freq. large subangular cobbles waste at 1.4m - plastics, glass, styrofoam, cloth, etc.	No evidence of VOC/Hydrocarbon contamination.	2.0
			4.0	dark damp firm sandy SILT  some gravel, increases with depth waste heavily present, less with depth	No evidence of VOC/Hydrocarbon contamination.	4.0
			6.0	slight sulphide odour subangular and subrounded cobbles		6.0
			8.0			8.0
			9.5m			
			10.0	dark grey very wet soft sandy SILT some gravel and v. little waste few angular cobbles	No evidence of VOC/Hydrocarbon contamination.	10.0
			12.0	Terminated at 11.0m due to sufficient depth reached.		12.0
			14.0			14.0
			16.0			16.0
			18.0			18.0
			20.0			20.0

<b>LOCATION / NOTES:</b> Difficulty at 1.5m, 2.5m, 2.75m and 10.75m Used hammer at 2.75m. Concrete found between 2.75m and 3.0m.	<b>LEGEND</b> 	<b>Gas Venting Well LOG</b>	
		JOB TITLE	Skerries, Phase II Site Investigation
		LOCATION	Barnageeragh Cove, Skerries
		CLIENT	Winsac Ltd.



