

Licence Alteration Request

Alteration Details	
Licence	W0055-02 SRCL Limited
Licensee	SRCL Limited
Title of Alteration	Change to site Boundary

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase the total specified emissions for any emission parameter? significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	No
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration regularise an on-going breach of a licence condition?	No
17	Does the proposed alteration require a change to a condition or schedule of the Licence?	Yes

Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Request Licence Amendment' for this proposed alteration.

To submit this request to the EPA you should locate it in the 'Request Alteration' area in LMA. Click on 'Proceed' against this saved request, and then click on the 'Request Licence Amendment' button (in STEP 2 of the process). Then you will be required to provide more detailed information about your proposed amendment.

Note: The responses you have provided in this Screening Report will form part of the information record if you decide to proceed with this alteration request.

Recommendation Date: 11/08/2020

Licence Alteration Request



Clerical or Technical Amendment Application Details

Proposed Alteration Description

Change to permit boundary - condition 1.4 of the permit (Site Plan)

As noted in site visit report - SV19242 issued 15/07/2020. The licensee shall address the licence boundary to exclude Unit 420 Beech Road if applicable. A Technical Amendment (Section 96(1) of the EPA Act) or a Review of your licence (Section 90(1) of the EPA Act) will be required to provide for the changes to the facility boundary

Priority	1. Routine
Category of Amendment	(a) Correcting any clerical error therein

Licence Condition Changes

Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
1.4	condition 1.4 for the purpose of this licence, the facility is the area of land outlined in red on Figure B.2 F1, Site plan of the Article 14(2)(b)(ii) response received 8th March 2005. Any reference in this licence to "facility" shall mean the area thus outlined in red.	condition 1.4 - for the purpose of this licence, the facility is the area of land outlined in green Site plan of the Article 14(2)(b)(ii) as received 25/08/2020. Any reference in this licence to "facility" shall mean the area thus outlined in red.

Questions

Q1	Is planning permission required to support the proposed alteration?	No
Q2	Does the application involve an installation boundary change?	Yes
If 'Yes', for a proposed site boundary reduction please attach an OEE Exit Audit Approval for the reduced boundary area. In the case of an installation boundary increase for an Industrial Emission Licenced activity, you are required to provide the reason that you consider a Baseline Report is not required. In the case of all boundary changes also provide an updated site boundary location map in accordance with Section B of the EPA Licence Application Form.		SRCL_BR_SCP_420_.pdf
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	SRCL_BR_SCP_420__1.pdf

Additional Documentation

ScreeningReport.pdf
SRCL_BR_SCP_420__2.pdf

Final Declaration

Name	Marianna Hislop
Position	Permit Compliance Manager

Licence Alteration Request



Application Details

Selected by:	Marianna Hislop	Selected date:	11/08/2020
Submitted by:	Marianna Hislop	Submitted date:	25/08/2020

*For inspection purposes only.
Consent of copyright owner required for any other use.*