

EPA Application Form

7.7 Discharges to Storm Water - Attachment

	n purposes only and a second for any
	and in the state of the state o
Organisation Name:	Laragh House Farms Ltd
	Conserv
Application I.D.:	



Amendments to this Application Form Attachment

Version No.	Date	Amendment since previous version	Reason
V.1.0	July 2017	N/A	Online application form attachment
		e.	
		1. Modifer it	
		oses diffi and	

Page 2 of 6



Storm Water Discharge Points

Storm water is rain water run-off from roof and non-process areas

Complete the table below for all storm water discharge points – (one row per discharge point).

Note: This section is **NOT** for rain water run-off from areas used for the <u>outdoor storage of waste</u> **OR** <u>run-off from process areas likely to be contaminated</u>. (Process effluent discharges and emissions should be described in the **7.2 Emissions to Water** tab of the application form).

Discharge Point Code	Easting ¹	Northing ²	Discharges to? (enter relevant option) ³	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)
					Merti	
SW 1	Pending Installatio n	Pending Installation	Watercourse	off description	Tany O	
SW 2	Pending Installatio n	Pending Installation	Watercourse	Consent of convinting to the control of the convinting to the conv		
SW 3	Pending Installatio n	Pending Installation	Groundwater	Ansent of const		

Six Digit GPS Irish National Grid Reference

² Six Digit GPS Irish National Grid Reference

Options: 'River', 'Ditch', 'Estuary', 'Lake', 'Land Drain', 'Foul Sewer', 'Percolation Area', 'Groundwater', 'Storm Sewer' or 'Other' (where 'Other' is selected please enter a description)



Discharge Point Code	Easting ¹	Northing ²	Discharges to? (enter relevant option) ³	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)

^{*}add rows to the table as necessary

Consent of copyright outlet required for any other use.



Storm Water Discharge Monitoring Points

Enter the Discharge Point Code, the associated Monitoring Point Code and the grid reference details for each Monitoring Point location.

Discharge Point Code	Monitoring Point Code	Easting ⁴	Northing ⁵	
SW - 1	SW - 1	Pending Installation	Pending Installation	Pending Installation
SW - 2	SW - 2	Pending Installation	Pending Installation	
SW - 3	SW - 3	Pending Installation	Pending Installation	
			of lise.	
		٠٩٠	2 Office	
		es off of	di.	
		autho diffed		
		ation de reux		
		inspectation		
		For its petiton purposes only.		
		of contract of the contract of		
add rows to the table as necess	non.			

^{*}add rows to the table as necessary

⁴ Six Digit GPS Irish National Grid Reference

⁵ Six Digit GPS Irish National Grid Reference



Storm Water Trigger Levels and Monitoring

Complete the table below with details of the trigger levels and proposed monitoring regime for each parameter.

Select parameters that are a good indicator of loss of containment on-site. Consult the EPA guidance in the setting of trigger values for storm water discharges to off-site surface wastes at EPA licensed facilities (2012).

(If different parameters or monitoring arrangements apply at different storm water discharge points include information on this within the table).

				Sampling / Monitori	ng
Parameter	Trigger Level	How was the trigger level determined?	Proposed Monitoring Frequency ⁶	Sample Method ⁷	Analysis Method and Technique ⁸
				Ø)*	
Visual (Color)	Inspection	Visual Inspection	Weekly	Grab	Visual
Visual (Odour)	Inspection	Sniff Test	Weekly Of A all of	Grab	Sniff
			ses aford		
			our odirect		
			citot Vertes,		
			its git on		
			FORVITO		

^{*}add rows to the table as necessary

If not provided for in the table above, upload a document that includes details of how storm water is proposed to be monitored (select Document Type: 'Storm Water Monitoring' in the application form).

Storm Water Monitoring document file name:	
--	--

⁶ Option list: 'Continuous', 'Hourly', 'Daily', 'Weekly', 'Monthly', 'Quarterly', 'Biannually' OR 'Annually'.

⁷ Option list: 'Continuous', '24-hour Flow Proportional Composite', '24-hour Time Proportional Composite' OR 'Grab'.

⁸ Option list: 'Gravimetric', 'Online Calibrated Suspended Solids', 'Online Flow Meter with Recorder', 'Online pH electrode/probe Meter and Recorder', 'Online Temperature Probe with Recorder', 'Standard Method', 'Visual', OR 'To be agreed by the Agency'.