

# **EPA Application Form**

# 9.1 Environmental Management Techniques - Attachment

	Consent of cooks
Organisation Name:	Laragh House Farms Ltd.
Application I.D.:	



# **Amendments to this Application Form Attachment**

Version No.	Date	Amendment since previous version	Reason
V.1.0	July 2017	N/A	Online application form attachment
		Uže.	
		14. od oliter s	
		gses all for the	

Page 2 of 17



### 9 Environmental Management Techniques <sup>1</sup>

#### 9.1. Accident Prevention Measures

#### Measures to prevent accidental emissions and liabilities

Incidents and accidents are unplanned events. Emissions from incidents and (major) accidents usually occur within a relatively short time frame but with greater intensity than under normal operating conditions. Incidents such as fire or fuel spillages can result in liabilities such as contaminated soil and groundwater. Proactive risk management reduces the potential for an incident.

Abnormal operating conditions must be managed without endangering human health and harming the environment, and in particular without risk to water, air, soil, plants or animals, without causing a nuisance through noise or odours, and without adversely affecting the countryside or places of special interest.

The applicant must firstly undertake a risk assessment in accordance with EPA guidance on assessing and costing environmental liabilities. Having identified the key risks, the applicant should populate the following table with the measures to be taken to treat the key risks, e.g., bunding, integrity testing, fire prevention, etc.

The range of measures is dependent on the complexity of the site. Pollution prevention measures may, inter alia, include the following information:

- Conclusions on BAT set out in the EU Reference document on BAT on emissions from storage such as a safety management system; corrosion prevention measures on tanks, etc.
- Details of storage of all raw materials, products and wastes such as segregation, labelling, designation and impervious surface;
- Details of spill or emergency containment measures and structures such as bunds, high level alarms, absorbent materials;
- Details of fire detection and fire-water retention facilities in the event of emergencies or other measures to contain fire-water;
- Details of transport of material within the site, solid, liquid or sludge transported by pipe, vehicle or conveyor; etc.,
- The Agency has published a guidance document on Fire-Water Retention Facilities and on the Storage and transfer of materials.

This part of the form collects information on environmental management at the installation/ facility. It seeks to understand the maturity of the management system in terms of knowledge of abnormal operating conditions, prevention and early detection measures and emergency response procedures. The level of detail required in this part of form relates to the environmental risk posed.



Describe in the table below existing and/or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage. (This table should include the measures to be taken under abnormal operating conditions, including start-up, shutdown, leaks, malfunctions, breakdowns and momentary stoppages that will demonstrate that any emission arising will not cause significant environmental pollution)<sup>2</sup>.

	Surveill	Surveillance Measures					
Measure	Description	Frequency of Surveillance	Method / Standard				
Storm Water Inspections	Storm Water Inspections	Weekly	Visual				
	net use						
Soiled Water Tank Inspections	High Level Alarm	Continuous	Visual				
	Level Recording	Monthly	Depth measured				
	nutro quire						
	High Level Alarm Level Recording  Consent of compiler to the control of the contr						
	and in the latest of the lates						
	\$ copy						
	sept of						
	Cogn						

<sup>\*</sup>add rows to the table as necessary

<sup>&</sup>lt;sup>2</sup> Information relating to the integrity, impermeability and recent testing or pipes, tanks and bund areas should be included.



Outline what provisions have been made to ensure an adequate response to emergency situations outside of normal working hours, i.e., during night-time, weekends and holiday periods (attach additional pages to this document if required):

All essential systems (Feeding, Ventilation, Water, temperature etc.) will be linked to mobile phone alarm with at least 2 pre-programmed contact numbers to be contacted. Applicant lives in close proximity to the site and farms adjacent to same.

#### **Soil Monitoring Points**

Periodic monitoring of soil and groundwater is required having regard to the possibility of soil and groundwater contamination of the site<sup>3</sup>.

Complete the table below with details of soil monitoring locations and in particular with ere a baseline report has been/is required in accordance with Section 86B of the EPA Act 1992 as amended.

No

86B of the EPA Act 1992 as amended.				
riodic soil monitoring proposed at th	e installation/facility	? (Yes/No);sister		
Soil Manitaring Daint Code	Monitoring	Point Grid Ref.		
Soil Worldoning Point Code	Easting <sup>4</sup>	Conse Northing 5		
	f the EPA Act 1992 as amended.  riodic soil monitoring proposed at th  Soil Monitoring Point Code	f the EPA Act 1992 as amended.  riodic soil monitoring proposed at the installation/facility  Soil Monitoring Point Code		

<sup>3</sup> Inherent in the monitoring of soil and groundwater is accepting the possible necessity for remediation of the soil / groundwater. Regular monitoring of soil and groundwater provides an early detection of any contaminations.

<sup>4</sup> Six Digit GPS Irish National Grid Reference

<sup>5</sup> Six Digit GPS Irish National Grid Reference



\*add rows to the table as necessary

#### **Soil Parameters**

Complete the table below with details of soil monitoring parameters (where a baseline report is required in accordance with Section 86B of the EPA Act 1992 as amended). (If different parameters are associated with different monitoring points this should also be identified in the table below.)

Parameter	Unit	Trigger Level	How was the trigger level determined?	Proposed Monitoring Frequency	Sample Method	Analysis Method / Technique
			se.			
			atter			
			ally and			
			do ited for			
			Oll all			
			in Special Charles in the control of			
			For its it			
			l decor			
			- Otsett			

<sup>\*</sup>add rows to the table as necessary



#### **Groundwater Monitoring Points**

Based on the assessment(s) carried out previously or as part of this licence application, complete the table below with summary details of the groundwater monitoring points.

	Monitoring Po	oint Grid Ref.	
Monitoring Point Code	Easting <sup>6</sup>	Northing <sup>7</sup>	
		Consent di convite di	14. 04 of
			softor air.
		and the state of t	ite
		: 15. Dectito unte	
		For Migh	
		estrof	
		Cours	

\*add rows to the table as necessary

<sup>&</sup>lt;sup>6</sup> Six Digit GPS Irish National Grid Reference

<sup>&</sup>lt;sup>7</sup> Six Digit GPS Irish National Grid Reference



#### **Groundwater Parameters**

Complete the table below with summary details of the groundwater parameters. (If different parameters are associated with different monitoring points this should be identified in the table below.)

Unit	Trigger Level	How was the trigger level determined?	Proposed Monitoring Frequency	Sample Method	Analysis Method / Technique
		e.			
		afteru			
		व्याप्त, व्याप			
		Meses for			
		an Park Saph			
		Decidate			
		Cot wight			
		of cold			
		15ent e			
		Cor			
	Unit	Level		Unit Level How was the trigger level determined?  Monitoring Frequency	Unit Level How was the trigger level Monitoring Frequency Sample Method

<sup>\*</sup>add rows to the table as necessary



#### Costed Environmental Liabilities Risk Assessment (ELRA)

Indicate if the activity, through pre-application meeting with the Agency or other means, is required to submit a costed ELRA<sup>8</sup> as part of the licence, or licence review application.

Costed Environmental Liabilities Risk Assessme	nt (ELRA) required to be submitted? (Yes/No): No
· · · · · · · · · · · · · · · · · · ·	es Risk Assessment (ELRA), prepared in accordance with the <i>Environmental Protection Agency's Guidance on</i> (2014) (select Document Type: ' <u>ELRA</u> ' in the application form).
Costed ELRA document filename:	
Indicate your preferred form of financial provisi Financial Provision (2015), e.g., Environmental L	on instrument to meet ELRA costings have regard to the Environmental Protection Agency's Guidance on iability Insurance:
, , , , ,	d to the Environmental Protection Agency's Guidance on Financial Provision (2015) (where required at application
/review application stage) (select Document Type	pe: ' <u>Financial Provision Proposal</u> ' in the application form)
Financial Provision Proposal filename:	N/A for Intensive Agriculture
	Cottiser.

- 1. Landfills (excl. closed L.A. Landfills closed before 16<sup>th</sup> July 2009)
- 2. CAT A Extractive Waste Facilities
- 3. High Risk Contaminated Land Facilities
- 4. All Haz-Waste Transfer Stations
- 5. Non-Haz WTS (Accepting >50,000 tons/annum)
- 6. Incineration (incl. co-incineration of hazardous waste)
- 7. Upper & Lower Tier Seveso Sites
- 8. Exceptional circumstances associated with the site, e.g., significant ground/groundwater contamination.

Regard should be had by applicants to relevant Agency guidance on these matters.

There is an explicit requirement in EU and Irish law for financial provision for certain activities. The following categories of activities have an ELRA/CRAMP/FP requirement:



Consent of copyright owner required for any other use.



#### Closure, Restoration and Aftercare Management Plan (CRAMP)

A restoration/aftercare period will be required where there are on-going environmental liabilities following closure. Applicants are required to describe the existing or proposed measures to avoid any risk of environmental pollution and to return the site to a satisfactory state or the state established in the baseline report where applicable, after the activity or part of the activity ceases operation.

A key measure is the preparation of a Closure, Restoration and Aftercare Management Plan (CRAMP) by the operator, for certain activities<sup>9</sup>. Notwithstanding the requirements of the EC Environmental Objectives (Groundwater) Regulations 2010, S.I. No. 9 of 2010, the closure and restoration/ aftercare target is the site condition at the time of the original application or the baseline report. The applicant shall have regard to the Environmental Protection Agency's Guidance on Assessing and Costing Environmental Liabilities (2014) in the preparation of the CRAMP.

Upload a CRAMP, where applicable (select Docui	ment Type: ' <u>Site Closure</u> ' in the application forn	m <b>)</b> So.
		¢
CRAMP filename:	क्षेत्र, श्राप	
Control CDANAD	go isal fat	
Costed CRAMP	2 Pur reduit	
Indicate if the activity, through pre-application m	eeting with the Agency or other means, is requi	ired to have a CRAMP <sup>9</sup> submitted as part of the licence, or licenc
review application.	Fortilitativ	
CRAMP required to be submitted at application	n/licence review application stage? (Yes/No):	No
	Colliser	

The following categories of activities have an ELRA/CRAMP/FP requirement:

- 1. Landfills (excl. closed L.A. Landfills closed before 16<sup>th</sup> July 2009)
- 2. CAT A Extractive Waste Facilities
- 3. High Risk Contaminated Land Facilities
- 4. All Haz-Waste Transfer Stations
- 5. Non-Haz WTS (Accepting >50,000 tons/annum)
- 6. Incineration (incl. co-incineration of hazardous waste)
- 7. Upper & Lower Tier Seveso Sites
- 8. Exceptional circumstances associated with the site e.g. significant ground/groundwater contamination.

There is an explicit requirement in EU and Irish law for financial provision for certain activities. The applicant shall have regard to the Environmental Protection Agency's Guidance in determining CRAMP requirements and on Financial Provision (2015) in making financial provision to cover any liabilities.



Indicate your preferred form of financial provision instrument to meet CRAMP costings (where appropriate), e.g., Secured fund, On-demand performance Bond, Parent Company Guarantee, Charge on Property (have regard to the Environmental Protection Agency's Guidance on Financial Provision (2015) on the Agency's website):

State preferred form of financial provision ins	strument?	N/A
Upload a financial provision proposal (where re	equired) having re	egard to the Environmental Protection Agency's Guidance on Financial Provision (2015) in
making financial provision to cover any liabilitie	es (select Docume	ent Type: 'Financial Provision Proposal' in the application form)
		'Age,
		ttet
Financial Provision Proposal filename:		24. 24.
		25 Office to
		of the state of th

#### **Cessation of Activity**

Where a CRAMP <u>is not</u> required, describe the measures to be taken on and following the permanent cessation of the activity or part of the activity to avoid any risk of environmental pollution and to return the site of the activity to a satisfactory state. (Input your response in the text box below or attach the information in to this attachment).

If the enterprise had to cease operation, all feeding, animal production, poultry manure production and waste production would cease also. At such time there would be normal inputs still in stock (e.g. feed in bins and medicines, etc.) and there would be stock in houses, manure in houses and also some of the wastes (dead animals, medicine containers) in their respective containers. All of those materials would then be disposed of or distributed in the same way as was normal during the normal operation of the enterprise. Saleable stock would be sold to the usual outlet. All remaining feed and medicines would be returned/sold back to the respective suppliers. The buildings, once empty of stock would be washed clean and all manure/dirty wash water would be spread on farmland, there would be no special or adverse impact on the environment.

In the unlikely event of closure being the result of a Class A disease incident, any non-saleable stock would be humanely put down and consigned either for rendering (as currently done for the dead animal tissues) or for incineration. In such a situation, all of that would be under the control of the veterinary Division of the Department of Agriculture.

**Emergency Response Procedure** 



Mud

Flies

Vermin

Other

N Y

Υ

Do you have an emergency response procedure (ERP)? (Yes/No)

#### **Authorisation Application Form**

NO

Is the ERP comp		A guidance? (Yes/No) N/A	
•		tion to each potential nuisance. Identify if the activity may caplicable, identify the techniques used to prevent/minimise the r	• •
Type of Nuisance	Applicable to the activity? (Yes/No/ Not Applicable)	Techniques to prevent nuisances	Where nuisances cannot be prevented, techniques to be used to minimise and reduce nuisances
Odour	Y	Good Operational Practices, Appropriate Manure management, Maintain the site in a clean and tidy manner.	
Fire Control	N	ion the little	
Dust	Y	Good Operational Practices, Appropriate Manure management, Maintain the site in a clean and tidy manner.	
Litter	N	of cold?	
Birds	N	nsent.	

If 'Other' is selected define the other nuisance(s):	
ii Other is selected define the other hasance(s).	

**Note:** Odour must also be addressed in the fugitive emissions section of the '7.4 Emissions to Atmosphere – Main and Fugitive' template, where applicable.

Good Operational Practices, Appropriate Manure

Maintain the site in a clean and tidy manner.

management, Maintain the site in a clean and tidy manner.

Good Operational Practices, Appropriate Rodent Control,



Consent of copyright owner required for any other use.



# 9.3. Environmental Management System (EMS)

Do you have an environmental management system? (Yes/No)	No
If 'Yes', is the environmental management system accredited? (Yes/No)	N/A
State the date accreditation was achieved $\underline{\mathbf{or}}$ is expected to be achieved, where applicable:	e N/A
State the standard of accreditation achieved:	N/A
Energy Efficiency	c Hes.
Outline the measures taken to ensure that energy is used efficiently having regard to the relevant decision on BAT conclusions and/or BAT guidance and where appropriate, an energy audit with reference to the EPA Guidance document on Energy Audit should be carried out.	Site to be constructed to the highest standards and in line with BAT Requirements
Has an energy audit been carried out? (Yes/No)	N/A
Has an energy audit been carried out? (Yes/No)  Do you have an energy efficiency management system? (Yes/No)	N/A
If 'Yes', is the energy efficiency management system accredited? (Yes/No)	N/A
State the date accreditation was achieved <u>or</u> is expected to be achieved, where applicable:	N/A
State the standard of accreditation achieved:	N/A



#### 9.4. Hours of Operation

Provide details of the hours of operation for the installation (hours and days per week, etc.), including:

(a) Proposed hours of operation.

While production on the site is to be continuous, the presence of operative staff and deliveries / collections will normally be between 06.00 and 20.00 hours. Ventilation and feeding operations to operate continuously on site.

(b) Proposed hours of construction and development works and timeframes.

Mon - Fri 07:00 : 20:00 Sat 08:00:13:00

Sun -

(c) For waste activities, the proposed hours of waste acceptance.

N/A

(d) Any other relevant hours of operation expected (e.g., waste handling, etc.).



#### 9.5. Review of a Licence

Where the Office of Environmental Enforcement (OEE) has agreed any variations or adjustments to the conditions or schedules of the existing licence, the licensee must provide details of these agreed variations and adjustments to the existing licence conditions in the table that follows.

An updated, scaled drawing of the site layout (no larger than A3) providing visual information on such adjustments or variations where appropriate should be uploaded in the **site tab** – 'site plan(s)' upload.

In the case of once-off assessments/reports required under conditions/schedules of the existing licence the licensee must provide details of those assessments/reports that have been completed and agreed with the OEE or as otherwise agreed, in the table below.

Condition/ Schedule No.	Existing Condition	OEE Agreement	Description
		out of the children	
		citon Perio	
		insperon	
		FOLDALE	
		at of C	
		Olise	

<sup>\*</sup>add rows to the table as necessary