



Re: Technical Amendment Request

24 February 2020

Reg. No.: CR07794

Dear Ms. Williamson,

I would like to acknowledge your response of 14 December 2020 to the information requested in our letter of 13 November 2020.

In order to facilitate the change requested it is necessary to amend Condition 1.2 of the current licence to refer to the new proposed boundary. In this case, the boundary change will occur in both the horizontal and vertical planes. Drawing number P2048-0100-0002 provided with the technical amendment request already delineates the horizontal boundary. However, a drawing delineating the vertical limits of the new boundary is also required, as outlined in our letter of 13 November 2020, as follows:

- In order to progress the request, please provide a detailed up to date drawing of the vertical profile of the proposed licensed boundary clearly showing the vertical limits of the boundary in terms of depth below existing ground level. The drawing should include any relevant features such as the surface slab, landfill cap, the materials recovery facility and civic amenity area, the subsurface landfilled waste and any relevant infrastructure such as the surface and waste water drainage and landfill gas collection.

You are requested to provide the above information within **one month** of this notice. In the absence of this information, the Agency will not be in a position to facilitate your request.

Please direct any queries that you may have in relation to the above to the Inspector Jim Johnson at licensing@epa.ie.

Yours sincerely

Jim Johnson

Environmental Licensing Programme
Office of Environmental Sustainability