

# Appendix 4

## Groundwater and Surface Water Sampling Analysis Results

For inspection purposes only.  
Consent of copyright owner required for any other use.





Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
3rd Floor  
North Park Offices  
North Park Business Park  
North Road  
Dublin  
Dublin 11

**Attention:** Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date:** 09 October 2018  
**Customer:** D\_FTIM\_DUB  
**Sample Delivery Group (SDG):** 180927-86  
**Your Reference:** P1444  
**Location:** Cartron Big  
**Report No:** 475903

We received 9 samples on Thursday September 27, 2018 and 9 of these samples were scheduled for analysis which was completed on Tuesday October 09, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18414731	GW01		0.00 - 0.00	26/09/2018
18414743	GW02		0.00 - 0.00	26/09/2018
18414752	GW03		0.00 - 0.00	26/09/2018
18414765	LH01		0.00 - 0.00	26/09/2018
18414784	LH02		0.00 - 0.00	26/09/2018
18414804	SW1		0.00 - 0.00	26/09/2018
18414814	SW2		0.00 - 0.00	26/09/2018
18414821	SW3		0.00 - 0.00	26/09/2018
18414830	SW4		0.00 - 0.00	26/09/2018

### Maximum Sample/Coolbox Temperature (°C) :

**15.8**

#### ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*



## CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	180927-86	<b>Client Reference:</b>	P1444
<b>Location:</b>	Cartron Big	<b>Order Number:</b>	Z1162
		<b>Report Number:</b>	475903
		<b>Superseded Report:</b>	

Results Legend			Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
<b>X</b> Test  <b>N</b> No Determination Possible			18414731	GW01		0.00 - 0.00	H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212)	LE
Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other			18414743	GW02		0.00 - 0.00	NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244)	GW
Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other			18414752	GW03		0.00 - 0.00	1000ml glass bottle (ALE220) NaOH (ALE245)	GW
Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other			18414765	LH01		0.00 - 0.00	H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212)	LE

  

Parameter	All	NDPs: 0 Tests: [n]							
Alkalinity as CaCO3	All	NDPs: 0 Tests: 5	X		X		X		X
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 9		X		X		X	X
Anions by Kone (w)	All	NDPs: 0 Tests: 9	X		X		X		X
BOD True Filtered	All	NDPs: 0 Tests: 6							X
COD Unfiltered	All	NDPs: 0 Tests: 2							X
Coliforms (W)	All	NDPs: 0 Tests: 3	X		X		X		
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 9	X		X		X		X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 5			X		X		X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 9		X		X		X	
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 9	X		X		X		X
Fluoride	All	NDPs: 0 Tests: 5	X		X		X		X
Mercury Dissolved	All	NDPs: 0 Tests: 5		X		X		X	
Mineral Oil C10-40 Aqueous (W)	All	NDPs: 0 Tests: 2							X
Nitrite by Kone (w)	All	NDPs: 0 Tests: 2							X
Organotins in Aqueous Samples	All	NDPs: 0 Tests: 2							X

 For inspection purposes only.  
 Consent of copyright owner required for any other use.

18414821	SW3	0.00 - 0.00	H2SO4 (ALE244)																				
			SW	SW	SW	SW	SW	SW	SW	SW	SW	SW											
18414814	SW2	0.00 - 0.00	500ml Plastic (ALE208)																				
			250ml BOD (ALE212)																				
			HNO3 Filtered (ALE204)																				
			H2SO4 (ALE244)																				
			500ml Plastic (ALE208)																				
			250ml BOD (ALE212)																				
			HNO3 Filtered (ALE204)																				
			H2SO4 (ALE244)																				
			500ml Plastic (ALE208)																				
			250ml BOD (ALE212)																				
18414804	SW1	0.00 - 0.00	HNO3 Filtered (ALE204)																				
			H2SO4 (ALE244)																				
			500ml Plastic (ALE208)																				
			250ml BOD (ALE212)																				
			Vial (ALE297)																				
			NaOH (ALE245)																				
			HNO3 Filtered (ALE204)																				
			H2SO4 (ALE244)																				
			500ml Plastic (ALE208)																				
			250ml BOD (ALE212)																				
18414784	LH02	0.00 - 0.00	Vial (ALE297)																				
			NaOH (ALE245)																				
			HNO3 Filtered (ALE204)																				
			H2SO4 (ALE244)																				
			500ml Plastic (ALE208)																				
			250ml BOD (ALE212)																				
			1000ml glass bottle (ALE220)																				
			Vial (ALE297)																				
			NaOH (ALE245)																				
			HNO3 Filtered (ALE204)																				
18414765	LH01	0.00 - 0.00	HNO3 Filtered (ALE204)																				
			NaOH (ALE245)																				
			Vial (ALE297)																				
			1000ml glass bottle (ALE220)																				
			250ml BOD (ALE212)																				
			500ml Plastic (ALE208)																				
			250ml BOD (ALE212)																				
			Vial (ALE297)																				
			NaOH (ALE245)																				
			HNO3 Filtered (ALE204)																				

Consent of copyright owner required for any other use.  
For inspection purposes only.



18414821	SW3	0.00 - 0.00	H2SO4 (ALE244)	SW																	
			500ml Plastic (ALE208)	SW																	
			250ml BOD (ALE212)	SW																	
			HNO3 Filtered (ALE204)	SW																	
			H2SO4 (ALE244)	SW																	
			500ml Plastic (ALE208)	SW																	
			250ml BOD (ALE212)	SW																	
			HNO3 Filtered (ALE204)	SW																	
			H2SO4 (ALE244)	SW																	
18414804	SW1	0.00 - 0.00	500ml Plastic (ALE208)	SW																	
			250ml BOD (ALE212)	SW																	
			Vial (ALE297)	LE																	
			NaOH (ALE245)	LE																	
			HNO3 Filtered (ALE204)	LE																	
			H2SO4 (ALE244)	LE																	
			500ml Plastic (ALE208)	LE																	
			250ml BOD (ALE212)	LE																	
			1000ml glass bottle (ALE220)	LE																	
18414784	LH02	0.00 - 0.00	Vial (ALE297)	LE																	
			NaOH (ALE245)	LE																	
			HNO3 Filtered (ALE204)	LE																	
			H2SO4 (ALE244)	LE																	
			500ml Plastic (ALE208)	LE																	
			250ml BOD (ALE212)	LE																	
			1000ml glass bottle (ALE220)	LE																	
			Vial (ALE297)	LE																	
			NaOH (ALE245)	LE																	
18414765	LH01	0.00 - 0.00	HNO3 Filtered (ALE204)	LE																	
			NaOH (ALE245)	LE																	
			1000ml glass bottle (ALE220)	LE																	
			Vial (ALE297)	LE																	
			NaOH (ALE245)	LE																	
			HNO3 Filtered (ALE204)	LE																	
			500ml Plastic (ALE208)	LE																	
			250ml BOD (ALE212)	LE																	
			1000ml glass bottle (ALE220)	LE																	

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

**Results Legend**

- X Test
- N No Determination Possible

**Sample Types -**

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

<b>Lab Sample No(s)</b>	18414821					18414830
<b>Customer Sample Reference</b>	SW3					SW4
<b>AGS Reference</b>						
<b>Depth (m)</b>	0.00 - 0.00					0.00 - 0.00
<b>Container</b>	HNO3 Filtered (ALE204)	250ml BOD (ALE212)	500ml Plastic (ALE208)	H2SO4 (ALE244)	HNO3 Filtered (ALE204)	
<b>Sample Type</b>	SW	SW	SW	SW		SW

Parameter	All	NDPs: 0 Tests: 9				
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 9			X	
Anions by Kone (w)	All	NDPs: 0 Tests: 9		X		
BOD True Filtered	All	NDPs: 0 Tests: 6	X			
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 9		X		
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 9	X			X
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 9		X		
pH Value	All	NDPs: 0 Tests: 9		X		

For inspection purposes only. Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	SW1
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Land Leachate (LE)	Surface Water (SW)
aq	Aqueous / settled sample.		26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
**	Subcontracted test.							
	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018
(F)	Trigger breach confirmed		180927-86	180927-86	180927-86	180927-86	180927-86	180927-86
1-5&*\$@	Sample deviation (see appendix)		18414731	18414743	18414752	18414765	18414784	18414804
Component	LOD/Units		Method					
Coliforms, Total*	CFU/100ml	SUB	921	1610	2180			
Alkalinity, Total as CaCO3	<2 mg/l	TM043	415	473	942	1680	9500	
BOD, filtered	<1 mg/l	TM045				3.5	>1310	<1
Oxygen, dissolved	<0.3 mg/l	TM046	9.02	8.69	7.5	4.35	0.35	12.6
Organic Carbon, Total	<3 mg/l	TM090	<3	3.98	18.9	55.9	6400	
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	0.401	0.423	29.3	223	3080	<0.2
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5	<0.5	<0.5	<2.5	
COD, unfiltered	<7 mg/l	TM107				178	19800	
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.74	0.711	0.902	4.38	47.6	0.6
Antimony (diss.filt)	<1 µg/l	TM152				<1	<6	
Arsenic (diss.filt)	<0.5 µg/l	TM152	2.86	1.98	3.15	4.3	33	
Barium (diss.filt)	<0.2 µg/l	TM152				651	675	
Beryllium (diss.filt)	<0.1 µg/l	TM152				<0.1	<0.6	
Boron (diss.filt)	<10 µg/l	TM152	83.7	2.5	214	644	164	
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	0.0828	<0.08	<0.48	
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1	<1	2.1	150	
Cobalt (diss.filt)	<0.5 µg/l	TM152				8.82	26.2	
Copper (diss.filt)	<0.3 µg/l	TM152	0.858	<0.3	7.67	1.16	<1.8	
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2	<0.2	<0.2	0.377	1.46	
Manganese (diss.filt)	<3 µg/l	TM152	60.2	398	157	958	2300	
Molybdenum (diss.filt)	<3 µg/l	TM152				<3	<18	
Nickel (diss.filt)	<0.4 µg/l	TM152	16.8	3.31	36.5	29.8	132	
Phosphorus (diss.filt)	<10 µg/l	TM152	10.3	10.3	31.6	484	12400	
Selenium (diss.filt)	<1 µg/l	TM152				<1	<6	
Tellurium (diss.filt)	<2 µg/l	TM152				<2	<12	
Thallium (diss.filt)	<2 µg/l	TM152				<2	<12	
Titanium (diss.filt)	<1 µg/l	TM152				17.9	222	
Uranium (diss.filt)	<0.5 µg/l	TM152				0.93	7.96	
Vanadium (diss.filt)	<1 µg/l	TM152				<1	15.9	
Zinc (diss.filt)	<1 µg/l	TM152	4.65	3.18	19.9	8.41	46.4	
Tin (Diss.Filt)	<1 µg/l	TM152				1.35	38.9	
Silver (diss.filt)	<0.5 µg/l	TM152				<0.5	<3	
Sodium (Dis.Filt)	<0.076 mg/l	TM152	18.8	11.2	166	329	6690	15.3



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	SW1
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method	Depth (m)	Sample Type	Ground Type	Land Leachate (LE)	Land Leachate (LE)	Surface Water (SW)
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Land Leachate (LE)	Surface Water (SW)
			26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018
			27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018
			180927-86	180927-86	180927-86	180927-86	180927-86	180927-86
			18414731	18414743	18414752	18414765	18414784	18414804
			AGS Reference					
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	30.6	10.5	57.8	58.9	95.5	
			#	#	#	#	#	
Potassium (Dis.Filt)	<0.2 mg/l	TM152	6.05	1.65	33.1	82.4	197	3.17
			#	#	#	#	#	#
Calcium (Dis.Filt)	<0.2 mg/l	TM152	114	160	174	188	303	
			#	#	#	#	#	
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0277	<0.019	<0.019	34.7	23.4	
			#	#	#	#	#	
Mineral oil >C10 C40 (aq)	<100 µg/l	TM172				1310	721	
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01	<0.01	<0.01	<0.01	<0.01	
			#	#	#	#	#	
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184				<0.05	30.7	
Sulphate	<2 mg/l	TM184	32	26.9	124	25.5	130	32.3
			#	#	#	#	#	#
Chloride	<2 mg/l	TM184	15.1	24	66.3	613	14500	27.3
			#	#	#	#	#	#
Nitrite as N	<0.0152 mg/l	TM184				<0.0152	<0.0152	
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	0.556	<0.1	0.114	<0.1	0.125	
			#	#	#	#	#	
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05	
			#	#	#	#	#	
Cyanide, Free	<0.05 mg/l	TM227				<0.05	<0.05	
			#	#	#	#	#	
pH	<1 pH Units	TM256	7.6	7.27	7.37	7.14	7.52	8.08
			#	#	#	#	#	#
Silicon (diss.filt)	<0.05 mg/l	TM284				13.2	3.73	
Dibutyl tin	<5 ng/l	TM328				<5	<5	
Tributyl tin	<1 ng/l	TM328				<1	<1	
Tetrabutyl tin	<2 ng/l	TM328				<2	<2	
Triphenyl tin	<1 ng/l	TM328				<1	<1	
Surrogate	%	TM328				80.2	61.3	
Trifluralin	<0.01 µg/l	TM343				<0.02	<0.02	
alpha-HCH	<0.01 µg/l	TM343				<0.02	<0.02	
gamma-HCH (Lindane)	<0.01 µg/l	TM343				<0.02	<0.02	
Heptachlor	<0.01 µg/l	TM343				<0.03	<0.03	
Aldrin	<0.01 µg/l	TM343				<0.03	<0.03	
beta-HCH	<0.01 µg/l	TM343				<0.01	<0.01	
Isodrin	<0.01 µg/l	TM343				<0.02	<0.02	
Heptachlor epoxide	<0.01 µg/l	TM343				<0.02	<0.02	
o,p'-DDE	<0.01 µg/l	TM343				<0.02	<0.02	
Endosulphan I	<0.01 µg/l	TM343				<0.02	<0.02	
trans-Chlordane	<0.01 µg/l	TM343				<0.02	<0.02	
cis-Chlordane	<0.01 µg/l	TM343				<0.02	<0.02	

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	SW1
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
		<b>Depth (m)</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
		<b>Sample Type</b>	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Land Leachate (LE)	Surface Water (SW)
		<b>Date Sampled</b>	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018
		<b>Sample Time</b>	-	-	-	-	-	-
		<b>Date Received</b>	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018
		<b>SDG Ref</b>	180927-86	180927-86	180927-86	180927-86	180927-86	180927-86
		<b>Lab Sample No.(s)</b>	18414731	18414743	18414752	18414765	18414784	18414804
		<b>AGS Reference</b>						
Component	LOD/Units	Method						
p,p'-DDE	<0.01 µg/l	TM343				<0.02	<0.02	
Dieldrin	<0.01 µg/l	TM343				<0.02	<0.02	
o,p'-DDD (TDE)	<0.01 µg/l	TM343				<0.02	<0.02	
Endrin	<0.01 µg/l	TM343				<0.02	<0.02	
o,p'-DDT	<0.01 µg/l	TM343				<0.04	<0.04	
p,p'-DDD (TDE)	<0.01 µg/l	TM343				<0.02	<0.02	
Endosulphan II	<0.02 µg/l	TM343				<0.04	<0.04	
p,p'-DDT	<0.01 µg/l	TM343				<0.04	<0.04	
p,p'-Methoxychlor	<0.01 µg/l	TM343				<0.04	<0.04	
Endosulphan Sulphate	<0.02 µg/l	TM343				<0.02	<0.02	
Permethrin I	<0.01 µg/l	TM343				<0.01	<0.01	
Permethrin II	<0.01 µg/l	TM343				<0.01	<0.01	
Dichlorvos	<0.01 µg/l	TM344				<0.01	<0.01	
Mevinphos	<0.01 µg/l	TM344				<0.01	<0.01	
Tecnazene	<0.01 µg/l	TM344				<0.01	<0.01	
Hexachlorobenzene	<0.01 µg/l	TM344				<0.01	<0.01	
Diazinon	<0.01 µg/l	TM344				<0.01	<0.01	
Triallate	<0.01 µg/l	TM344				<0.01	<0.01	
Atrazine	<0.01 µg/l	TM344				<0.01	<0.01	
Simazine	<0.01 µg/l	TM344				<0.01	<0.01	
Disulfoton	<0.01 µg/l	TM344				<0.01	<0.01	
Propetamphos	<0.01 µg/l	TM344				<0.01	<0.01	
Chlorpyrifos-methyl	<0.01 µg/l	TM344				<0.01	<0.01	
Dimethoate	<0.01 µg/l	TM344				<0.01	<0.01	
Pirimiphos-methyl	<0.01 µg/l	TM344				<0.01	<0.01	
Chlorpyrifos	<0.01 µg/l	TM344				<0.01	<0.01	
Methyl Parathion	<0.01 µg/l	TM344				<0.01	<0.01	
Malathion	<0.01 µg/l	TM344				<0.01	<0.01	
Fenthion	<0.01 µg/l	TM344				<0.01	<0.01	
Fenitrothion	<0.01 µg/l	TM344				<0.01	<0.01	
Triadimefon	<0.01 µg/l	TM344				<0.01	<0.01	
Pendimethalin	<0.01 µg/l	TM344				<0.01	<0.01	

Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86
Location: Cartron Big

Client Reference: P1444
Order Number: Z1162

Report Number: 475903
Superseded Report:

Table with columns: Results Legend, Customer Sample Ref., GW01, GW02, GW03, LH01, LH02, SW1. Rows include components like Parathion, Chlorfenvinphos, Ethion, Carbophenothion, Triazophos, Phosalone, Azinphos methyl, Azinphos ethyl, Quintozene (PCNB), Telodrin, Chlorothalonil, Etrimphos.

For inspection purposes only.
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated
-----------

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

Results Legend		Customer Sample Ref.		SW2	SW3	SW4			
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted test. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-5&*\$@ Sample deviation (see appendix)		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00 Surface Water (SW) 26/09/2018	0.00 - 0.00 Surface Water (SW) 26/09/2018	0.00 - 0.00 Surface Water (SW) 26/09/2018			
Component	LOD/Units	Method							
BOD, filtered	<1 mg/l	TM045	<1	<1	<1				
Oxygen, dissolved	<0.3 mg/l	TM046	12.1	11.9	9.69				
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	<0.2	<0.2	0.842				
			#	#	#				
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.613	0.605	0.615				
			#	#	#				
Sodium (Dis.Filt)	<0.076 mg/l	TM152	16	20	19.4				
			#	#	#				
Potassium (Dis.Filt)	<0.2 mg/l	TM152	3.14	3.16	3.43				
			#	#	#				
Sulphate	<2 mg/l	TM184	31.9	32	32.1				
			#	#	#				
Chloride	<2 mg/l	TM184	27.4	27.4	29.7				
			#	#	#				
pH	<1 pH Units	TM256	8.17	8.24	8.05				
			#	#	#				

For inspection purposes only  
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<800			
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<800			
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<1	<800			
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<1	<800			
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<800			
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<800			
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<1	<800			
2-Chlorophenol (aq)	<1 µg/l	TM176	<1	<800			
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<1	<800			
2-Methylphenol (aq)	<1 µg/l	TM176	<1	<800			
2-Nitroaniline (aq)	<1 µg/l	TM176	<1	<800			
2-Nitrophenol (aq)	<1 µg/l	TM176	<1	<800			
3-Nitroaniline (aq)	<1 µg/l	TM176	<1	<800			
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<1	<800			
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<1	<800			
4-Chloroaniline (aq)	<1 µg/l	TM176	<1	<800			
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<1	<800			
4-Methylphenol (aq)	<1 µg/l	TM176	<1	11400			
4-Nitroaniline (aq)	<1 µg/l	TM176	<1	<800			
4-Nitrophenol (aq)	<1 µg/l	TM176	<1	<800			
Azobenzene (aq)	<1 µg/l	TM176	<1	<800			
Acenaphthylene (aq)	<1 µg/l	TM176	<1	<800			
Acenaphthene (aq)	<1 µg/l	TM176	<1	<800			
Anthracene (aq)	<1 µg/l	TM176	<1	<800			
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<1	<800			
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<1	<800			
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	13.9	<1600			
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<1	<800			
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<1	<800			

For inspection purposes only  
 Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	<1	<800			
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<1	<800			
Benzo(a)pyrene (aq)	<1 µg/l	TM176	<1	<800			
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	<1	<800			
Carbazole (aq)	<1 µg/l	TM176	<1	<800			
Chrysene (aq)	<1 µg/l	TM176	<1	<800			
Dibenzofuran (aq)	<1 µg/l	TM176	<1	<800			
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<1	<800			
Diethyl phthalate (aq)	<1 µg/l	TM176	<1	<800			
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	<1	<800			
Dimethyl phthalate (aq)	<1 µg/l	TM176	<1	<800			
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	<5	<4000			
Fluoranthene (aq)	<1 µg/l	TM176	<1	<800			
Fluorene (aq)	<1 µg/l	TM176	<1	<800			
Hexachlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
Hexachlorobutadiene (aq)	<1 µg/l	TM176	<1	<800			
Pentachlorophenol (aq)	<1 µg/l	TM176	<1	<800			
Phenol (aq)	<1 µg/l	TM176	<1	11200			
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	<1	<800			
Hexachloroethane (aq)	<1 µg/l	TM176	<1	<800			
Nitrobenzene (aq)	<1 µg/l	TM176	<1	<800			
Naphthalene (aq)	<1 µg/l	TM176	<1	<800			
Isophorone (aq)	<1 µg/l	TM176	<1	<800			
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	<1	<800			
Phenanthrene (aq)	<1 µg/l	TM176	<1	<800			
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	<1	<800			
Pyrene (aq)	<1 µg/l	TM176	<1	<800			

For inspection purposes only.  
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

## VOC MS (W)

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00			
M	mCERTS accredited.		Land Leachate (LE)	Land Leachate (LE)			
aq	Aqueous / settled sample.		26/09/2018	26/09/2018			
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
Dibromofluoromethane**	%	TM208	101	94.7			
Toluene-d8**	%	TM208	99.5	100			
4-Bromofluorobenzene**	%	TM208	96	91.4			
Dichlorodifluoromethane	<1 µg/l	TM208	13.2	18.2	#	#	
Chloromethane	<1 µg/l	TM208	<1	<1	#	#	
Vinyl chloride	<1 µg/l	TM208	<1	<1	#	#	
Bromomethane	<1 µg/l	TM208	<1	<1	#	#	
Chloroethane	<1 µg/l	TM208	2.11	<1	#	#	
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1	#	#	
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1	#	#	
Carbon disulphide	<1 µg/l	TM208	<1	<1	#	#	
Dichloromethane	<3 µg/l	TM208	<3	<3	#	#	
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1	#	#	
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	#	#	
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1	#	#	
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	7.07	#	#	
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#	
Bromochloromethane	<1 µg/l	TM208	<1	<1	#	#	
Chloroform	<1 µg/l	TM208	<1	<1	#	#	
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	<1	#	#	
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#	
Carbontetrachloride	<1 µg/l	TM208	<1	<1	#	#	
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1	#	#	
Benzene	<1 µg/l	TM208	2.5	4.3	#	#	
Trichloroethene	<1 µg/l	TM208	<1	2.04	#	#	
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#	
Dibromomethane	<1 µg/l	TM208	<1	<1	#	#	
Bromodichloromethane	<1 µg/l	TM208	<1	<1	#	#	
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#	
Toluene	<1 µg/l	TM208	<1	23.1	#	#	
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#	
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	<1	#	#	
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#	

Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

## VOC MS (W)

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Tetrachloroethene	<1 µg/l	TM208	<1	4.98			
			#	#			
Dibromochloromethane	<1 µg/l	TM208	<1	<1			
			#	#			
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1			
			#	#			
Chlorobenzene	<1 µg/l	TM208	1.92	1.4			
			#	#			
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1			
			#	#			
Ethylbenzene	<1 µg/l	TM208	2.28	3.67			
			1 #	1 #			
m,p-Xylene	<1 µg/l	TM208	8.52	8.58			
			#	#			
o-Xylene	<1 µg/l	TM208	2.81	3.1			
			#	#			
Styrene	<1 µg/l	TM208	<1	<1			
			#	#			
Bromoform	<1 µg/l	TM208	<1	<1			
			#	#			
Isopropylbenzene	<1 µg/l	TM208	2.62	<1			
			#	#			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1			
			#	#			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1			
			#	#			
Bromobenzene	<1 µg/l	TM208	<1	<1			
			#	#			
Propylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
2-Chlorotoluene	<1 µg/l	TM208	<1	<1			
			#	#			
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
4-Chlorotoluene	<1 µg/l	TM208	<1	<1			
			#	#			
tert-Butylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	1.77			
			#	#			
sec-Butylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
4-iso-Propyltoluene	<1 µg/l	TM208	<1	4.48			
			#	#			
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1			
			#	#			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1			
			#	#			
n-Butylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	1.57			
			#	#			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1			
			#	#			
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1			
			#	#			
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1			
			#	#			
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1			
			#	#			
Naphthalene	<1 µg/l	TM208	<1	3.58			
			#	1 #			
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1			
			#	#			

Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86
Location: Cartron Big

Client Reference: P1444
Order Number: Z1162

Report Number: 475903
Superseded Report:

VOC MS (W)

Table with columns: Results Legend, Customer Sample Ref., LH01, LH02, Component, LOD/Units, Method. Includes data for 1,3,5-Trichlorobenzene and a large red watermark: 'For inspection purposes only. Consent of copyright owner required for any other use.'



# CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM284		
TM328		
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

## Test Completion Dates

Lab Sample No(s)	18414731	18414743	18414752	18414765	18414784	18414804	18414814	18414821	18414830
Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	SW1	SW2	SW3	SW4
AGS Ref.									
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water	Land Leachate	Land Leachate	Surface Water	Surface Water	Surface Water	Surface Water
Alkalinity as CaCO3	04-Oct-2018	05-Oct-2018	05-Oct-2018	04-Oct-2018	05-Oct-2018				
Ammoniacal Nitrogen	04-Oct-2018	04-Oct-2018	04-Oct-2018	04-Oct-2018	04-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018
Anions by Kone (w)	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018
BOD True Filtered				03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018
COD Unfiltered				04-Oct-2018	04-Oct-2018				
Coliforms (W)	05-Oct-2018	05-Oct-2018	05-Oct-2018						
Conductivity (at 20 deg.C)	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018
Cyanide Comp/Free/Total/Thiocyanate	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018				
Dissolved Metals by ICP-MS	05-Oct-2018	04-Oct-2018	04-Oct-2018	05-Oct-2018	09-Oct-2018	08-Oct-2018	08-Oct-2018	08-Oct-2018	08-Oct-2018
Dissolved Oxygen by Probe	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018
Fluoride	04-Oct-2018	04-Oct-2018	04-Oct-2018	04-Oct-2018	04-Oct-2018				
Mercury Dissolved	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018				
Mineral Oil C10-40 Aqueous (W)				02-Oct-2018	02-Oct-2018				
Nitrite by Kone (w)				05-Oct-2018	05-Oct-2018				
Organotins in Aqueous Samples				04-Oct-2018	04-Oct-2018				
Pesticides (Suite I) by GCMS				04-Oct-2018	04-Oct-2018				
Pesticides (Suite II) by GCMS				05-Oct-2018	05-Oct-2018				
Pesticides (Suite III) by GCMS				03-Oct-2018	03-Oct-2018				
pH Value	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018
Phosphate by Kone (w)				05-Oct-2018	05-Oct-2018				
Silicon Dissolved by ICP-OES				04-Oct-2018	04-Oct-2018				
SVOC MS (W) - Aqueous				03-Oct-2018	05-Oct-2018				
Total Organic and Inorganic Carbon	01-Oct-2018	01-Oct-2018	02-Oct-2018	01-Oct-2018	02-Oct-2018				
VOC MS (W)				05-Oct-2018	05-Oct-2018				

For inspection purposes only.  
 Consent of copyright owner required for any other use.

**Customer**

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Certificate Of Analysis**

**Job Number:** 18-47798  
**Issue Number:** 2  
**Report Date:** 5 October 2018

Reason for re-issuing report: Edited invoice to split job. SR

**Site:** 180927-86  
**PO Number:** Not Supplied  
**Date Samples Received:** 27/09/2018

For inspection purposes only.  
Consent of copyright owner required for any other use.

Please find attached the results for the samples received at our laboratory on 27/09/2018.

Should you have any queries regarding the report or require any further services, we would be happy to discuss your requirements. For additional information about the company please log-on to our website at the above address.

Thank you for choosing City Analysts Limited. We look forward to assisting you again.

**Authorised By:**



Shane Reynolds  
Laboratory Manager

**Authorised Date:** 2 October 2018

**Notes:**

Results relate only to the items tested.  
Information on methods of analysis and performance characteristics is available on request.  
Any opinions or interpretations indicated are outside the scope of our INAB accreditation.  
This test report shall not be reproduced except in full or with written approval of City Analysts Limited.

## Certificate Of Analysis

### Customer

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47798

**Report Version:** 2

**Site:** 180927-86

**Sample Description:** Cartron GW1

**Date of Sampling:** 27/09/2018

**Sample Type:** Ground

**Date Sample Received:** 27/09/2018

**Lab Reference Number:** 412662

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/09/2018	Coliforms	920.8	MPN/100ml	-

For inspection purposes only.  
Consent of copyright owner required for any other use.

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

## Certificate Of Analysis

### Customer

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47798

**Report Version:** 2

**Site:** 180927-86

**Sample Description:** Cartron GW2

**Date of Sampling:** 27/09/2018

**Sample Type:** Ground

**Date Sample Received:** 27/09/2018

**Lab Reference Number:** 412663

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/09/2018	Coliforms	1610.0	MPN/100ml	-

For inspection purposes only.  
Consent of copyright owner required for any other use.

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

## Certificate Of Analysis

### Customer

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47798

**Report Version:** 2

**Site:** 180927-86

**Sample Description:** Cartron GW3

**Date of Sampling:** 27/09/2018

**Sample Type:** Ground

**Date Sample Received:** 27/09/2018

**Lab Reference Number:** 412664

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/09/2018	Coliforms	2180.0	MPN/100ml	-

For inspection purposes only.  
Consent of copyright owner required for any other use.

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon





# CERTIFICATE OF ANALYSIS

<b>SDG:</b> 180927-86	<b>Client Reference:</b> P1444	<b>Report Number:</b> 475903
<b>Location:</b> Cartron Big	<b>Order Number:</b> Z1162	<b>Superseded Report:</b>

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

## Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
Deviation from method	
	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

## Asbestos

### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Astestost Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Coisidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**

For inspection purposes only.  
Consent of copyright owner required for any other use.



Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
3rd Floor  
North Park Offices  
North Park Business Park  
North Road  
Dublin  
Dublin 11

**Attention:** Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date:** 17 October 2018  
**Customer:** D\_FTIM\_DUB  
**Sample Delivery Group (SDG):** 181009-33  
**Your Reference:** P1444  
**Location:** Cartron Big  
**Report No:** 477260

We received 5 samples on Tuesday October 09, 2018 and 5 of these samples were scheduled for analysis which was completed on Wednesday October 17, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

SDG: 181009-33  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 477260  
Superseded Report:

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18487365	GW01		0.00 - 0.00	08/10/2018
18487373	GW02		0.00 - 0.00	08/10/2018
18487380	GW03		0.00 - 0.00	08/10/2018
18487390	LH01		0.00 - 0.00	08/10/2018
18487400	LH02		0.00 - 0.00	08/10/2018

### Maximum Sample/Coolbox Temperature (°C) :

**10**

#### ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*



### CERTIFICATE OF ANALYSIS

Validated

SDG: 181009-33  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 477260  
Superseded Report:

Results Legend	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
	18487365	GW01		0.00 - 0.00	H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) NaOH (ALE245)	GW
<b>X</b> Test <b>N</b> No Determination Possible						
Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other						
Alkalinity as CaCO3	All	NDPs: 0 Tests: 5				
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 5				
Anions by Kone (w)	All	NDPs: 0 Tests: 5				
BOD True Total	All	NDPs: 0 Tests: 2				
COD Unfiltered	All	NDPs: 0 Tests: 2				
Coliforms (W)	All	NDPs: 0 Tests: 3				
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 5				
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 5				
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 5				
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 5				
Fluoride	All	NDPs: 0 Tests: 5				
Mercury Dissolved	All	NDPs: 0 Tests: 5				
Mineral Oil C10-40 Aqueous (W)	All	NDPs: 0 Tests: 2				
Nitrite by Kone (w)	All	NDPs: 0 Tests: 2				
Organotins in Aqueous Samples	All	NDPs: 0 Tests: 2				

For inspection purposes only. Consent of copyright owner required for any other use.

For inspection purposes only.  
Consent of copyright owner required for any other use.

18487400		LH02		0.00 - 0.00		Vial (ALE297)	LE													
18487390		LH01		0.00 - 0.00		NaOH (ALE245)	LE													
						HNO3 Filtered (ALE204)	LE													
						H2SO4 (ALE244)	LE													
						500ml Plastic (ALE208)	LE													
						250ml BOD (ALE212)	LE													
						0.5l glass bottle (ALE227)	LE													
						Vial (ALE297)	LE													
						NaOH (ALE245)	LE													
						HNO3 Filtered (ALE204)	LE													



## CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 181009-33	<b>Client Reference:</b> P1444	<b>Report Number:</b> 477260
<b>Location:</b> Cartron Big	<b>Order Number:</b> Z1162	<b>Superseded Report:</b>

<b>Results Legend</b> <div style="margin-top: 5px;"> <div style="border: 1px solid black; display: inline-block; padding: 2px; margin-right: 5px; background-color: yellow;">X</div> Test  <div style="border: 1px solid black; display: inline-block; padding: 2px; margin-right: 5px; background-color: red; color: white;">N</div> No Determination Possible         </div> Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type	
		18487365	GW01		0.00 - 0.00	H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212)	GW
		18487373	GW02		0.00 - 0.00	NaOH (ALE245) NaOH (ALE212)	GW
		18487380	GW03		0.00 - 0.00	NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244)	GW
		18487390	LH01		0.00 - 0.00	H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	LE
						HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212)	GW
Pesticides (Suite I) by GCMS	All	NDPs: 0 Tests: 2				X	
Pesticides (Suite II) by GCMS	All	NDPs: 0 Tests: 2				X	
Pesticides (Suite III) by GCMS	All	NDPs: 0 Tests: 2				X	
pH Value	All	NDPs: 0 Tests: 5			X	X	
Phosphate by Kone (w)	All	NDPs: 0 Tests: 2				X	
Silicon Dissolved by ICP-OES	All	NDPs: 0 Tests: 2					
SVOC MS (W) - Aqueous	All	NDPs: 0 Tests: 2				X	
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 5			X	X	
VOC MS (W)	All	NDPs: 0 Tests: 2			X	X	

For inspection purposes only.  
 Consent of copyright owner required for any other use.







# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181009-33  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 477260  
**Superseded Report:**

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Coliforms, Total*	CFU/100ml	SUB	19700	7680	1990			
Alkalinity, Total as CaCO3	<2 mg/l	TM043	410	630	895	1520	15200	
BOD, unfiltered	<1 mg/l	TM045				7.89	>4990	
Oxygen, dissolved	<0.3 mg/l	TM046	6.93	7.76	6.02	6.07	1.05	
Organic Carbon, Total	<3 mg/l	TM090	<3	4.46	22.2	44.1	9960	
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	<0.2	<0.2	43.5	203	5170	
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5	<0.5	<0.5	4.2	
COD, unfiltered	<7 mg/l	TM107				181	32300	
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.781	0.695	1.69	3.7	72.4	
Antimony (diss.filt)	<1 µg/l	TM152				<1	<6	
Arsenic (diss.filt)	<0.5 µg/l	TM152	4.57	1.52	7.9	4.96	<3	
Barium (diss.filt)	<0.2 µg/l	TM152				681	4.23	
Beryllium (diss.filt)	<0.1 µg/l	TM152				<0.1	<0.6	
Boron (diss.filt)	<10 µg/l	TM152	58.2	68	204	750	<60	
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	<0.08	0.175	<0.48	
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1	1.7	4.72	<6	
Cobalt (diss.filt)	<0.5 µg/l	TM152				9.48	<3	
Copper (diss.filt)	<0.3 µg/l	TM152	2.69	<0.3	5.96	4.44	<1.8	
Lead (diss.filt)	<0.2 µg/l	TM152	4.21	<0.2	1.36	19.6	<1.2	
Manganese (diss.filt)	<3 µg/l	TM152	122	404	989	1400	<18	
Molybdenum (diss.filt)	<3 µg/l	TM152				<3	<18	
Nickel (diss.filt)	<0.4 µg/l	TM152	11.3	2.9	34.3	25.7	<2.4	
Phosphorus (diss.filt)	<10 µg/l	TM152	72.5	<10	31.1	808	<60	
Selenium (diss.filt)	<1 µg/l	TM152				<1	<6	
Tellurium (diss.filt)	<2 µg/l	TM152				<2	<12	
Thallium (diss.filt)	<2 µg/l	TM152				<2	<12	
Titanium (diss.filt)	<1 µg/l	TM152				51.9	43.9	
Uranium (diss.filt)	<0.5 µg/l	TM152				0.939	<3	
Vanadium (diss.filt)	<1 µg/l	TM152				2.28	<6	
Zinc (diss.filt)	<1 µg/l	TM152	23.7	2.67	30.4	98.2	<6	
Tin (Diss.Filt)	<1 µg/l	TM152				3.98	<6	
Silver (diss.filt)	<0.5 µg/l	TM152				<0.5	<3	
Sodium (Dis.Filt)	<0.076 mg/l	TM152	13.9	8.24	39.4	256	76.4	



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 181009-33	<b>Client Reference:</b> P1444	<b>Report Number:</b> 477260
<b>Location:</b> Cartron Big	<b>Order Number:</b> Z1162	<b>Superseded Report:</b>

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method	Depth (m)	Sample Type	Sample Type	Sample Type	Sample Type	Sample Type
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Potassium (Dis.Filt)	<0.2 mg/l	TM152	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Calcium (Dis.Filt)	<0.2 mg/l	TM152	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Mineral oil >C10 C40 (aq)	<100 µg/l	TM172	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Mercury (diss.filt)	<0.01 µg/l	TM183	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Chloride	<2 mg/l	TM184	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Nitrite as N	<0.0152 mg/l	TM184	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Sulphate (soluble) as S	<1 mg/l	TM184	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Cyanide, Total	<0.05 mg/l	TM227	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Cyanide, Free	<0.05 mg/l	TM227	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
pH	<1 pH Units	TM256	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Silicon (diss.filt)	<0.05 mg/l	TM284	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Dibutyl tin	<5 ng/l	TM328	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Tributyl tin	<1 ng/l	TM328	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Tetrabutyl tin	<2 ng/l	TM328	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Triphenyl tin	<1 ng/l	TM328	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Surrogate	%	TM328	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Trifluralin	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
alpha-HCH	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
gamma-HCH (Lindane)	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Heptachlor	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Aldrin	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
beta-HCH	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Isodrin	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Heptachlor epoxide	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
o,p'-DDE	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
Endosulphan I	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
trans-Chlordane	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)
cis-Chlordane	<0.01 µg/l	TM343	0.00 - 0.00	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	0.00 - 0.00	Land Leachate (LE)

Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181009-33  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 477260  
**Superseded Report:**

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
		<b>Depth (m)</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
		<b>Sample Type</b>	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Land Leachate (LE)
		<b>Date Sampled</b>	08/10/2018	08/10/2018	08/10/2018	08/10/2018	08/10/2018
		<b>Sample Time</b>	-	-	-	-	-
		<b>Date Received</b>	09/10/2018	09/10/2018	09/10/2018	09/10/2018	09/10/2018
		<b>SDG Ref</b>	181009-33	181009-33	181009-33	181009-33	181009-33
		<b>Lab Sample No.(s)</b>	18487365	18487373	18487380	18487390	18487400
		<b>AGS Reference</b>					
Component	LOD/Units	Method					
p,p'-DDE	<0.01 µg/l	TM343				<0.1	<0.01
Dieldrin	<0.01 µg/l	TM343				<0.1	<0.01
o,p'-DDD (TDE)	<0.01 µg/l	TM343				<0.1	0.0399
Endrin	<0.01 µg/l	TM343				<0.1	<0.01
o,p'-DDT	<0.01 µg/l	TM343				<0.1	<0.01
p,p'-DDD (TDE)	<0.01 µg/l	TM343				<0.1	<0.01
Endosulphan II	<0.02 µg/l	TM343				<0.2	<0.02
p,p'-DDT	<0.01 µg/l	TM343				<0.1	<0.01
p,p'-Methoxychlor	<0.01 µg/l	TM343				<0.1	<0.01
Endosulphan Sulphate	<0.02 µg/l	TM343				<0.2	<0.02
Permethrin I	<0.01 µg/l	TM343				<0.1	<0.01
Permethrin II	<0.01 µg/l	TM343				<0.1	<0.01
Dichlorvos	<0.01 µg/l	TM344				<0.01	<0.01
Mevinphos	<0.01 µg/l	TM344				<0.01	<0.01
Tecnazene	<0.01 µg/l	TM344				<0.01	<0.01
Hexachlorobenzene	<0.01 µg/l	TM344				<0.01	<0.01
Diazinon	<0.01 µg/l	TM344				<0.01	<0.01
Triallate	<0.01 µg/l	TM344				<0.01	<0.01
Atrazine	<0.01 µg/l	TM344				<0.01	<0.01
Simazine	<0.01 µg/l	TM344				<0.01	<0.01
Disulfoton	<0.01 µg/l	TM344				<0.01	<0.01
Propetamphos	<0.01 µg/l	TM344				<0.01	<0.01
Chlorpyrifos-methyl	<0.01 µg/l	TM344				<0.01	<0.01
Dimethoate	<0.01 µg/l	TM344				<0.01	<0.01
Pirimiphos-methyl	<0.01 µg/l	TM344				<0.01	<0.01
Chlorpyrifos	<0.01 µg/l	TM344				<0.01	<0.01
Methyl Parathion	<0.01 µg/l	TM344				<0.01	<0.01
Malathion	<0.01 µg/l	TM344				<0.01	<0.01
Fenthion	<0.01 µg/l	TM344				<0.01	<0.01
Fenitrothion	<0.01 µg/l	TM344				<0.01	<0.01
Triadimefon	<0.01 µg/l	TM344				<0.01	<0.01
Pendimethalin	<0.01 µg/l	TM344				<0.01	<0.01

Consent of copyright owner required for any other use.



Validated

# CERTIFICATE OF ANALYSIS

<b>SDG:</b> 181009-33	<b>Client Reference:</b> P1444	<b>Report Number:</b> 477260
<b>Location:</b> Cartron Big	<b>Order Number:</b> Z1162	<b>Superseded Report:</b>

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
diss.filt	Dissolved / filtered sample.	Sample Type	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Land Leachate (LE)
tot.unfilt	Total / unfiltered sample.	Date Sampled	08/10/2018	08/10/2018	08/10/2018	08/10/2018	08/10/2018
*	Subcontracted test.	Sample Time	.	.	.	.	.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Date Received	09/10/2018	09/10/2018	09/10/2018	09/10/2018	09/10/2018
(F)	Trigger breach confirmed	SDG Ref	181009-33	181009-33	181009-33	181009-33	181009-33
1-5&\$@	Sample deviation (see appendix)	Lab Sample No.(s)	18487365	18487373	18487380	18487390	18487400
		AGS Reference					
Component	LOD/Units	Method					
Parathion	<0.01 µg/l	TM344				<0.01	<0.01
Chlorfenvinphos	<0.01 µg/l	TM344				<0.01	<0.01
Ethion	<0.01 µg/l	TM344				<0.01	<0.01
Carbophenothion	<0.01 µg/l	TM344				<0.01	<0.01
Triazophos	<0.01 µg/l	TM344				<0.01	<0.01
Phosalone	<0.01 µg/l	TM344				<0.01	<0.01
Azinphos methyl	<0.02 µg/l	TM344				<0.02	<0.02
Azinphos ethyl	<0.02 µg/l	TM344				<0.02	<0.02
Quintozene (PCNB)	<0.01 µg/l	TM345				<0.01	<0.01
Telodrin	<0.01 µg/l	TM345				<0.01	<0.01
Chlorothalonil	<0.01 µg/l	TM345				<0.01	<0.01
Etrimphos	<0.01 µg/l	TM345				<0.01	<0.01

Consent of copyright owner required for any other use. For inspection purposes only.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181009-33  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 477260  
**Superseded Report:**

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<1	<1000			
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1000			
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1000			
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1000			
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<1000			
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<1000			
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<1	<1000			
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<1	<1000			
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<1000			
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<1000			
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<1	<1000			
2-Chlorophenol (aq)	<1 µg/l	TM176	<1	<1000			
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<1	<1000			
2-Methylphenol (aq)	<1 µg/l	TM176	<1	<1000			
2-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1000			
2-Nitrophenol (aq)	<1 µg/l	TM176	<1	<1000			
3-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1000			
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<1	<1000			
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<1	<1000			
4-Chloroaniline (aq)	<1 µg/l	TM176	<1	<1000			
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<1	<1000			
4-Methylphenol (aq)	<1 µg/l	TM176	<1	14000			
4-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1000			
4-Nitrophenol (aq)	<1 µg/l	TM176	<1	<1000			
Azobenzene (aq)	<1 µg/l	TM176	<1	<1000			
Acenaphthylene (aq)	<1 µg/l	TM176	<1	<1000			
Acenaphthene (aq)	<1 µg/l	TM176	<1	<1000			
Anthracene (aq)	<1 µg/l	TM176	<1	<1000			
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<1	<1000			
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<1	<1000			
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	4.92	<2000			
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<1	<1000			
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<1	<1000			

For inspection purposes only  
Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 181009-33
Location: Cartron Big

Client Reference: P1444
Order Number: Z1162

Report Number: 477260
Superseded Report:

SVOC MS (W) - Aqueous

Table with columns: Results Legend, Customer Sample Ref., LH01, LH02, Component, LOD/Units, Method. Rows list various SVOCs like Benzo(b)fluoranthene, Benzo(k)fluoranthene, etc., with detection limits and methods.

For inspection purposes only.
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181009-33  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 477260  
**Superseded Report:**

## VOC MS (W)

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Dibromofluoromethane**	%	TM208	113	98.6			
Toluene-d8**	%	TM208	100	104			
4-Bromofluorobenzene**	%	TM208	97.7	94.9			
Dichlorodifluoromethane	<1 µg/l	TM208	<1	18.9	#	#	
Chloromethane	<1 µg/l	TM208	<1	<1	#	#	
Vinyl chloride	<1 µg/l	TM208	<1	<1	#	#	
Bromomethane	<1 µg/l	TM208	<1	<1	#	#	
Chloroethane	<1 µg/l	TM208	1.56	<1	#	#	
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1	#	#	
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1	#	#	
Carbon disulphide	<1 µg/l	TM208	<1	<1	#	#	
Dichloromethane	<3 µg/l	TM208	<3	<3	#	#	
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1	#	#	
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	#	#	
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1	#	#	
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	7.98	#	#	
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#	
Bromochloromethane	<1 µg/l	TM208	<1	<1	#	#	
Chloroform	<1 µg/l	TM208	<1	<1	#	#	
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	<1	#	#	
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#	
Carbontetrachloride	<1 µg/l	TM208	<1	<1	#	#	
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1	#	#	
Benzene	<1 µg/l	TM208	1.8	3.3	#	#	
Trichloroethene	<1 µg/l	TM208	<1	1.24	#	#	
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#	
Dibromomethane	<1 µg/l	TM208	<1	<1	#	#	
Bromodichloromethane	<1 µg/l	TM208	<1	<1	#	#	
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#	
Toluene	<1 µg/l	TM208	<1	13.3	#	#	
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#	
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	<1	#	#	
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#	

Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181009-33  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 477260  
**Superseded Report:**

## VOC MS (W)

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Tetrachloroethene	<1 µg/l	TM208	<1	3.14			
			#	#			
Dibromochloromethane	<1 µg/l	TM208	<1	<1			
			#	#			
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1			
			#	#			
Chlorobenzene	<1 µg/l	TM208	1.13	<1			
			#	#			
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1			
			#	#			
Ethylbenzene	<1 µg/l	TM208	1.17	2.66			
			#	#			
m,p-Xylene	<1 µg/l	TM208	2.78	5.23			
			#	#			
o-Xylene	<1 µg/l	TM208	2.07	2.65			
			#	#			
Styrene	<1 µg/l	TM208	<1	<1			
			#	#			
Bromoform	<1 µg/l	TM208	<1	<1			
			#	#			
Isopropylbenzene	<1 µg/l	TM208	1.52	<1			
			#	#			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1			
			#	#			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1			
			#	#			
Bromobenzene	<1 µg/l	TM208	<1	<1			
			#	#			
Propylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
2-Chlorotoluene	<1 µg/l	TM208	<1	<1			
			#	#			
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
4-Chlorotoluene	<1 µg/l	TM208	<1	<1			
			#	#			
tert-Butylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	1.2			
			#	#			
sec-Butylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
4-iso-Propyltoluene	<1 µg/l	TM208	<1	3.2			
			#	#			
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1			
			#	#			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1			
			#	#			
n-Butylbenzene	<1 µg/l	TM208	<1	<1			
			#	#			
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1			
			#	#			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1			
			#	#			
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1			
			#	#			
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1			
			#	#			
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1			
			#	#			
Naphthalene	<1 µg/l	TM208	<1	2.64			
			#	#			
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1			
			#	#			

Consent of copyright owner required for any other use.





CERTIFICATE OF ANALYSIS

Validated

SDG: 181009-33
Location: Cartron Big

Client Reference: P1444
Order Number: Z1162

Report Number: 477260
Superseded Report:

VOC MS (W)

Table with columns for Results Legend, Customer Sample Ref., LH01, LH02, Component, LOD/Units, and Method. Includes data for 1,3,5-Trichlorobenzene and a large grid for other components.

For inspection purposes only.
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 181009-33  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 477260  
Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM284		
TM328		
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 181009-33  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 477260  
**Superseded Report:**

## Test Completion Dates

Lab Sample No(s)	18487365	18487373	18487380	18487390	18487400
Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02
AGS Ref.					
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water	Land Leachate	Land Leachate
Alkalinity as CaCO3	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018	16-Oct-2018
Ammoniacal Nitrogen	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018
Anions by Kone (w)	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018	15-Oct-2018
BOD True Total				15-Oct-2018	14-Oct-2018
COD Unfiltered				12-Oct-2018	12-Oct-2018
Coliforms (W)	11-Oct-2018	11-Oct-2018	11-Oct-2018		
Conductivity (at 20 deg.C)	11-Oct-2018	11-Oct-2018	11-Oct-2018	11-Oct-2018	11-Oct-2018
Cyanide Comp/Free/Total/Thiocyanate	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018
Dissolved Metals by ICP-MS	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018	12-Oct-2018
Dissolved Oxygen by Probe	10-Oct-2018	10-Oct-2018	10-Oct-2018	12-Oct-2018	10-Oct-2018
Fluoride	16-Oct-2018	16-Oct-2018	16-Oct-2018	16-Oct-2018	16-Oct-2018
Mercury Dissolved	12-Oct-2018	11-Oct-2018	11-Oct-2018	11-Oct-2018	12-Oct-2018
Mineral Oil C10-40 Aqueous (W)				16-Oct-2018	16-Oct-2018
Nitrite by Kone (w)				15-Oct-2018	15-Oct-2018
Organotins in Aqueous Samples				12-Oct-2018	12-Oct-2018
Pesticides (Suite I) by GCMS				15-Oct-2018	15-Oct-2018
Pesticides (Suite II) by GCMS				15-Oct-2018	15-Oct-2018
Pesticides (Suite III) by GCMS				17-Oct-2018	16-Oct-2018
pH Value	15-Oct-2018	15-Oct-2018	15-Oct-2018	12-Oct-2018	15-Oct-2018
Phosphate by Kone (w)				15-Oct-2018	15-Oct-2018
Silicon Dissolved by ICP-OES				16-Oct-2018	16-Oct-2018
SVOC MS (W) - Aqueous				15-Oct-2018	12-Oct-2018
Total Organic and Inorganic Carbon	11-Oct-2018	10-Oct-2018	12-Oct-2018	12-Oct-2018	11-Oct-2018
VOC MS (W)				11-Oct-2018	11-Oct-2018

For inspection purposes only.  
 Consent of copyright owner required for any other use.

**Customer**

Customer Services  
ALS Life Sciences  
Hawarden Business Park  
Manor Lane  
Hawarden, Deeside  
UK  
CH5 3US

**Certificate Of Analysis**

**Job Number:** 18-47924  
**Issue Number:** 1  
**Report Date:** 11 October 2018

**Site:** Cartron Big  
**PO Number:** 181009-33  
**Date Samples Received:** 09/10/2018

For inspection purposes only.  
Consent of copyright owner required for any other use.

Please find attached the results for the samples received at our laboratory on 09/10/2018.

Should you have any queries regarding the report or require any further services, we would be happy to discuss your requirements. For additional information about the company please log-on to our website at the above address.

Thank you for choosing City Analysts Limited. We look forward to assisting you again.

**Authorised By:**   
Caitlin Quinn  
Deputy Quality Manager

**Authorised Date:** 11 October 2018

**Notes:**

Results relate only to the items tested.  
Information on methods of analysis and performance characteristics is available on request.  
Any opinions or interpretations indicated are outside the scope of our INAB accreditation.  
This test report shall not be reproduced except in full or with written approval of City Analysts Limited.

## Certificate Of Analysis

### Customer

Customer Services  
ALS Life Sciences  
Hawarden Business Park  
Manor Lane  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47924

**Report Version:** 1

**Site:** Cartron Big

**Sample Description:** GW01

**Date of Sampling:** 09/10/2018

**Sample Type:** Ground

**Date Sample Received:** 09/10/2018

**Lab Reference Number:** 414098

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	09/10/2018	Coliforms	19680.0	MPN/100ml	-

For inspection purposes only.  
Consent of copyright owner required for any other use.

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

## Certificate Of Analysis

### Customer

Customer Services  
ALS Life Sciences  
Hawarden Business Park  
Manor Lane  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47924

**Report Version:** 1

**Site:** Cartron Big

**Sample Description:** GW02

**Date of Sampling:** 09/10/2018

**Sample Type:** Ground

**Date Sample Received:** 09/10/2018

**Lab Reference Number:** 414099

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	09/10/2018	Coliforms	7680.0	MPN/100ml	-

For inspection purposes only.  
Consent of copyright owner required for any other use.

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

## Certificate Of Analysis

### Customer

Customer Services  
ALS Life Sciences  
Hawarden Business Park  
Manor Lane  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47924

**Report Version:** 1

**Site:** Cartron Big

**Sample Description:** GW03

**Date of Sampling:** 09/10/2018

**Sample Type:** Ground

**Date Sample Received:** 09/10/2018

**Lab Reference Number:** 414100

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	09/10/2018	Coliforms	1986.3	MPN/100ml	-

For inspection purposes only.  
Consent of copyright owner required for any other use.

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon



# CERTIFICATE OF ANALYSIS

<b>SDG:</b> 181009-33	<b>Client Reference:</b> P1444	<b>Report Number:</b> 477260
<b>Location:</b> Cartron Big	<b>Order Number:</b> Z1162	<b>Superseded Report:</b>

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

## Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
Deviation from method	
	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

## Asbestos

### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Astestost Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Coöiolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**



For inspection purposes only.  
Consent of copyright owner required for any other use.



Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
3rd Floor  
North Park Offices  
North Park Business Park  
North Road  
Dublin  
Dublin 11

**Attention:** Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date:** 17 September 2018  
**Customer:** D\_FTIM\_DUB  
**Sample Delivery Group (SDG):** 180907-68  
**Your Reference:** P1444  
**Location:** Cartron Big  
**Report No:** 472688

We received 7 samples on Friday September 07, 2018 and 7 of these samples were scheduled for analysis which was completed on Monday September 17, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

SDG: 180907-68  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 472688  
Superseded Report:

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18279869	Ballymulvey BH5		0.00 - 0.00	06/09/2018
18279875	Ballymulvey BH6		0.00 - 0.00	06/09/2018
18279808	Ballymulvey - G		0.00 - 0.00	06/09/2018
18279819	Cartron SW1		0.00 - 0.00	06/09/2018
18279837	Cartron SW2		0.00 - 0.00	06/09/2018
18279849	Cartron SW3		0.00 - 0.00	06/09/2018
18279858	Cartron SW4		0.00 - 0.00	06/09/2018

### Maximum Sample/Coolbox Temperature (°C) :

**13.4**

#### ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*



# CERTIFICATE OF ANALYSIS

Validated

SDG: 180907-68  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 472688  
Superseded Report:

## Results Legend

- X Test
- N No Determination Possible

### Sample Types -

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container		Sample Type
Alkalinity as CaCO <sub>3</sub>	18279808	Ballymuley - G		0.00 - 0.00	NaOH (ALE245)	18279808	X
					HNO <sub>3</sub> Filtered (ALE204)		
Anions by Kone (w)	18279819	Cartron SW1		0.00 - 0.00	NaOH (ALE245)	18279819	X
					HNO <sub>3</sub> Filtered (ALE204)		
BOD True Total	18279837	Cartron SW2		0.00 - 0.00	NaOH (ALE245)	18279837	X
					HNO <sub>3</sub> Filtered (ALE204)		
COD Unfiltered	18279849	Cartron SW3		0.00 - 0.00	NaOH (ALE245)	18279849	X
					HNO <sub>3</sub> Filtered (ALE204)		
Cyanide Comp/Free/Total/Thiocyanate	18279858	Cartron SW4		0.00 - 0.00	NaOH (ALE245)	18279858	X
					HNO <sub>3</sub> Filtered (ALE204)		
Dissolved Metals by ICP-MS					1plastic (ALE221)		X
					250ml BOD (ALE212)		

For inspection purposes only. Consent of copyright owner required for any other use.

18279898
Carton SW4
0.00 - 0.00
NaOH (ALE245)
SW
X

For inspection purposes only.  
 Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 180907-68  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 472688  
Superseded Report:

Results Legend		Customer Sample Ref.	Ballymulvey - G	Cartron SW1	Cartron SW2	Cartron SW3	Cartron SW4
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
**	Subcontracted test.						
	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
(F)	Trigger breach confirmed	Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
1-5&*\$@	Sample deviation (see appendix)	Date Sampled	06/09/2018	06/09/2018	06/09/2018	06/09/2018	06/09/2018
		Sample Time					
		Date Received	07/09/2018	07/09/2018	07/09/2018	07/09/2018	07/09/2018
		SDG Ref	180907-68	180907-68	180907-68	180907-68	180907-68
		Lab Sample No.(s)	18279808	18279819	18279837	18279849	18279858
		AGS Reference					
Component	LOD/Units	Method					
Alkalinity, Total as CaCO3	<2 mg/l	TM043	322	293	290	286	302
			#	#	#	#	#
BOD, unfiltered	<1 mg/l	TM045	<1	<1	<1	<1	<1
			◆ #	◆ #	◆ #	◆ #	◆ #
COD, unfiltered	<7 mg/l	TM107	<7	12.8	24.4	<7	16.3
			#	#	#	#	#
Arsenic (diss.filt)	<0.5 µg/l	TM152	1.29	1.1	1.04	1.15	1.24
			#	#	#	#	#
Boron (diss.filt)	<10 µg/l	TM152	12.7	16.6	21.1	18.4	25.8
			#	#	#	#	#
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	<0.08	<0.08	<0.08
			#	#	#	#	#
Calcium (Dis.Filt)	<0.2 mg/l	TM152	115	113	111	109	109
			#	#	#	#	#
Chloride	<2 mg/l	TM184	20.2	25.1	25.6	25.9	32.8
			#	#	#	#	#
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05

For inspection purposes only  
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 180907-68  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 472688  
Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

*For inspection purposes only.  
Consent of copyright owner required for any other use.*



# CERTIFICATE OF ANALYSIS

Validated

SDG: 180907-68  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 472688  
Superseded Report:

## Test Completion Dates

Lab Sample No(s)	18279808	18279819	18279837	18279849	18279858
Customer Sample Ref.	Ballymulvey - G	Cartron SW1	Cartron SW2	Cartron SW3	Cartron SW4
AGS Ref.					
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Alkalinity as CaCO3	14-Sep-2018	14-Sep-2018	14-Sep-2018	13-Sep-2018	13-Sep-2018
Anions by Kone (w)	17-Sep-2018	17-Sep-2018	17-Sep-2018	08-Sep-2018	08-Sep-2018
BOD True Total	17-Sep-2018	17-Sep-2018	17-Sep-2018	17-Sep-2018	17-Sep-2018
COD Unfiltered	17-Sep-2018	16-Sep-2018	17-Sep-2018	17-Sep-2018	17-Sep-2018
Cyanide Comp/Free/Total/Thiocyanate	14-Sep-2018	13-Sep-2018	14-Sep-2018	14-Sep-2018	14-Sep-2018
Dissolved Metals by ICP-MS	14-Sep-2018	14-Sep-2018	14-Sep-2018	14-Sep-2018	14-Sep-2018

*For inspection purposes only.  
Consent of copyright owner required for any other use.*





# CERTIFICATE OF ANALYSIS

<b>SDG:</b> 180907-68	<b>Client Reference:</b> P1444	<b>Report Number:</b> 472688
<b>Location:</b> Cartron Big	<b>Order Number:</b> Z1162	<b>Superseded Report:</b>

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH<sub>4</sub> by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

## Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
	<b>Deviation from method</b>
	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

## Asbestos

### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Astestost Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Coisidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**

For inspection purposes only.  
Consent of copyright owner required for any other use.



Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
3rd Floor  
North Park Offices  
North Park Business Park  
North Road  
Dublin  
Dublin 11

**Attention:** Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date:** 09 October 2018  
**Customer:** D\_FTIM\_DUB  
**Sample Delivery Group (SDG):** 180927-86  
**Your Reference:** P1444  
**Location:** Cartron Big  
**Report No:** 475903

We received 9 samples on Thursday September 27, 2018 and 9 of these samples were scheduled for analysis which was completed on Tuesday October 09, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18414731	GW01		0.00 - 0.00	26/09/2018
18414743	GW02		0.00 - 0.00	26/09/2018
18414752	GW03		0.00 - 0.00	26/09/2018
18414765	LH01		0.00 - 0.00	26/09/2018
18414784	LH02		0.00 - 0.00	26/09/2018
18414804	SW1		0.00 - 0.00	26/09/2018
18414814	SW2		0.00 - 0.00	26/09/2018
18414821	SW3		0.00 - 0.00	26/09/2018
18414830	SW4		0.00 - 0.00	26/09/2018

### Maximum Sample/Coolbox Temperature (°C) :

**15.8**

#### ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*



ID	Location	Depth	Date	Parameters																				
				Parameter 1	Parameter 2	Parameter 3	Parameter 4	Parameter 5	Parameter 6	Parameter 7	Parameter 8	Parameter 9	Parameter 10	Parameter 11	Parameter 12	Parameter 13	Parameter 14	Parameter 15						
18414821	SW3	0.00 - 0.00	H2SO4 (ALE244)	SW																				
				500ml Plastic (ALE208)	SW																			
				250ml BOD (ALE212)	SW																			
				HNO3 Filtered (ALE204)	SW																			
				H2SO4 (ALE244)	SW																			
				500ml Plastic (ALE208)	SW																			
				250ml BOD (ALE212)	SW																			
				HNO3 Filtered (ALE204)	SW																			
				H2SO4 (ALE244)	SW																			
				500ml Plastic (ALE208)	SW																			
				250ml BOD (ALE212)	SW																			
				HNO3 Filtered (ALE204)	SW																			
				500ml Plastic (ALE208)	SW																			
				250ml BOD (ALE212)	SW																			
				18414804	SW1	0.00 - 0.00	H2SO4 (ALE244)	SW																
500ml Plastic (ALE208)	SW																							
250ml BOD (ALE212)	SW																							
HNO3 Filtered (ALE204)	SW																							
H2SO4 (ALE244)	SW																							
500ml Plastic (ALE208)	SW																							
250ml BOD (ALE212)	SW																							
HNO3 Filtered (ALE204)	SW																							
H2SO4 (ALE244)	SW																							
500ml Plastic (ALE208)	SW																							
250ml BOD (ALE212)	SW																							
HNO3 Filtered (ALE204)	SW																							
500ml Plastic (ALE208)	SW																							
250ml BOD (ALE212)	SW																							
18414784	LH02	0.00 - 0.00	Vial (ALE297)					LE																
				NaOH (ALE245)	LE																			
				HNO3 Filtered (ALE204)	LE																			
				H2SO4 (ALE244)	LE																			
				500ml Plastic (ALE208)	LE																			
				250ml BOD (ALE212)	LE																			
				1000ml glass bottle (ALE220)	LE																			
				Vial (ALE297)	LE																			
				NaOH (ALE245)	LE																			
				HNO3 Filtered (ALE204)	LE																			
				H2SO4 (ALE244)	LE																			
				500ml Plastic (ALE208)	LE																			
				250ml BOD (ALE212)	LE																			
				1000ml glass bottle (ALE220)	LE																			
				18414765	LH01	0.00 - 0.00	Vial (ALE297)	LE																
NaOH (ALE245)	LE																							
HNO3 Filtered (ALE204)	LE																							
H2SO4 (ALE244)	LE																							
500ml Plastic (ALE208)	LE																							
250ml BOD (ALE212)	LE																							
1000ml glass bottle (ALE220)	LE																							
Vial (ALE297)	LE																							
NaOH (ALE245)	LE																							
HNO3 Filtered (ALE204)	LE																							
H2SO4 (ALE244)	LE																							
500ml Plastic (ALE208)	LE																							
250ml BOD (ALE212)	LE																							
1000ml glass bottle (ALE220)	LE																							

For inspection purposes only.  
Consent of copyright owner required for any other use.



### CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86  
 Location: Cartron Big

Client Reference: P1444  
 Order Number: Z1162

Report Number: 475903  
 Superseded Report:

**Results Legend**

- X Test
- N No Determination Possible

**Sample Types -**

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
18414731	GW01		0.00 - 0.00	H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245) 500ml Plastic (ALE208) 250ml BOD (ALE212)	GW
18414743	GW02		0.00 - 0.00	H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245) 500ml Plastic (ALE208) 250ml BOD (ALE212)	GW
18414752	GW03		0.00 - 0.00	H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245) 1000ml glass bottle (ALE220)	GW
18414765	LH01		0.00 - 0.00	H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212)	LE

Test Name	Applicability	NDPs	Tests	18414731	18414743	18414752	18414765
Pesticides (Suite I) by GCMS	All	0	2			X	
Pesticides (Suite II) by GCMS	All	0	2			X	
Pesticides (Suite III) by GCMS	All	0	2			X	
pH Value	All	0	9	X	X	X	X
Phosphate by Kone (w)	All	0	2				X
Silicon Dissolved by ICP-OES	All	0	2				
SVOC MS (W) - Aqueous	All	0	2			X	
Total Organic and Inorganic Carbon	All	0	5	X	X	X	X
VOC MS (W)	All	0	2				

For inspection purposes only.  
 Consent of copyright owner required for any other use.

18414821	SW3	0.00 - 0.00	H2SO4 (ALE244)	SW																
			500ml Plastic (ALE208)	SW																
18414814	SW2	0.00 - 0.00	250ml BOD (ALE212)	SW																
			HNO3 Filtered (ALE204)	SW																
18414804	SW1	0.00 - 0.00	H2SO4 (ALE244)	SW																
			500ml Plastic (ALE208)	SW																
18414784	LH02	0.00 - 0.00	250ml BOD (ALE212)	SW																
			Vial (ALE297)	LE																
18414765	LH01	0.00 - 0.00	NaOH (ALE245)	LE																
			HNO3 Filtered (ALE204)	LE																
18414765	LH01	0.00 - 0.00	H2SO4 (ALE244)	LE																
			500ml Plastic (ALE208)	LE																
18414765	LH01	0.00 - 0.00	250ml BOD (ALE212)	LE																
			1000ml glass bottle (ALE220)	LE																
18414765	LH01	0.00 - 0.00	Vial (ALE297)	LE																
			NaOH (ALE245)	LE																
18414765	LH01	0.00 - 0.00	HNO3 Filtered (ALE204)	LE																
			HNO3 Filtered (ALE204)	LE																

For inspection purposes only.  
Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

**Results Legend**

- X Test
- N No Determination Possible

**Sample Types -**

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

<b>Lab Sample No(s)</b>	18414821			18414830
<b>Customer Sample Reference</b>	SW3			SW4
<b>AGS Reference</b>				
<b>Depth (m)</b>	0.00 - 0.00			0.00 - 0.00
<b>Container</b>	HNO3 Filtered (ALE204)	250ml BOD (ALE212)	500ml Plastic (ALE208)	H2SO4 (ALE244) HNO3 Filtered (ALE204)
<b>Sample Type</b>	SW	SW	SW	SW

Parameter	All	NDPs: 0 Tests: 9				
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 9			X	
Anions by Kone (w)	All	NDPs: 0 Tests: 9		X		
BOD True Filtered	All	NDPs: 0 Tests: 6	X			
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 9		X		
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 9	X			X
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 9		X		
pH Value	All	NDPs: 0 Tests: 9		X		

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	SW1
#	ISO17025 accredited.		Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.	Sample Type	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Land Leachate (LE)	Surface Water (SW)
aq	Aqueous / settled sample.	Date Sampled	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018
diss.filt	Dissolved / filtered sample.	Sample Time						
tot.unfilt	Total / unfiltered sample.	Date Received	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018
**	Subcontracted test.	SDG Ref	180927-86	180927-86	180927-86	180927-86	180927-86	180927-86
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Lab Sample No.(s)	18414731	18414743	18414752	18414765	18414784	18414804
(F)	Trigger breach confirmed	AGS Reference						
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Coliforms, Total*	CFU/100ml	SUB	921	1610	2180			
Alkalinity, Total as CaCO3	<2 mg/l	TM043	415	473	942	1680	9500	
BOD, filtered	<1 mg/l	TM045				3.5	>1310	<1
Oxygen, dissolved	<0.3 mg/l	TM046	9.02	8.69	7.5	4.35	0.35	12.6
Organic Carbon, Total	<3 mg/l	TM090	<3	3.98	18.9	55.9	6400	
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	0.401	0.423	29.3	223	3080	<0.2
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5	<0.5	<0.5	<2.5	
COD, unfiltered	<7 mg/l	TM107				178	19800	
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.74	0.711	0.902	4.38	47.6	0.6
Antimony (diss.filt)	<1 µg/l	TM152				<1	<6	
Arsenic (diss.filt)	<0.5 µg/l	TM152	2.86	1.98	3.15	4.3	33	
Barium (diss.filt)	<0.2 µg/l	TM152				651	675	
Beryllium (diss.filt)	<0.1 µg/l	TM152				<0.1	<0.6	
Boron (diss.filt)	<10 µg/l	TM152	83.7	2.5	214	644	164	
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	0.0828	<0.08	<0.48	
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1	<1	2.1	150	
Cobalt (diss.filt)	<0.5 µg/l	TM152				8.82	26.2	
Copper (diss.filt)	<0.3 µg/l	TM152	0.858	<0.3	7.67	1.16	<1.8	
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2	<0.2	<0.2	0.377	1.46	
Manganese (diss.filt)	<3 µg/l	TM152	60.2	398	157	958	2300	
Molybdenum (diss.filt)	<3 µg/l	TM152				<3	<18	
Nickel (diss.filt)	<0.4 µg/l	TM152	16.8	3.31	36.5	29.8	132	
Phosphorus (diss.filt)	<10 µg/l	TM152	10.3	10.3	31.6	484	12400	
Selenium (diss.filt)	<1 µg/l	TM152				<1	<6	
Tellurium (diss.filt)	<2 µg/l	TM152				<2	<12	
Thallium (diss.filt)	<2 µg/l	TM152				<2	<12	
Titanium (diss.filt)	<1 µg/l	TM152				17.9	222	
Uranium (diss.filt)	<0.5 µg/l	TM152				0.93	7.96	
Vanadium (diss.filt)	<1 µg/l	TM152				<1	15.9	
Zinc (diss.filt)	<1 µg/l	TM152	4.65	3.18	19.9	8.41	46.4	
Tin (Diss.Filt)	<1 µg/l	TM152				1.35	38.9	
Silver (diss.filt)	<0.5 µg/l	TM152				<0.5	<3	
Sodium (Dis.Filt)	<0.076 mg/l	TM152	18.8	11.2	166	329	6690	15.3



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	180927-86	<b>Client Reference:</b>	P1444	<b>Report Number:</b>	475903
<b>Location:</b>	Cartron Big	<b>Order Number:</b>	Z1162	<b>Superseded Report:</b>	

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	SW1
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*&@	Sample deviation (see appendix)							
		<b>Depth (m)</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
		<b>Sample Type</b>	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Land Leachate (LE)	Surface Water (SW)
		<b>Date Sampled</b>	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018
		<b>Sample Time</b>						
		<b>Date Received</b>	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018
		<b>SDG Ref</b>	180927-86	180927-86	180927-86	180927-86	180927-86	180927-86
		<b>Lab Sample No.(s)</b>	18414731	18414743	18414752	18414765	18414784	18414804
		<b>AGS Reference</b>						
Component	LOD/Units	Method						
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	30.6	10.5	57.8	58.9	95.5	
			#	#	#	#	#	
Potassium (Dis.Filt)	<0.2 mg/l	TM152	6.05	1.65	33.1	82.4	197	3.17
			#	#	#	#	#	#
Calcium (Dis.Filt)	<0.2 mg/l	TM152	114	160	174	188	303	
			#	#	#	#	#	
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0277	<0.019	<0.019	34.7	23.4	
			#	#	#	#	#	
Mineral oil >C10 C40 (aq)	<100 µg/l	TM172				1310	721	
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01	<0.01	<0.01	<0.01	<0.01	
			#	#	#	#	#	
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184				<0.05	30.7	
Sulphate	<2 mg/l	TM184	32	26.9	124	25.5	130	32.3
			#	#	#			#
Chloride	<2 mg/l	TM184	15.1	24	66.3	613	14500	27.3
			#	#	#			#
Nitrite as N	<0.0152 mg/l	TM184				<0.0152	<0.0152	
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	0.556	<0.1	0.114	<0.1	0.125	
			#	#	#			
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05	
			#	#	#	#	#	
Cyanide, Free	<0.05 mg/l	TM227				<0.05	<0.05	
						#	#	
pH	<1 pH Units	TM256	7.6	7.27	7.37	7.14	7.52	8.08
			#	#	#	#	#	#
Silicon (diss.filt)	<0.05 mg/l	TM284				13.2	3.73	
Dibutyl tin	<5 ng/l	TM328				<5	<5	
Tributyl tin	<1 ng/l	TM328				<1	<1	
Tetrabutyl tin	<2 ng/l	TM328				<2	<2	
Triphenyl tin	<1 ng/l	TM328				<1	<1	
Surrogate	%	TM328				80.2	61.3	
Trifluralin	<0.01 µg/l	TM343				<0.02	<0.02	
alpha-HCH	<0.01 µg/l	TM343				<0.02	<0.02	
gamma-HCH (Lindane)	<0.01 µg/l	TM343				<0.02	<0.02	
Heptachlor	<0.01 µg/l	TM343				<0.03	<0.03	
Aldrin	<0.01 µg/l	TM343				<0.03	<0.03	
beta-HCH	<0.01 µg/l	TM343				<0.01	<0.01	
Isodrin	<0.01 µg/l	TM343				<0.02	<0.02	
Heptachlor epoxide	<0.01 µg/l	TM343				<0.02	<0.02	
o,p'-DDE	<0.01 µg/l	TM343				<0.02	<0.02	
Endosulphan I	<0.01 µg/l	TM343				<0.02	<0.02	
trans-Chlordane	<0.01 µg/l	TM343				<0.02	<0.02	
cis-Chlordane	<0.01 µg/l	TM343				<0.02	<0.02	

For inspection purposes only.  
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	SW1
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
		<b>Depth (m)</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
		<b>Sample Type</b>	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Land Leachate (LE)	Surface Water (SW)
		<b>Date Sampled</b>	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018
		<b>Sample Time</b>	-	-	-	-	-	-
		<b>Date Received</b>	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018
		<b>SDG Ref</b>	180927-86	180927-86	180927-86	180927-86	180927-86	180927-86
		<b>Lab Sample No.(s)</b>	18414731	18414743	18414752	18414765	18414784	18414804
		<b>AGS Reference</b>						
Component	LOD/Units	Method						
p,p'-DDE	<0.01 µg/l	TM343				<0.02	<0.02	
Dieldrin	<0.01 µg/l	TM343				<0.02	<0.02	
o,p'-DDD (TDE)	<0.01 µg/l	TM343				<0.02	<0.02	
Endrin	<0.01 µg/l	TM343				<0.02	<0.02	
o,p'-DDT	<0.01 µg/l	TM343				<0.04	<0.04	
p,p'-DDD (TDE)	<0.01 µg/l	TM343				<0.02	<0.02	
Endosulphan II	<0.02 µg/l	TM343				<0.04	<0.04	
p,p'-DDT	<0.01 µg/l	TM343				<0.04	<0.04	
p,p'-Methoxychlor	<0.01 µg/l	TM343				<0.04	<0.04	
Endosulphan Sulphate	<0.02 µg/l	TM343				<0.02	<0.02	
Permethrin I	<0.01 µg/l	TM343				<0.01	<0.01	
Permethrin II	<0.01 µg/l	TM343				<0.01	<0.01	
Dichlorvos	<0.01 µg/l	TM344				<0.01	<0.01	
Mevinphos	<0.01 µg/l	TM344				<0.01	<0.01	
Tecnazene	<0.01 µg/l	TM344				<0.01	<0.01	
Hexachlorobenzene	<0.01 µg/l	TM344				<0.01	<0.01	
Diazinon	<0.01 µg/l	TM344				<0.01	<0.01	
Triallate	<0.01 µg/l	TM344				<0.01	<0.01	
Atrazine	<0.01 µg/l	TM344				<0.01	<0.01	
Simazine	<0.01 µg/l	TM344				<0.01	<0.01	
Disulfoton	<0.01 µg/l	TM344				<0.01	<0.01	
Propetamphos	<0.01 µg/l	TM344				<0.01	<0.01	
Chlorpyrifos-methyl	<0.01 µg/l	TM344				<0.01	<0.01	
Dimethoate	<0.01 µg/l	TM344				<0.01	<0.01	
Pirimiphos-methyl	<0.01 µg/l	TM344				<0.01	<0.01	
Chlorpyrifos	<0.01 µg/l	TM344				<0.01	<0.01	
Methyl Parathion	<0.01 µg/l	TM344				<0.01	<0.01	
Malathion	<0.01 µg/l	TM344				<0.01	<0.01	
Fenthion	<0.01 µg/l	TM344				<0.01	<0.01	
Fenitrothion	<0.01 µg/l	TM344				<0.01	<0.01	
Triadimefon	<0.01 µg/l	TM344				<0.01	<0.01	
Pendimethalin	<0.01 µg/l	TM344				<0.01	<0.01	

Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

Results Legend		Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	SW1
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Land Leachate (LE)	Surface Water (SW)
aq	Aqueous / settled sample.		26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018	26/09/2018
diss.filt	Dissolved / filtered sample.		.	.	.	.	.	.
tot.unfilt	Total / unfiltered sample.		27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018	27/09/2018
*	Subcontracted test.		180927-86	180927-86	180927-86	180927-86	180927-86	180927-86
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		18414731	18414743	18414752	18414765	18414784	18414804
(F)	Trigger breach confirmed							
1-5&*&\$@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
Parathion	<0.01 µg/l	TM344				<0.01	<0.01	
Chlorfenvinphos	<0.01 µg/l	TM344				<0.01	<0.01	
Ethion	<0.01 µg/l	TM344				<0.01	<0.01	
Carbophenothion	<0.01 µg/l	TM344				<0.01	<0.01	
Triazophos	<0.01 µg/l	TM344				<0.01	<0.01	
Phosalone	<0.01 µg/l	TM344				<0.01	<0.01	
Azinphos methyl	<0.02 µg/l	TM344				<0.02	<0.02	
Azinphos ethyl	<0.02 µg/l	TM344				<0.02	<0.02	
Quintozene (PCNB)	<0.01 µg/l	TM345				<0.01	<0.01	
Telodrin	<0.01 µg/l	TM345				<0.01	<0.01	
Chlorothalonil	<0.01 µg/l	TM345				<0.01	<0.01	
Etrimphos	<0.01 µg/l	TM345				<0.01	<0.01	

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

Results Legend		Customer Sample Ref.	SW2	SW3	SW4			
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00			
diss.filt	Dissolved / filtered sample.	Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)			
tot.unfilt	Total / unfiltered sample.	Date Sampled	26/09/2018	26/09/2018	26/09/2018			
*	Subcontracted test.	Sample Time						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Date Received	27/09/2018	27/09/2018	27/09/2018			
(F)	Trigger breach confirmed	SDG Ref	180927-86	180927-86	180927-86			
1-5&*\$@	Sample deviation (see appendix)	Lab Sample No.(s)	18414814	18414821	18414830			
		AGS Reference						
Component	LOD/Units	Method						
BOD, filtered	<1 mg/l	TM045	<1	<1	<1			
Oxygen, dissolved	<0.3 mg/l	TM046	12.1	11.9	9.69			
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	<0.2	<0.2	0.842			
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.613	0.605	0.615			
Sodium (Dis.Filt)	<0.076 mg/l	TM152	16	20	19.4	#	#	#
Potassium (Dis.Filt)	<0.2 mg/l	TM152	3.14	3.16	3.43	#	#	#
Sulphate	<2 mg/l	TM184	31.9	32	32.1	#	#	#
Chloride	<2 mg/l	TM184	27.4	27.4	29.7	#	#	#
pH	<1 pH Units	TM256	8.17	8.24	8.05	#	#	#

For inspection purposes only  
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<800			
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<800			
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<1	<800			
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<1	<800			
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<800			
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<800			
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<1	<800			
2-Chlorophenol (aq)	<1 µg/l	TM176	<1	<800			
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<1	<800			
2-Methylphenol (aq)	<1 µg/l	TM176	<1	<800			
2-Nitroaniline (aq)	<1 µg/l	TM176	<1	<800			
2-Nitrophenol (aq)	<1 µg/l	TM176	<1	<800			
3-Nitroaniline (aq)	<1 µg/l	TM176	<1	<800			
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<1	<800			
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<1	<800			
4-Chloroaniline (aq)	<1 µg/l	TM176	<1	<800			
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<1	<800			
4-Methylphenol (aq)	<1 µg/l	TM176	<1	11400			
4-Nitroaniline (aq)	<1 µg/l	TM176	<1	<800			
4-Nitrophenol (aq)	<1 µg/l	TM176	<1	<800			
Azobenzene (aq)	<1 µg/l	TM176	<1	<800			
Acenaphthylene (aq)	<1 µg/l	TM176	<1	<800			
Acenaphthene (aq)	<1 µg/l	TM176	<1	<800			
Anthracene (aq)	<1 µg/l	TM176	<1	<800			
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<1	<800			
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<1	<800			
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	13.9	<1600			
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<1	<800			
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<1	<800			

For inspection purposes only  
 Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	<1	<800			
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<1	<800			
Benzo(a)pyrene (aq)	<1 µg/l	TM176	<1	<800			
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	<1	<800			
Carbazole (aq)	<1 µg/l	TM176	<1	<800			
Chrysene (aq)	<1 µg/l	TM176	<1	<800			
Dibenzofuran (aq)	<1 µg/l	TM176	<1	<800			
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<1	<800			
Diethyl phthalate (aq)	<1 µg/l	TM176	<1	<800			
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	<1	<800			
Dimethyl phthalate (aq)	<1 µg/l	TM176	<1	<800			
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	<5	<4000			
Fluoranthene (aq)	<1 µg/l	TM176	<1	<800			
Fluorene (aq)	<1 µg/l	TM176	<1	<800			
Hexachlorobenzene (aq)	<1 µg/l	TM176	<1	<800			
Hexachlorobutadiene (aq)	<1 µg/l	TM176	<1	<800			
Pentachlorophenol (aq)	<1 µg/l	TM176	<1	<800			
Phenol (aq)	<1 µg/l	TM176	<1	11200			
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	<1	<800			
Hexachloroethane (aq)	<1 µg/l	TM176	<1	<800			
Nitrobenzene (aq)	<1 µg/l	TM176	<1	<800			
Naphthalene (aq)	<1 µg/l	TM176	<1	<800			
Isophorone (aq)	<1 µg/l	TM176	<1	<800			
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	<1	<800			
Phenanthrene (aq)	<1 µg/l	TM176	<1	<800			
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	<1	<800			
Pyrene (aq)	<1 µg/l	TM176	<1	<800			

For inspection purposes only.  
Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

## VOC MS (W)

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00			
M	mCERTS accredited.		Land Leachate (LE)	Land Leachate (LE)			
aq	Aqueous / settled sample.		26/09/2018	26/09/2018			
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
Dibromofluoromethane**	%	TM208	101	94.7			
Toluene-d8**	%	TM208	99.5	100			
4-Bromofluorobenzene**	%	TM208	96	91.4			
Dichlorodifluoromethane	<1 µg/l	TM208	13.2	18.2	#	#	
Chloromethane	<1 µg/l	TM208	<1	<1	#	#	
Vinyl chloride	<1 µg/l	TM208	<1	<1	#	#	
Bromomethane	<1 µg/l	TM208	<1	<1	#	#	
Chloroethane	<1 µg/l	TM208	2.11	<1	#	#	
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1	#	#	
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1	#	#	
Carbon disulphide	<1 µg/l	TM208	<1	<1	#	#	
Dichloromethane	<3 µg/l	TM208	<3	<3	#	#	
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1	#	#	
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	#	#	
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1	#	#	
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	7.07	#	#	
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#	
Bromochloromethane	<1 µg/l	TM208	<1	<1	#	#	
Chloroform	<1 µg/l	TM208	<1	<1	#	#	
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	<1	#	#	
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#	
Carbontetrachloride	<1 µg/l	TM208	<1	<1	#	#	
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1	#	#	
Benzene	<1 µg/l	TM208	2.5	4.3	#	#	
Trichloroethene	<1 µg/l	TM208	<1	2.04	#	#	
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#	
Dibromomethane	<1 µg/l	TM208	<1	<1	#	#	
Bromodichloromethane	<1 µg/l	TM208	<1	<1	#	#	
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#	
Toluene	<1 µg/l	TM208	<1	23.1	#	#	
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#	
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	<1	#	#	
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#	

Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

## VOC MS (W)

Results Legend		Customer Sample Ref.	LH01	LH02			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted test.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-5&*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Tetrachloroethene	<1 µg/l	TM208	<1	4.98			
Dibromochloromethane	<1 µg/l	TM208	<1	<1			
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1			
Chlorobenzene	<1 µg/l	TM208	1.92	1.4			
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1			
Ethylbenzene	<1 µg/l	TM208	2.28	3.67			
m,p-Xylene	<1 µg/l	TM208	8.52	8.58			
o-Xylene	<1 µg/l	TM208	2.81	3.1			
Styrene	<1 µg/l	TM208	<1	<1			
Bromoform	<1 µg/l	TM208	<1	<1			
Isopropylbenzene	<1 µg/l	TM208	2.62	<1			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1			
Bromobenzene	<1 µg/l	TM208	<1	<1			
Propylbenzene	<1 µg/l	TM208	<1	<1			
2-Chlorotoluene	<1 µg/l	TM208	<1	<1			
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1			
4-Chlorotoluene	<1 µg/l	TM208	<1	<1			
tert-Butylbenzene	<1 µg/l	TM208	<1	<1			
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	1.77			
sec-Butylbenzene	<1 µg/l	TM208	<1	<1			
4-iso-Propyltoluene	<1 µg/l	TM208	<1	4.48			
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1			
n-Butylbenzene	<1 µg/l	TM208	<1	<1			
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	1.57			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1			
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1			
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1			
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1			
Naphthalene	<1 µg/l	TM208	<1	3.58			
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1			

Consent of copyright owner required for any other use.



### CERTIFICATE OF ANALYSIS

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

#### VOC MS (W)

Results Legend		Customer Sample Ref.	LH01	LH02				
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00				
M	mCERTS accredited.		Land Leachate (LE)	Land Leachate (LE)				
aq	Aqueous / settled sample.		26/09/2018	26/09/2018				
diss.filt	Dissolved / filtered sample.		.	.				
tot.unfilt	Total / unfiltered sample.		27/09/2018	27/09/2018				
*	Subcontracted test.		180927-86	180927-86				
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		18414765	18414784				
(F)	Trigger breach confirmed							
1-5&*&\$@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
1,3,5-Trichlorobenzene	<1 µg/l		TM208	<1	<1			

For inspection purposes only.  
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 180927-86  
Location: Cartron Big

Client Reference: P1444  
Order Number: Z1162

Report Number: 475903  
Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM284		
TM328		
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 180927-86  
**Location:** Cartron Big

**Client Reference:** P1444  
**Order Number:** Z1162

**Report Number:** 475903  
**Superseded Report:**

## Test Completion Dates

Lab Sample No(s)	18414731	18414743	18414752	18414765	18414784	18414804	18414814	18414821	18414830
Customer Sample Ref.	GW01	GW02	GW03	LH01	LH02	SW1	SW2	SW3	SW4
AGS Ref.									
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water	Land Leachate	Land Leachate	Surface Water	Surface Water	Surface Water	Surface Water
Alkalinity as CaCO3	04-Oct-2018	05-Oct-2018	05-Oct-2018	04-Oct-2018	05-Oct-2018				
Ammoniacal Nitrogen	04-Oct-2018	04-Oct-2018	04-Oct-2018	04-Oct-2018	04-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018
Anions by Kone (w)	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018	05-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018
BOD True Filtered				03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018
COD Unfiltered				04-Oct-2018	04-Oct-2018				
Coliforms (W)	05-Oct-2018	05-Oct-2018	05-Oct-2018						
Conductivity (at 20 deg.C)	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018	03-Oct-2018
Cyanide Comp/Free/Total/Thiocyanate	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018				
Dissolved Metals by ICP-MS	05-Oct-2018	04-Oct-2018	04-Oct-2018	05-Oct-2018	09-Oct-2018	08-Oct-2018	08-Oct-2018	08-Oct-2018	08-Oct-2018
Dissolved Oxygen by Probe	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018	01-Oct-2018
Fluoride	04-Oct-2018	04-Oct-2018	04-Oct-2018	04-Oct-2018	04-Oct-2018				
Mercury Dissolved	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018				
Mineral Oil C10-40 Aqueous (W)				02-Oct-2018	02-Oct-2018				
Nitrite by Kone (w)				05-Oct-2018	05-Oct-2018				
Organotins in Aqueous Samples				04-Oct-2018	04-Oct-2018				
Pesticides (Suite I) by GCMS				04-Oct-2018	04-Oct-2018				
Pesticides (Suite II) by GCMS				05-Oct-2018	05-Oct-2018				
Pesticides (Suite III) by GCMS				03-Oct-2018	03-Oct-2018				
pH Value	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018	02-Oct-2018
Phosphate by Kone (w)				05-Oct-2018	05-Oct-2018				
Silicon Dissolved by ICP-OES				04-Oct-2018	04-Oct-2018				
SVOC MS (W) - Aqueous				03-Oct-2018	05-Oct-2018				
Total Organic and Inorganic Carbon	01-Oct-2018	01-Oct-2018	02-Oct-2018	01-Oct-2018	02-Oct-2018				
VOC MS (W)				05-Oct-2018	05-Oct-2018				

For inspection purposes only.  
 Consent of copyright owner required for any other use.

**Customer**

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Certificate Of Analysis**

**Job Number:** 18-47798  
**Issue Number:** 2  
**Report Date:** 5 October 2018

Reason for re-issuing report: Edited invoice to split job. SR

**Site:** 180927-86  
**PO Number:** Not Supplied  
**Date Samples Received:** 27/09/2018

For inspection purposes only.  
Consent of copyright owner required for any other use.

Please find attached the results for the samples received at our laboratory on 27/09/2018.

Should you have any queries regarding the report or require any further services, we would be happy to discuss your requirements. For additional information about the company please log-on to our website at the above address.

Thank you for choosing City Analysts Limited. We look forward to assisting you again.

**Authorised By:**



Shane Reynolds  
Laboratory Manager

**Authorised Date:** 2 October 2018

**Notes:**

Results relate only to the items tested.  
Information on methods of analysis and performance characteristics is available on request.  
Any opinions or interpretations indicated are outside the scope of our INAB accreditation.  
This test report shall not be reproduced except in full or with written approval of City Analysts Limited.

## Certificate Of Analysis

### Customer

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47798

**Report Version:** 2

**Site:** 180927-86

**Sample Description:** Cartron GW1

**Date of Sampling:** 27/09/2018

**Sample Type:** Ground

**Date Sample Received:** 27/09/2018

**Lab Reference Number:** 412662

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/09/2018	Coliforms	920.8	MPN/100ml	-

For inspection purposes only.  
Consent of copyright owner required for any other use.

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

## Certificate Of Analysis

### Customer

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47798

**Report Version:** 2

**Site:** 180927-86  
**Sample Description:** Cartron GW2  
**Sample Type:** Ground  
**Lab Reference Number:** 412663

**Date of Sampling:** 27/09/2018

**Date Sample Received:** 27/09/2018

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/09/2018	Coliforms	1610.0	MPN/100ml	-

For inspection purposes only.  
Consent of copyright owner required for any other use.

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon



## Certificate Of Analysis

### Customer

Customer Services  
ALS Environmental Ltd  
Hawarden Business Park  
Manor Land  
Hawarden, Deeside  
UK  
CH5 3US

**Report Reference:** 18-47798

**Report Version:** 2

**Site:** 180927-86

**Sample Description:** Cartron GW3

**Date of Sampling:** 27/09/2018

**Sample Type:** Ground

**Date Sample Received:** 27/09/2018

**Lab Reference Number:** 412664

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/09/2018	Coliforms	2180.0	MPN/100ml	-

For inspection purposes only.  
Consent of copyright owner required for any other use.

# = INAB Accredited, U = UKAS Accredited, \* = Subcontracted

**Note:**

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon



# CERTIFICATE OF ANALYSIS

<b>SDG:</b> 180927-86	<b>Client Reference:</b> P1444	<b>Report Number:</b> 475903
<b>Location:</b> Cartron Big	<b>Order Number:</b> Z1162	<b>Superseded Report:</b>

## Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

## General

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

## Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
	<b>Deviation from method</b>
	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

## Asbestos

### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Astestost Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**