




**FEHILY  
TIMONEY**

**CONSULTANTS IN ENGINEERING,  
ENVIRONMENTAL SCIENCE & PLANNING**

# **APPENDIX 4**

**Groundwater & Surface  
Water Sampling Analysis  
Results**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*





Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
3rd Floor  
North Park Offices  
North Park Business Park  
North Road  
Dublin  
Dublin 11

**Attention:** Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date of report Generation:** 29 July 2019  
**Customer:** Fehily Timoney  
**Sample Delivery Group (SDG):** 190719-100  
**Your Reference:** P1766 North Kerry  
**Location:** North Kerry Landfills  
**Report No:** 515983

We received 3 samples on Friday July 19, 2019 and 3 of these samples were scheduled for analysis which was completed on Monday July 29, 2019. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

SDG: 190719-100  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number:

Report Number: 515983  
Superseded Report:

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
20365959	BH-01 Ahascra		0.00 - 0.00	16/07/2019
20365981	BH-02 Ahascra		0.00 - 0.00	16/07/2019
20365936	BH-01 Leanamore		0.00 - 0.00	16/07/2019

### Maximum Sample/Coolbox Temperature (°C) :

13.8

#### ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

*For inspection purposes only.  
Consent of copyright owner required for any other use.*



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

Results Legend	Lab Sample No(s)												20365991		20365996				
	Customer Sample Reference												BH-01 Anasca		BH-02 Anasca				
													0.00 - 0.00		0.00 - 0.00				
AGS Reference												0.00 - 0.00		0.00 - 0.00					
		Depth (m)												0.00 - 0.00		0.00 - 0.00			
Container														Vial (ALE297)		Vial (ALE297)			
		Sample Type												GW		GW			
														GW		GW			
Acid Herbicides by GCMS	All	NDPs: 0 Tests: 3	X									X							
Alkalinity as CaCO3	All	NDPs: 0 Tests: 3		X								X							
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 3				X						X							
Anions by Kone (w)	All	NDPs: 0 Tests: 3		X								X							
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 3		X								X							
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 3							X				X						X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 3				X						X							X
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 3		X								X							X
Fluoride	All	NDPs: 0 Tests: 3		X								X							X
Mercury Dissolved	All	NDPs: 0 Tests: 3				X						X							X
Mineral Oil C10-40 Aqueous (W)	All	NDPs: 0 Tests: 3	X									X							X
PCB Congeners - Aqueous (W)	All	NDPs: 0 Tests: 3	X									X							X
Pesticides (Suite I) by GCMS	All	NDPs: 0 Tests: 3	X									X							X
Pesticides (Suite II) by GCMS	All	NDPs: 0 Tests: 3	X									X							X
Pesticides (Suite III) by GCMS	All	NDPs: 0 Tests: 3	X									X							X



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

**Results Legend**

- X Test
- N No Determination Possible

**Sample Types -**

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container												Sample Type
					Vial (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	Vial (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	
	20365936	BH-01 Leanamore		0.00 - 0.00	Vial (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	Vial (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	GW
	20365981	BH-02 Athasca		0.00 - 0.00	Vial (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	Vial (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	GW
	20365959	BH-01 Athasca		0.00 - 0.00	Vial (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	Vial (ALE297)	NaOH (ALE245)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	GW
pH Value	All	NDPs: 0 Tests: 3							X								X
Phosphate by Kone (w)	All	NDPs: 0 Tests: 3							X								X
SVOC MS (W) - Aqueous	All	NDPs: 0 Tests: 3							X								X
Total Dissolved Solids	All	NDPs: 0 Tests: 3							X								X
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 3						X						X			X
VOC MS (W)	All	NDPs: 0 Tests: 3									X						X

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

Results Legend		Customer Sample Ref.	BH-01 Ahasra	BH-02 Ahasra	BH-01 Leanamore		
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*5@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Alkalinity, Total as CaCO3	<2 mg/l	TM043	471 #	350 #	2050 #		
Oxygen, dissolved	<0.3 mg/l	TM046	5.59	8.57	8.69		
Organic Carbon, Total	<3 mg/l	TM090	3.44 #	4.64 @ #	14.9 @ #		
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	2.43 #	1.89 #	<0.2 #		
Fluoride	<0.5 mg/l	TM104	<0.5 #	<0.5 #	<0.5 #		
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.516 #	0.652 #	0.778 #		
Dissolved solids, Total (meter)	<5 mg/l	TM123	442 #	500 #	729 #		
Arsenic (diss.filt)	<0.5 µg/l	TM152	39.2 #	14.4 #	3.06 #		
Barium (diss.filt)	<0.2 µg/l	TM152	29 #	53.3 #	39.6 #		
Boron (diss.filt)	<10 µg/l	TM152	23.6 #	11.7 #	20.9 #		
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08 #	<0.08 #	<0.08 #		
Chromium (diss.filt)	<1 µg/l	TM152	<1 #	<1 #	<1 #		
Copper (diss.filt)	<0.3 µg/l	TM152	<0.3 #	<0.3 #	1.47 #		
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2 #	0.241 #	0.361 #		
Manganese (diss.filt)	<3 µg/l	TM152	341 #	280 #	2930 #		
Nickel (diss.filt)	<0.4 µg/l	TM152	1.32 #	1.36 #	4.73 #		
Phosphorus (diss.filt)	<10 µg/l	TM152	<10 #	<10 #	<10 #		
Selenium (diss.filt)	<1 µg/l	TM152	<1 #	<1 #	<1 #		
Thallium (diss.filt)	<2 µg/l	TM152	<2 #	<2 #	<2 #		
Zinc (diss.filt)	<1 µg/l	TM152	2.07 #	3.88 #	4.39 #		
Sodium (Dis.Filt)	<0.076 mg/l	TM152	35.9 #	31.2 #	42.7 #		
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	9.06 #	10.8 #	16.8 #		
Potassium (Dis.Filt)	<0.2 mg/l	TM152	2.52 #	2.12 #	2.65 #		
Calcium (Dis.Filt)	<0.2 mg/l	TM152	87.7 #	109 #	166 #		
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.798 #	2.23 #	0.0719 #		
Mineral oil >C10 C40 (aq)	<100 µg/l	TM172	251	<100	<100		
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01 #	<0.01 #	<0.01 #		
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	<0.05 #	<0.05 #	<0.05 #		
Chloride	<2 mg/l	TM184	44.1 #	35.7 #	48.6 #		
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	<0.1 #	<0.1 #	<0.1 #		
Sulphate (soluble) as S	<1 mg/l	TM184	<1 #	<1 #	<1 #		
PCB congener 28	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 52	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

Results Legend		Customer Sample Ref.	BH-01 Ahasra	BH-02 Ahasra	BH-01 Leanamore		
#	ISO17025 accredited.	<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sample Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
aq	Aqueous / settled sample.		16/07/2019	16/07/2019	16/07/2019		
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*5@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
PCB congener 101	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 118	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 138	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 153	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 180	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
Sum of detected EC7 PCB's	<0.105 µg/l	TM197	<0.105	<0.105	<0.105		
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05		
pH	<1 pH Units	TM256	8.17	7.57	7.83		
Trifluralin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
alpha-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
gamma-HCH (Lindane)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Heptachlor	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Aldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
beta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Isodrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
delta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Heptachlor epoxide	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endosulphan I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
trans-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
cis-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
p,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Dieldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-DDT	<0.01 µg/l	TM343	<0.05	<0.05	<0.05		
p,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endosulphan II	<0.02 µg/l	TM343	<0.02	<0.02	<0.02		
p,p'-DDT	<0.01 µg/l	TM343	<0.05	<0.05	<0.05		
o,p'-Methoxychlor	<0.01 µg/l	TM343	<0.05	<0.05	<0.05		
p,p'-Methoxychlor	<0.01 µg/l	TM343	<0.05	<0.05	<0.05		
Endosulphan Sulphate	<0.02 µg/l	TM343	<0.04	<0.04	<0.04		

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

Results Legend		Customer Sample Ref.	BH-01 Ahascra	BH-02 Ahascra	BH-01 Leanamore		
#	ISO17025 accredited.	<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sample Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
aq	Aqueous / settled sample.		16/07/2019	16/07/2019	16/07/2019		
diss.filt	Dissolved / filtered sample.		.	.	.		
tot.unfilt	Total / unfiltered sample.		19/07/2019	19/07/2019	19/07/2019		
*	Subcontracted - refer to subcontractor report for accreditation status.		190719-100	190719-100	190719-100		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		20365959	20365981	20365936		
(F)	Trigger breach confirmed						
1-3*5@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
Permethrin I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Permethrin II	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344	<0.02	<0.02	<0.02		
Hexachlorobutadiene	<0.01 µg/l	TM344	<0.02	<0.02	<0.02		
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344	<0.02	<0.02	<0.02		
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344	<0.02	<0.02	<0.02		
Dichlorvos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Dichlobenil	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Mevinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Tecnazene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Hexachlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Demeton-S-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Phorate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Diazinon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Triallate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Atrazine	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Simazine	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Disulfoton	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Propetamphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Chlorpyrifos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Dimethoate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Pirimiphos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Chlorpyrifos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Methyl Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Malathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Fenthion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Fenitrothion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Triadimefon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Pendimethalin	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Chlorfenvinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
trans-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		

For inspection purposes only. Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

<b>Results Legend</b> # ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed. 1-3*5@ Sample deviation (see appendix)		<b>Customer Sample Ref.</b>  Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	BH-01 Ahasra	BH-02 Ahasra	BH-01 Leanamore		
<b>Component</b>	<b>LOD/Units</b>	<b>Method</b>					
cis-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Ethion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Carbophenothion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Triazophos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Phosalone	<0.01 µg/l	TM344	<0.01	<0.01	<0.01		
Azinphos methyl	<0.02 µg/l	TM344	<0.02	<0.02	<0.02		
Azinphos ethyl	<0.02 µg/l	TM344	<0.02	<0.02	<0.02		
Etridiazole	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Pentachlorobenzene	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Tributylphosphate	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Propachlor	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Quintozene (PCNB)	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Omethoate	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Propazine	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Propyzamide	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Alachlor	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Prometryn	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Telodrin	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Terbutryn	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Chlorothalonil	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Etrimphos	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Metazachlor	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Cyanazine	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Trietazine	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Coumaphos	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Phosphamidon I	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Phosphamidon II	<0.01 µg/l	TM345	<0.01	<0.01	<0.01		
Dinitro-o-cresol	<0.1 µg/l	TM411	0.137	<0.5	<0.1		
Clopyralid	<0.04 µg/l	TM411	<0.04	<0.2	<0.04		
MCPA	<0.05 µg/l	TM411	<0.05	<0.25	<0.05		
Mecoprop	<0.04 µg/l	TM411	<0.04	<0.2	0.0472		
Dicamba	<0.04 µg/l	TM411	<0.04	<0.2	<0.04		

For inspection purposes only. Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	BH-01 Ahasra	BH-02 Ahasra	BH-01 Leanamore		
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*§@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2-Chlorophenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2-Methylphenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2-Nitroaniline (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
2-Nitrophenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
3-Nitroaniline (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
4-Chloroaniline (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
4-Methylphenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
4-Nitroaniline (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
4-Nitrophenol (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
Azobenzene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
Acenaphthylene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
Acenaphthene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
Anthracene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<20 #	<40 #	<2 #		
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<10 #	<20 #	<1 #		



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	BH-01 Ahasra	BH-02 Ahasra	BH-01 Leanamore		
#	ISO17025 accredited.	<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sample Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
aq	Aqueous / settled sample.		16/07/2019	16/07/2019	16/07/2019		
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*5@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Benzo(a)pyrene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Carbazole (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Chrysene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Dibenzofuran (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Diethyl phthalate (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Dimethyl phthalate (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	<50	<100	<5	#	#
Fluoranthene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Fluorene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Hexachlorobenzene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Hexachlorobutadiene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Pentachlorophenol (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Phenol (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Hexachloroethane (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Nitrobenzene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Naphthalene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Isophorone (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Phenanthrene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#
Pyrene (aq)	<1 µg/l	TM176	<10	<20	<1	#	#

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

## VOC MS (W)

Results Legend		Customer Sample Ref.	BH-01 Ahasra	BH-02 Ahasra	BH-01 Leanamore		
#	ISO17025 accredited.						
M	mCERTS accredited.						
sq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*§@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Dibromofluoromethane**	%	TM208	112	114	110		
Toluene-d8**	%	TM208	98.9	97.8	97.3		
4-Bromofluorobenzene**	%	TM208	95.2	96.7	96.3		
Dichlorodifluoromethane	<1 µg/l	TM208	<1	<1	<1		
Chloromethane	<1 µg/l	TM208	<1	<1	<1		
Vinyl chloride	<1 µg/l	TM208	<1	<1	<1		
Bromomethane	<1 µg/l	TM208	<1	<1	<1		
Chloroethane	<1 µg/l	TM208	<1	<1	<1		
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1	<1		
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1	<1		
Carbon disulphide	<1 µg/l	TM208	<1	<1	<1		
Dichloromethane	<3 µg/l	TM208	<3	<3	<3		
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1	<1		
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1		
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1	<1		
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1		
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1		
Bromochloromethane	<1 µg/l	TM208	<1	<1	<1		
Chloroform	<1 µg/l	TM208	<1	<1	<1		
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	<1	<1		
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1	<1		
Carbontetrachloride	<1 µg/l	TM208	<1	<1	<1		
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1	<1		
Benzene	<1 µg/l	TM208	<1	<1	<1		
Trichloroethene	<1 µg/l	TM208	<1	<1	<1		
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1		
Dibromomethane	<1 µg/l	TM208	<1	<1	<1		
Bromodichloromethane	<1 µg/l	TM208	<1	<1	<1		
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1		
Toluene	<1 µg/l	TM208	<1	<1	<1		
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1		
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	<1	<1		
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1	<1		

Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

**VOC MS (W)**

<b>Results Legend</b> # ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed. 1-3*5@ Sample deviation (see appendix)		<b>Customer Sample Ref.</b>  Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	BH-01 Ahasra	BH-02 Ahasra	BH-01 Leanamore		
<b>Component</b>	<b>LOD/Units</b>	<b>Method</b>					
Tetrachloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Dibromochloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,2-Dibromoethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Chlorobenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Ethylbenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
m,p-Xylene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
o-Xylene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Styrene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Bromoform	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Isopropylbenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,2,3-Trichloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Bromobenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Propylbenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
2-Chlorotoluene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
4-Chlorotoluene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
tert-Butylbenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
sec-Butylbenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
4-iso-Propyltoluene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,3-Dichlorobenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,4-Dichlorobenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
n-Butylbenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,2-Dichlorobenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Hexachlorobutadiene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1 #	<1 #	<1 #		
Naphthalene	<1 µg/l	TM208	<1 #	<1 #	<1 #		
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1 #	<1 #	<1 #		

For inspection purposes only.  
 Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

SDG: 190719-100 Client Reference: P1766 North Kerry Report Number: 515983  
 Location: North Kerry Landfills Order Number: Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM123	BS 2690: Part 121:1981	The Determination of Total Dissolved Solids in Water
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002. (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM197	Modified: US EPA Method 8082.EA Method 174 and 5109631	Determination of WHO12 and EC7 Polychlorinated Biphenyl Congeners by GC-MS in Waters
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS
TM411	Acid_Herbs_GCMS	Acid Herbs in Water by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

For inspection purposes only  
Consent of copyright holder required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-100  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:**

**Report Number:** 515983  
**Superseded Report:**

## Test Completion Dates

Lab Sample No(s)	20365959	20365981	20365936
Customer Sample Ref.	BH-01 Ahascra	BH-02 Ahascra	BH-01 Leanamore
AGS Ref.			
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water

Acid Herbicides by GCMS	24-Jul-2019	24-Jul-2019	25-Jul-2019
Alkalinity as CaCO3	26-Jul-2019	24-Jul-2019	26-Jul-2019
Ammoniacal Nitrogen	23-Jul-2019	23-Jul-2019	23-Jul-2019
Anions by Kone (w)	26-Jul-2019	25-Jul-2019	26-Jul-2019
Conductivity (at 20 deg.C)	26-Jul-2019	26-Jul-2019	24-Jul-2019
Cyanide Comp/Free/Total/Thiocyanate	24-Jul-2019	24-Jul-2019	24-Jul-2019
Dissolved Metals by ICP-MS	26-Jul-2019	26-Jul-2019	26-Jul-2019
Dissolved Oxygen by Probe	20-Jul-2019	21-Jul-2019	21-Jul-2019
Fluoride	23-Jul-2019	22-Jul-2019	23-Jul-2019
Mercury Dissolved	23-Jul-2019	23-Jul-2019	23-Jul-2019
Mineral Oil C10-40 Aqueous (W)	26-Jul-2019	26-Jul-2019	26-Jul-2019
PCB Congeners - Aqueous (W)	25-Jul-2019	25-Jul-2019	25-Jul-2019
Pesticides (Suite I) by GCMS	26-Jul-2019	26-Jul-2019	26-Jul-2019
Pesticides (Suite II) by GCMS	24-Jul-2019	24-Jul-2019	24-Jul-2019
Pesticides (Suite III) by GCMS	23-Jul-2019	29-Jul-2019	23-Jul-2019
pH Value	24-Jul-2019	24-Jul-2019	24-Jul-2019
Phosphate by Kone (w)	22-Jul-2019	20-Jul-2019	22-Jul-2019
SVOC MS (W) - Aqueous	26-Jul-2019	26-Jul-2019	25-Jul-2019
Total Dissolved Solids	23-Jul-2019	23-Jul-2019	23-Jul-2019
Total Organic and Inorganic Carbon	23-Jul-2019	24-Jul-2019	26-Jul-2019
VOC MS (W)	23-Jul-2019	23-Jul-2019	23-Jul-2019

For inspection purposes only.  
 Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

SDG: 190719-100 Client Reference: P1766 North Kerry Report Number: 515983  
 Location: North Kerry Landfills Order Number: Superseded Report:

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

### 18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

### 19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

#### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

#### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

#### Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2107)*.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.



Unit 7-8 Hawarden Business Park  
 Manor Road (off Manor Lane)  
 Hawarden  
 Deeside  
 CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
 3rd Floor  
 North Park Offices  
 North Park Business Park  
 North Road  
 Dublin  
 Dublin 11

Attention: Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date of report Generation:** 20 September 2019  
**Customer:** Fehily Timoney  
**Sample Delivery Group (SDG):** 190906-103  
**Your Reference:** P1766 North Kerry  
**Location:** North Kerry Landfills  
**Report No:** 522224

We received 5 samples on Friday September 06, 2019 and 5 of these samples were scheduled for analysis which was completed on Friday September 20, 2019. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-103	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522224
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
20668536	BH01 Ahascra		0.00 - 0.00	03/09/2019
20668587	BH02 Ahascra		0.00 - 0.00	03/09/2019
20668626	BH01 Ardfert		0.00 - 0.00	03/09/2019
20668654	BH01 Listowel		0.00 - 0.00	03/09/2019
20668689	BH02 Listowel		0.00 - 0.00	03/09/2019

### Maximum Sample/Coolbox Temperature (°C) :

**16.2**

#### ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*







# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-103	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522224
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

Results Legend	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></div> <span>Test</span> </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: red; color: white; border: 1px solid black; margin-right: 5px; display: flex; align-items: center; justify-content: center;">N</div> <span>No Determination Possible</span> </div> </div> <p>Sample Types -</p> <ul style="list-style-type: none"> <li>S - Soil/Solid</li> <li>UNS - Unspecified Solid</li> <li>GW - Ground Water</li> <li>SW - Surface Water</li> <li>LE - Land Leachate</li> <li>PL - Prepared Leachate</li> <li>PR - Process Water</li> <li>SA - Saline Water</li> <li>TE - Trade Effluent</li> <li>TS - Treated Sewage</li> <li>US - Untreated Sewage</li> <li>RE - Recreational Water</li> <li>DW - Drinking Water Non-regulatory</li> <li>UNL - Unspecified Liquid</li> <li>SL - Sludge</li> <li>G - Gas</li> <li>OTH - Other</li> </ul>	20668536	BH01 Ahascra		0.00 - 0.00	0.5l glass bottle (ALE227) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227) H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245)
	20668587	BH02 Ahascra		0.00 - 0.00	0.5l glass bottle (ALE227) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227) H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245)	GW
	20668626	BH01 Ardert		0.00 - 0.00	0.5l glass bottle (ALE227) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227) H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245)	GW
	20668654	BH01 Listowel		0.00 - 0.00	0.5l glass bottle (ALE227) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227) H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245)	GW

pH Value	All	NDPs: 0 Tests: 5	X	X	X	X
Phosphate by Kone (w)	All	NDPs: 0 Tests: 5	X	X	X	X
SVOC MS (W) - Aqueous	All	NDPs: 0 Tests: 5	X	X	X	X
Total Dissolved Solids	All	NDPs: 0 Tests: 5	X	X	X	X
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 5	X	X	X	X
VOC MS (W)	All	NDPs: 0 Tests: 5	X	X	X	X

For inspection purposes only. Consent of copyright owner required for any other use.









# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-103	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522224
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

Results Legend		Customer Sample Ref.	BH01 Ahascra	BH02 Ahascra	BH01 Ardfert	BH01 Listowel	BH02 Listowel	
#	ISO17025 accredited.	<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sample Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	
aq	Aqueous / settled sample.		03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019	
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.		06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019	
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		190906-103	190906-103	190906-103	190906-103	190906-103	
(F)	Trigger breach confirmed		20668536	20668587	20668626	20668654	20668689	
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
PCB congener 101	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.03	
PCB congener 118	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.03	
PCB congener 138	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.03	
PCB congener 153	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.03	
PCB congener 180	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.03	
Sum of detected EC7 PCB's	<0.105 µg/l	TM197	<0.105	<0.105	<0.105	<0.105	<0.21	
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05	
pH	<1 pH Units	TM256	7.99	7.67	7.64	7.67	7.93	
Trifluralin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
alpha-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
gamma-HCH (Lindane)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
Heptachlor	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
Aldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
beta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
Isodrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
delta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
Heptachlor epoxide	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
o,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
Endosulphan I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
trans-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
cis-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
p,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
Dieldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
o,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
Endrin	<0.01 µg/l	TM343	<0.02	<0.02	<0.01	<0.02	<0.02	
o,p'-DDT	<0.01 µg/l	TM343	<0.01	<0.03	<0.01	<0.02	<0.01	
p,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
Endosulphan II	<0.02 µg/l	TM343	<0.02	<0.02	<0.02	<0.02	<0.02	
p,p'-DDT	<0.01 µg/l	TM343	<0.01	<0.03	<0.01	<0.02	<0.01	
o,p'-Methoxychlor	<0.01 µg/l	TM343	<0.01	<0.03	<0.01	<0.02	<0.01	
p,p'-Methoxychlor	<0.01 µg/l	TM343	<0.01	<0.04	<0.01	<0.02	<0.01	
Endosulphan Sulphate	<0.02 µg/l	TM343	<0.06	<0.06	<0.02	<0.04	<0.06	

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-103	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522224
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

Results Legend		Customer Sample Ref.	BH01 Ahascra	BH02 Ahascra	BH01 Ardfert	BH01 Listowel	BH02 Listowel	
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Sample Type	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	
(F)	Trigger breach confirmed	Date Sampled	03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019	
1-3*5@	Sample deviation (see appendix)	Sample Time	-	-	-	-	-	
		Date Received	06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019	
		SDG Ref	190906-103	190906-103	190906-103	190906-103	190906-103	
		Lab Sample No.(s)	20668536	20668587	20668626	20668654	20668689	
		AGS Reference						
Component	LOD/Units	Method						
Permethrin I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
Permethrin II	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Hexachlorobutadiene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Dichlorvos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Dichlobenil	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Mevinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Tecnazene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Hexachlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Demeton-S-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Phorate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Diazinon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Triallate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Atrazine	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Simazine	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Disulfoton	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Propetamphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Chlorpyrifos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Dimethoate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Pirimiphos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Chlorpyrifos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Methyl Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Malathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Fenthion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Fenitrothion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Triadimefon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Pendimethalin	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Chlorfenvinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
trans-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-103	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522224
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

Results Legend		Customer Sample Ref.	BH01 Ahascra	BH02 Ahascra	BH01 Ardfert	BH01 Listowel	BH02 Listowel	
#	ISO17025 accredited.	<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sample Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	
aq	Aqueous / settled sample.		03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019	
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.		06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019	
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		190906-103	190906-103	190906-103	190906-103	190906-103	
(F)	Trigger breach confirmed		20668536	20668587	20668626	20668654	20668689	
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
cis-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Ethion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Carbophenothion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Triazophos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Phosalone	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	
Azinphos methyl	<0.02 µg/l	TM344	<0.02	<0.02	<0.02	<0.02	<0.02	
Azinphos ethyl	<0.02 µg/l	TM344	<0.02	<0.02	<0.02	<0.02	<0.02	
Etridiazole	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Pentachlorobenzene	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Propachlor	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Quintozene (PCNB)	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Omethoate	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Propazine	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Propyzamide	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Alachlor	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Prometryn	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Telodrin	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Terbutryn	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Chlorothalonil	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Etrimphos	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Metazachlor	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Cyanazine	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Trietazine	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Coumaphos	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Phosphamidon I	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Phosphamidon II	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	
Dinitro-o-cresol	<0.1 µg/l	TM411	<10	0.43	1.07	<0.5	<1	
Clopyralid	<0.04 µg/l	TM411	<4	<0.04	<0.04	<0.2	<0.4	
MCPA	<0.05 µg/l	TM411	<5	<0.05	<0.05	<0.25	<0.5	
Mecoprop	<0.04 µg/l	TM411	<4	<0.04	<0.04	<0.2	<0.4	
Dicamba	<0.04 µg/l	TM411	<4	<0.04	<0.04	<0.2	<0.4	
MCPB	<0.05 µg/l	TM411	<5	<0.05	<0.05	<0.25	<0.5	

For inspection purposes only. Consent of copyright owner required for any other use.







# CERTIFICATE OF ANALYSIS

Validated

SDG: 190906-103  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 522224  
Superseded Report:

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	BH01 Ahascra	BH02 Ahascra	BH01 Ardfert	BH01 Listowel	BH02 Listowel
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)
aq	Aqueous / settled sample.		03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.		06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		190906-103	190906-103	190906-103	190906-103	190906-103
(F)	Trigger breach confirmed		20668536	20668587	20668626	20668654	20668689
1-3*5@	Sample deviation (see appendix)						
Component	LOD/Units		Method				
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Benzo(a)pyrene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Carbazole (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Chrysene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Dibenzofuran (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Diethyl phthalate (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Dimethyl phthalate (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	<200 @ #	<100 @ #	<5 @ #	<10 @ #	<100 @ #
Fluoranthene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Fluorene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Hexachlorobenzene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Hexachlorobutadiene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Pentachlorophenol (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Phenol (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Hexachloroethane (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Nitrobenzene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Naphthalene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Isophorone (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Phenanthrene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #
Pyrene (aq)	<1 µg/l	TM176	<40 @ #	<20 @ #	<1 @ #	<2 @ #	<20 @ #

Consent for inspection purposes only. Copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	190906-103	<b>Client Reference:</b>	P1766 North Kerry	<b>Report Number:</b>	522224
<b>Location:</b>	North Kerry Landfills	<b>Order Number:</b>	Z1658	<b>Superseded Report:</b>	

## VOC MS (W)

Results Legend			Customer Sample Ref.	BH01 Ahascra	BH02 Ahascra	BH01 Ardferd	BH01 Listowel	BH02 Listowel	
# ISO17025 accredited.									
M mCERTS accredited.									
sq Aqueous / settled sample.									
dis.filt Dissolved / filtered sample.									
tot.unfilt Total / unfiltered sample.									
* Subcontracted - refer to subcontractor report for accreditation status.									
** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery									
(F) Trigger breach confirmed									
1-3* Sample deviation (see appendix)									
			Depth (m)						
			Sample Type						
			Date Sampled						
			Sample Time						
			Date Received						
			SDG Ref						
			Lab Sample No.(s)						
			AGS Reference						
Component	LOD/Units	Method							
Dibromofluoromethane**	%	TM208	106	118	103	106	106		
Toluene-d8**	%	TM208	99.6	99.8	99.8	100	99.8		
4-Bromofluorobenzene**	%	TM208	96.8	99.7	98.8	98.2	96.1		
Dichlorodifluoromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Chloromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Vinyl chloride	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Bromomethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Chloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Carbon disulphide	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Dichloromethane	<3 µg/l	TM208	<3	<3	<3	<3	<3		
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1	<1	<1	<1		
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1		
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1		
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Bromochloromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Chloroform	<1 µg/l	TM208	<1	<1	<1	<1	<1		
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Carbontetrachloride	<1 µg/l	TM208	<1	<1	<1	<1	<1		
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Benzene	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Trichloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1		
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Dibromomethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Bromodichloromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1	<1	<1		
Toluene	<1 µg/l	TM208	<1	<1	<1	<1	<1		
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1	<1	<1		
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1		
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1		

Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	190906-103	<b>Client Reference:</b>	P1766 North Kerry	<b>Report Number:</b>	522224
<b>Location:</b>	North Kerry Landfills	<b>Order Number:</b>	Z1658	<b>Superseded Report:</b>	

## VOC MS (W)

Results Legend		Customer Sample Ref.	BH01 Ahascra	BH02 Ahascra	BH01 Ardferd	BH01 Listowel	BH02 Listowel	
#	ISO17025 accredited.	<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sample Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	
M	mCERTS accredited.		Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	
aq	Aqueous / settled sample.		03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019	
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.		06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019	
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		190906-103	190906-103	190906-103	190906-103	190906-103	
(F)	Trigger breach confirmed		20668536	20668587	20668626	20668654	20668689	
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Chlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Ethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
m,p-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
o-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Styrene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Bromoform	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Isopropylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Bromobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Propylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
n-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	<1	<1	<1	
Naphthalene	<1 µg/l	TM208	<1	<1	<1	1.29	<1	
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	

Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

SDG: 190906-103 Client Reference: P1766 North Kerry Report Number: 522224  
Location: North Kerry Landfills Order Number: Z1658 Superseded Report:

## Notification of NDPs (No determination possible)

Date Received : 06/09/2019 14:28:26

Sample No	Customer Sample Ref.	Depth (m)	Test	Comment
20668689	BH02 Listowel	0.00 - 0.00	Mercury Dissolved	Insufficient Sample

*For inspection purposes only.  
Consent of copyright owner required for any other use.*



# CERTIFICATE OF ANALYSIS

Validated

SDG: 190906-103 Client Reference: P1766 North Kerry Report Number: 522224  
 Location: North Kerry Landfills Order Number: Z1658 Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM123	BS 2690: Part 121:1981	The Determination of Total Dissolved Solids in Water
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002. (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM197	Modified: US EPA Method 8082.EA Method 174 and 5109631	Determination of WHO12 and EC7 Polychlorinated Biphenyl Congeners by GC-MS in Waters
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS
TM411	Acid_Herbs_GCMS	Acid Herbs in Water by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

For inspection purposes only  
Consent of copyright holder required for any other use.



**CERTIFICATE OF ANALYSIS**

Validated

**SDG:** 190906-103  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:** Z1658

**Report Number:** 522224  
**Superseded Report:**

**Test Completion Dates**

Lab Sample No(s)	20668536	20668587	20668626	20668654	20668689
Customer Sample Ref.	BH01 Ahascra	BH02 Ahascra	BH01 Ardferit	BH01 Listowel	BH02 Listowel
AGS Ref.					
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water

Acid Herbicides by GCMS	13-Sep-2019	11-Sep-2019	12-Sep-2019	13-Sep-2019	17-Sep-2019
Alkalinity as CaCO3	13-Sep-2019	13-Sep-2019	13-Sep-2019	15-Sep-2019	15-Sep-2019
Ammoniacal Nitrogen	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019
Anions by Kone (w)	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019
Conductivity (at 20 deg.C)	11-Sep-2019	11-Sep-2019	11-Sep-2019	10-Sep-2019	11-Sep-2019
Cyanide Comp/Free/Total/Thiocyanate	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019
Dissolved Metals by ICP-MS	18-Sep-2019	18-Sep-2019	18-Sep-2019	16-Sep-2019	16-Sep-2019
Dissolved Oxygen by Probe	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019
Fluoride	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019
Mercury Dissolved	10-Sep-2019	09-Sep-2019	10-Sep-2019	09-Sep-2019	
Mineral Oil C10-40 Aqueous (W)	16-Sep-2019	16-Sep-2019	10-Sep-2019	16-Sep-2019	16-Sep-2019
PCB Congeners - Aqueous (W)	16-Sep-2019	16-Sep-2019	11-Sep-2019	16-Sep-2019	16-Sep-2019
Pesticides (Suite I) by GCMS	11-Sep-2019	11-Sep-2019	13-Sep-2019	11-Sep-2019	11-Sep-2019
Pesticides (Suite II) by GCMS	11-Sep-2019	11-Sep-2019	13-Sep-2019	13-Sep-2019	11-Sep-2019
Pesticides (Suite III) by GCMS	10-Sep-2019	10-Sep-2019	12-Sep-2019	10-Sep-2019	10-Sep-2019
pH Value	12-Sep-2019	12-Sep-2019	12-Sep-2019	13-Sep-2019	13-Sep-2019
Phosphate by Kone (w)	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019
SVOC MS (W) - Aqueous	19-Sep-2019	19-Sep-2019	19-Sep-2019	20-Sep-2019	19-Sep-2019
Total Dissolved Solids	11-Sep-2019	10-Sep-2019	11-Sep-2019	11-Sep-2019	11-Sep-2019
Total Organic and Inorganic Carbon	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019
VOC MS (W)	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019

For inspection purposes only.  
 Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

SDG: 190906-103 Client Reference: P1766 North Kerry Report Number: 522224  
 Location: North Kerry Landfills Order Number: Z1658 Superseded Report:

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

### 18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

### 19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

#### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

#### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

#### Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2107)*.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.



Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
3rd Floor  
North Park Offices  
North Park Business Park  
North Road  
Dublin  
Dublin 11

**Attention:** Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date of report Generation:** 31 July 2019  
**Customer:** Fehily Timoney  
**Sample Delivery Group (SDG):** 190719-99  
**Your Reference:** P1766 North Kerry  
**Location:** North Kerry Landfills  
**Report No:** 516269

**This report has been revised and directly supersedes 515690 in its entirety.**

We received 6 samples on Friday July 19, 2019 and 6 of these samples were scheduled for analysis which was completed on Wednesday July 31, 2019. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190719-99	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 516269
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b> 515690

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
20365870	SW-01 Ahascra		0.00 - 0.00	16/07/2019
20365883	SW-02 Ahascra		0.00 - 0.00	16/07/2019
20365911	SW-01 Ardfert		0.00 - 0.00	16/07/2019
20365921	SW-02 Ardfert		0.00 - 0.00	16/07/2019
20365892	SW-01 Leanamore		0.00 - 0.00	16/07/2019
20365901	SW-02 Leanamore		0.00 - 0.00	16/07/2019

### Maximum Sample/Coolbox Temperature (°C) :

**13.8**

#### ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 190719-99  
**Location:** North Kerry Landfills

**Client Reference:** P1766 North Kerry  
**Order Number:** Z1658

**Report Number:** 516269  
**Superseded Report:** 515690

**Results Legend**

- X Test
- N No Determination Possible

**Sample Types -**

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
20365870	SW-01 Anasra		0.00 - 0.00	HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227)	SW
20365883	SW-02 Anasra		0.00 - 0.00	NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227)	SW
20365911	SW-01 Ardfer		0.00 - 0.00	NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227)	SW
20365921	SW-02 Ardfer		0.00 - 0.00	HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227)	SW

Parameter	All	NDPs: 0 Tests: 6	SW	SW	SW	SW	SW	SW	SW
Alkalinity as CaCO3	All	NDPs: 0 Tests: 6	X		X		X		X
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 6		X		X		X	
Anions by Kone (w)	All	NDPs: 0 Tests: 6	X		X		X		X
COD Unfiltered	All	NDPs: 0 Tests: 6	X		X		X		X
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 6	X		X		X		X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 6			X		X		X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 6		X		X		X	X
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 6	X		X		X		X
Fluoride	All	NDPs: 0 Tests: 6	X		X		X		X
Mercury Dissolved	All	NDPs: 0 Tests: 6		X		X		X	X
Mineral Oil C10-40 Aqueous (W)	All	NDPs: 0 Tests: 6	X		X		X		X
PCB Congeners - Aqueous (W)	All	NDPs: 0 Tests: 6	X		X		X		X
Pesticides (Suite I) by GCMS	All	NDPs: 0 Tests: 6	X		X		X		X
Pesticides (Suite II) by GCMS	All	NDPs: 0 Tests: 6	X		X		X		X
Pesticides (Suite III) by GCMS	All	NDPs: 0 Tests: 6	X		X		X		X





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190719-99	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 516269	<b>Superseded Report:</b> 515690
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658		

Results Legend	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></div> <span>Test</span> </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: red; color: white; border: 1px solid black; margin-right: 5px; display: flex; align-items: center; justify-content: center;">N</div> <span>No Determination Possible</span> </div> </div> <p>Sample Types -</p> <ul style="list-style-type: none"> <li>S - Soil/Solid</li> <li>UNS - Unspecified Solid</li> <li>GW - Ground Water</li> <li>SW - Surface Water</li> <li>LE - Land Leachate</li> <li>PL - Prepared Leachate</li> <li>PR - Process Water</li> <li>SA - Saline Water</li> <li>TE - Trade Effluent</li> <li>TS - Treated Sewage</li> <li>US - Untreated Sewage</li> <li>RE - Recreational Water</li> <li>DW - Drinking Water Non-regulatory</li> <li>UNL - Unspecified Liquid</li> <li>SL - Sludge</li> <li>G - Gas</li> <li>OTH - Other</li> </ul>	20365870	SW-01 Athascra		0.00 - 0.00	HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227) NaOH (ALE245)
	20365883	SW-02 Athascra		0.00 - 0.00	HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227) NaOH (ALE245)	SW
	20365911	SW-01 Ardtert		0.00 - 0.00	HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227) NaOH (ALE245)	SW
	20365921	SW-02 Ardtert		0.00 - 0.00	HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227) NaOH (ALE245)	SW

pH Value	All	NDPs: 0 Tests: 6	SW	SW	SW	SW	SW	SW	SW
			X		X			X	
Phosphate by Kone (w)	All	NDPs: 0 Tests: 6	X		X			X	
Suspended Solids	All	NDPs: 0 Tests: 6	X		X			X	
SVOC MS (W) - Aqueous	All	NDPs: 0 Tests: 6	X		X			X	
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 6		X		X		X	
VOC MS (W)	All	NDPs: 0 Tests: 6	X		X			X	

For inspection purposes only. Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190719-99	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 516269	
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b> 515690	

Results Legend			Customer Sample Ref.	SW-01 Ahascra	SW-02 Ahascra	SW-01 Ardferd	SW-02 Ardferd	SW-01 Leanamore	SW-02 Leanamore
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
			Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
			Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
			Date Sampled	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019
			Sample Time						
			Date Received	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019
			SDG Ref	190719-99	190719-99	190719-99	190719-99	190719-99	190719-99
			Lab Sample No.(s)	20365870	20365883	20365911	20365921	20365892	20365901
			AGS Reference						
Component	LOD/Units	Method							
Suspended solids, Total	<2 mg/l	TM022	24	41.8	<2	3.6	30.7	17	
Alkalinity, Total as CaCO3	<2 mg/l	TM043	16	11	288	298	283	278	
Oxygen, dissolved	<0.3 mg/l	TM046	8.63	8.88	9.49	8.58	9.12	9.58	
Organic Carbon, Total	<3 mg/l	TM090	51.7	51.6	<3	<3	11.8	11.1	
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
COD, unfiltered	<7 mg/l	TM107	183	183	19.8	<7	29.7	31.1	
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.17	0.17	0.691	0.684	0.558	0.546	
Arsenic (diss.filt)	<0.5 µg/l	TM152	<0.5	0.578	<0.5	<0.5	3.82	<0.5	
Barium (diss.filt)	<0.2 µg/l	TM152	2.42	2.52	6.41	6.61	15.3	2.65	
Boron (diss.filt)	<10 µg/l	TM152	11	12.6	18.7	25.8	18.6	16.8	
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1	<1	<1	<1	<1	
Copper (diss.filt)	<0.3 µg/l	TM152	2.2	2.29	2.67	3.14	3.96	1.79	
Lead (diss.filt)	<0.2 µg/l	TM152	1.15	1.14	<0.2	<0.2	<0.2	1.07	
Manganese (diss.filt)	<3 µg/l	TM152	89.7	88.5	5.52	6.41	170	90.2	
Nickel (diss.filt)	<0.4 µg/l	TM152	1.11	1.27	1.79	2.11	3.73	0.873	
Phosphorus (diss.filt)	<10 µg/l	TM152	20.1	18.7	<10	<10	10.2	25.1	
Selenium (diss.filt)	<1 µg/l	TM152	<1	<1	1.12	1.18	<1	<1	
Thallium (diss.filt)	<2 µg/l	TM152	<2	<2	<2	<2	<2	<2	
Zinc (diss.filt)	<1 µg/l	TM152	32.4	32.2	24.6	25.6	16.8	25.8	
Sodium (Dis.Filt)	<0.076 mg/l	TM152	22.7	22.8	25.2	25.4	26.2	22.6	
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	3.96	3.93	8.76	8.91	14.5	4.1	
Potassium (Dis.Filt)	<0.2 mg/l	TM152	0.65	0.667	3.46	3.54	2.92	0.442	
Calcium (Dis.Filt)	<0.2 mg/l	TM152	7.93	7.67	126	124	88.3	8.4	
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.801	0.774	<0.019	<0.019	0.161	0.766	
Mineral oil >C10 C40 (aq)	<100 µg/l	TM172	<100	<100	<100	<100	<100	<100	
Mercury (diss.filt)	<0.01 µg/l	TM183	0.0102	<0.01	<0.01	<0.01	<0.01	<0.01	
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
Chloride	<2 mg/l	TM184	32.6	42.8	45.7	45.8	32.1	32.2	
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	<0.1	<0.1	4.84	4.89	0.386	0.36	
Sulphate (soluble) as S	<1 mg/l	TM184	<5	<5	9.33	7.9	<1	<1	
PCB congener 28	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190719-99	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 516269	
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b> 515690	

Results Legend		Customer Sample Ref.	SW-01 Ahascra	SW-02 Ahascra	SW-01 Ardferd	SW-02 Ardferd	SW-01 Leanamore	SW-02 Leanamore
#	ISO17025 accredited.	<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sample Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.		16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019
diss.filt	Dissolved / filtered sample.		.	.	.	.	.	.
tot.unfilt	Total / unfiltered sample.		19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019
*	Subcontracted - refer to subcontractor report for accreditation status.		190719-99	190719-99	190719-99	190719-99	190719-99	190719-99
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		20365870	20365883	20365911	20365921	20365892	20365901
(F)	Trigger breach confirmed							
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
PCB congener 52	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 101	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 118	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 138	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 153	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 180	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
Sum of detected EC7 PCB's	<0.105 µg/l	TM197	<0.105	<0.105	<0.105	<0.105	<0.105	<0.105
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
pH	<1 pH Units	TM256	6.29	6.39	8.09	7.99	7.86	7.86
Trifluralin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
alpha-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
gamma-HCH (Lindane)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Aldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
beta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Isodrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
delta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor epoxide	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
o,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulphan I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
trans-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
cis-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
p,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Dieldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
o,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
o,p'-DDT	<0.01 µg/l	TM343	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
p,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulphan II	<0.02 µg/l	TM343	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
p,p'-DDT	<0.01 µg/l	TM343	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
o,p'-Methoxychlor	<0.01 µg/l	TM343	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
p,p'-Methoxychlor	<0.01 µg/l	TM343	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190719-99	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 516269	
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b> 515690	

Results Legend		Customer Sample Ref.	SW-01 Ahascra	SW-02 Ahascra	SW-01 Ardferd	SW-02 Ardferd	SW-01 Leanamore	SW-02 Leanamore
#	ISO17025 accredited.	<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sample Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.		16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019
diss.filt	Dissolved / filtered sample.		.	.	.	.	.	.
tot.unfilt	Total / unfiltered sample.		19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019
*	Subcontracted - refer to subcontractor report for accreditation status.		190719-99	190719-99	190719-99	190719-99	190719-99	190719-99
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		20365870	20365883	20365911	20365921	20365892	20365901
(F)	Trigger breach confirmed							
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
Endosulphan Sulphate	<0.02 µg/l	TM343	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
Permethrin I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Permethrin II	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Hexachlorobutadiene	<0.01 µg/l	TM344	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Dichlorvos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Dichlobenil	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Mevinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tecnazene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Hexachlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Demeton-S-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Phorate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Diazinon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Triallate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Atrazine	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Simazine	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Disulfoton	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Propetamphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorpyrifos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Dimethoate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Pirimiphos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorpyrifos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Methyl Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Malathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Fenthion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Fenitrothion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Triadimefon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Pendimethalin	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorfenvinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190719-99	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 516269	
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b> 515690	

Results Legend		Customer Sample Ref.	SW-01 Ahascra	SW-02 Ahascra	SW-01 Ardferd	SW-02 Ardferd	SW-01 Leanamore	SW-02 Leanamore
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.	<b>Depth (m)</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	<b>Sample Type</b>	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
(F)	Trigger breach confirmed	<b>Date Sampled</b>	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019
1-3*5@	Sample deviation (see appendix)	<b>Sample Time</b>	.	.	.	.	.	.
		<b>Date Received</b>	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019
		<b>SDG Ref</b>	190719-99	190719-99	190719-99	190719-99	190719-99	190719-99
		<b>Lab Sample No.(s)</b>	20365870	20365883	20365911	20365921	20365892	20365901
		<b>AGS Reference</b>						
Component	LOD/Units	Method						
trans-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
cis-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Ethion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Carbophenothion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Triazophos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Phosalone	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Azinphos methyl	<0.02 µg/l	TM344	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Azinphos ethyl	<0.02 µg/l	TM344	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Etridiazole	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Pentachlorobenzene	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tributylphosphate	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Propachlor	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Quintozene (PCNB)	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Omethoate	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Propazine	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Propyzamide	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Alachlor	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Prometryn	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Telodrin	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Terbutryn	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorothalonil	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Etrimphos	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Metazachlor	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cyanazine	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Trietazine	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Coumaphos	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Phosphamidon I	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Phosphamidon II	<0.01 µg/l	TM345	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

For inspection purposes only. Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

SDG: 190719-99  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 516269  
Superseded Report: 515690

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	SW-01 Ahascra	SW-02 Ahascra	SW-01 Ardferd	SW-02 Ardferd	SW-01 Leanamore	SW-02 Leanamore		
#	ISO17025 accredited.									
M	mCERTS accredited.									
aq	Aqueous / settled sample.									
dis.filt	Dissolved / filtered sample.									
tot.unfilt	Total / unfiltered sample.									
*	Subcontracted - refer to subcontractor report for accreditation status.									
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery.									
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received	SDG Ref	Lab Sample No.(s)	AGS Reference
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365870	
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365883	
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365911	
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365921	
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2-Chloronaphthalene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2-Chlorophenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2-Methylnaphthalene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2-Methylphenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2-Nitroaniline (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
2-Nitrophenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
3-Nitroaniline (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
4-Chloroaniline (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
4-Methylphenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
4-Nitroaniline (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
4-Nitrophenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
Azobenzene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
Acenaphthylene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
Acenaphthene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
Anthracene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<20							
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	
Benzo(a)anthracene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	16/07/2019				20365892	



# CERTIFICATE OF ANALYSIS

Validated

SDG: 190719-99  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 516269  
Superseded Report: 515690

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	SW-01 Ahasra	SW-02 Ahasra	SW-01 Ardert	SW-02 Ardert	SW-01 Leanamore	SW-02 Leanamore
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.		16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Benzo(a)pyrene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Carbazole (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Chrysene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Dibenzofuran (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Diethyl phthalate (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Dimethyl phthalate (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	<50	<40	<5	<10	<5	<5
			#	@ #	#	@ #	#	#
Fluoranthene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Fluorene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Hexachlorobenzene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Hexachlorobutadiene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Pentachlorophenol (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Phenol (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Hexachloroethane (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Nitrobenzene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Naphthalene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Isophorone (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Phenanthrene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#
Pyrene (aq)	<1 µg/l	TM176	<10	<8	<1	<2	<1	<1
			#	@ #	#	@ #	#	#

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 190719-99  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 516269  
Superseded Report: 515690

## VOC MS (W)

Results Legend			Customer Sample Ref.	SW-01 Ahascra	SW-02 Ahascra	SW-01 Ardfert	SW-02 Ardfert	SW-01 Leanamore	SW-02 Leanamore
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery.								
(F)	Trigger breach confirmed								
1-3*§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Dibromofluoromethane**	%	TM208	Surface Water (SW)	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019
			Sample Type	Date Sampled	Date Sampled	Date Sampled	Date Sampled	Date Sampled	Date Sampled
			Date Received	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019
			SDG Ref	190719-99	190719-99	190719-99	190719-99	190719-99	190719-99
			Lab Sample No.(s)	20365870	20365883	20365911	20365921	20365892	20365901
			AGS Reference						
				108	104	105	105	103	116
				1	1	1	1	1	1
Toluene-d8**	%	TM208		97.1	98.2	95.5	99.2	103	103
				1	1	1	1	1	1
4-Bromofluorobenzene**	%	TM208		94.6	97.3	93	94.5	94.8	94
				1	1	1	1	1	1
Dichlorodifluoromethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1	1	1	1	1	1
Chloromethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Vinyl chloride	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Bromomethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Chloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Trichlorofluoromethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
1,1-Dichloroethene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Carbon disulphide	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Dichloromethane	<3 µg/l	TM208		4.26	8.28	12.8	9.78	9.43	9.61
				1 #	1 #	1 #	1 #	1 #	1 #
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
trans-1,2-Dichloroethene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
1,1-Dichloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
cis-1,2-Dichloroethene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
2,2-Dichloropropane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1	1	1	1	1	1
Bromochloromethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Chloroform	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
1,1,1-Trichloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
1,1-Dichloropropene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Carbontetrachloride	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
1,2-Dichloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Benzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Trichloroethene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
1,2-Dichloropropane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Dibromomethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Bromodichloromethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
cis-1,3-Dichloropropene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
Toluene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
trans-1,3-Dichloropropene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
1,1,2-Trichloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #
1,3-Dichloropropane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				1 #	1 #	1 #	1 #	1 #	1 #



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190719-99	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 516269	
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b> 515690	

## VOC MS (W)

Results Legend		Customer Sample Ref.	SW-01 Ahascra	SW-02 Ahascra	SW-01 Ardferd	SW-02 Ardferd	SW-01 Leanamore	SW-02 Leanamore
# ISO17025 accredited.		Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M mCERTS accredited.		Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq Aqueous / filtered sample.		Date Sampled	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019	16/07/2019
diss.filt Dissolved / filtered sample.		Sample Time	-	-	-	-	-	-
tot.unfilt Total / unfiltered sample.		Date Received	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019	19/07/2019
* Subcontracted - refer to subcontractor report for accreditation status.		SDG Ref	190719-99	190719-99	190719-99	190719-99	190719-99	190719-99
** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		Lab Sample No.(s)	20365870	20365883	20365911	20365921	20365892	20365901
(F) Trigger breach confirmed		AGS Reference						
1-3*5@ Sample deviation (see appendix)								
Component	LOD/Units	Method						
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Chlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Ethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
m,p-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
o-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Styrene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Bromofom	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Isopropylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Bromobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Propylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
n-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1	1	1	1	1	1
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Naphthalene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #

Consent for inspection purposes only. Copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190719-99	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 516269
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b> 515690

## Table of Results - Appendix

Method No	Reference	Description
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM197	Modified: US EPA Method 8082.EA Method 174 and 5109631	Determination of WHO12 and EC7 Polychlorinated Biphenyl Congeners by GC-MS in Waters
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

For inspection purposes only.  
Consent of Copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 190719-99  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 516269  
Superseded Report: 515690

## Test Completion Dates

Lab Sample No(s)	20365870	20365883	20365911	20365921	20365892	20365901
Customer Sample Ref.	SW-01 Ahascra	SW-02 Ahascra	SW-01 Ardfert	SW-02 Ardfert	SW-01 Leanamore	SW-02 Leanamore
AGS Ref.						
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Alkalinity as CaCO3	24-Jul-2019	26-Jul-2019	26-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019
Ammoniacal Nitrogen	23-Jul-2019	23-Jul-2019	23-Jul-2019	23-Jul-2019	23-Jul-2019	24-Jul-2019
Anions by Kone (w)	26-Jul-2019	26-Jul-2019	25-Jul-2019	25-Jul-2019	25-Jul-2019	25-Jul-2019
COD Unfiltered	21-Jul-2019	21-Jul-2019	21-Jul-2019	21-Jul-2019	21-Jul-2019	21-Jul-2019
Conductivity (at 20 deg.C)	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019
Cyanide Comp/Free/Total/Thiocyanate	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019
Dissolved Metals by ICP-MS	26-Jul-2019	26-Jul-2019	26-Jul-2019	26-Jul-2019	26-Jul-2019	26-Jul-2019
Dissolved Oxygen by Probe	21-Jul-2019	21-Jul-2019	21-Jul-2019	20-Jul-2019	21-Jul-2019	21-Jul-2019
Fluoride	22-Jul-2019	22-Jul-2019	22-Jul-2019	22-Jul-2019	22-Jul-2019	22-Jul-2019
Mercury Dissolved	23-Jul-2019	23-Jul-2019	22-Jul-2019	22-Jul-2019	23-Jul-2019	23-Jul-2019
Mineral Oil C10-40 Aqueous (W)	26-Jul-2019	26-Jul-2019	26-Jul-2019	26-Jul-2019	26-Jul-2019	26-Jul-2019
PCB Congeners - Aqueous (W)	25-Jul-2019	25-Jul-2019	25-Jul-2019	25-Jul-2019	25-Jul-2019	25-Jul-2019
Pesticides (Suite I) by GCMS	26-Jul-2019	26-Jul-2019	26-Jul-2019	26-Jul-2019	26-Jul-2019	26-Jul-2019
Pesticides (Suite II) by GCMS	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019
Pesticides (Suite III) by GCMS	23-Jul-2019	23-Jul-2019	23-Jul-2019	23-Jul-2019	23-Jul-2019	23-Jul-2019
pH Value	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019
Phosphate by Kone (w)	20-Jul-2019	20-Jul-2019	20-Jul-2019	20-Jul-2019	20-Jul-2019	20-Jul-2019
Suspended Solids	24-Jul-2019	24-Jul-2019	23-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019
SVOC MS (W) - Aqueous	26-Jul-2019	29-Jul-2019	26-Jul-2019	31-Jul-2019	25-Jul-2019	26-Jul-2019
Total Organic and Inorganic Carbon	25-Jul-2019	25-Jul-2019	23-Jul-2019	25-Jul-2019	23-Jul-2019	26-Jul-2019
VOC MS (W)	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019	24-Jul-2019

For inspection purposes only.  
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

<b>SDG:</b>	190719-99	<b>Client Reference:</b>	P1766 North Kerry	<b>Report Number:</b>	516269
<b>Location:</b>	North Kerry Landfills	<b>Order Number:</b>	Z1658	<b>Superseded Report:</b>	515690

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

### 18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

### 19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

#### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

#### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

#### Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2107)*.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**



## Certificate of Analysis

<b>Customer</b>	Fehily Timoney & Co	<b>Date Received</b>	17/07/2019
		<b>Date Analysed</b>	17/07/2019 - 24/07/2019
<b>Office</b>	Core House Pouladuff Rd Cork	<b>Issue Date</b>	24/07/2019
		<b>Quote No.</b>	
<b>Customer Contact</b>	Emily Archer	<b>Customer PO</b>	
		<b>Project:</b>	Ahascra Kerry
		<b>BATCH NUMBER</b>	<b>19-02874</b>

*Conor Murphy*

Conor Murphy  
Operations Manager

### Index to symbols used & Notes

*	Analysis is not INAB/UKAS accredited
**	Adapted from Standard Methods for the Examination of Water and Wastewater.
****	Customer specific limits
(F)	Analysis carried out at our Farranfore Laboratory.
(D)	Analysis carried out at our Dunrinc Laboratory.
LOD	Parameter Limit of Detection.
Note 6	Subcontracted Parameter.

### Notes

- ◆ The results relate only to the items tested.
- ◆ Opinions and interpretations expressed herein are outside the scope of INAB accreditation.
- ◆ The analysis report shall not be reproduced except in full without written approval of the laboratory.
- ◆ Sampling is outside the scope of the laboratory activities.

(registered office)

4 park business centre | farranfore | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
dunrinc | killarney | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
registered in ireland no 323196 | vat reg no IE 6343196 M



<b>Customer Sample Ref:</b> BH-01 - Ahascra	<b>Customer Sample Code:</b>
<b>Project:</b> Ahascra Kerry	<b>Sampled By:</b> Emily Archer
<b>Our Reference:</b> 9243 (19-02874)	<b>Sample Matrix:</b> Ground Water
<b>Date Sampled:</b> 16/07/2019	<b>Time Sampled:</b> :

Method:	Parameter:	Units	LOD	Result
	<u>Microbiological Analysis: (D)</u>			
SMP 019	Coliforms	MPN/100mL	<10	236
SMP 124	Faecal coliforms	MPN/100mL	<10	1354

For inspection purposes only.  
Consent of copyright owner required for any other use.

(registered office)

4 park business centre | **farranfore** | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
dunrine | **killarney** | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
registered in ireland no 323196 | vat reg no IE 6343196 M



<b>Customer Sample Ref:</b> SW-01 - Ahascra	<b>Customer Sample Code:</b>
<b>Project:</b> Ahascra Kerry	<b>Sampled By:</b> Emily Archer
<b>Our Reference:</b> 9244 (19-02874)	<b>Sample Matrix:</b> Surface Water
<b>Date Sampled:</b> 16/07/2019	<b>Time Sampled:</b> :

Method:	Parameter:	Units	LOD	Result
	<u>Chemical Analysis: (F)</u>			
SCP 015	Biological Oxygen Demand (BOD)	mg/L	1.0	8.2

For inspection purposes only.  
Consent of copyright owner required for any other use.

(registered office)

4 park business centre | **farranfore** | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
dunrine | **killarney** | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
registered in ireland no 323196 | vat reg no IE 6343196 M



<b>Customer Sample Ref:</b> SW-02 - Ahascra	<b>Customer Sample Code:</b>
<b>Project:</b> Ahascra Kerry	<b>Sampled By:</b> Emily Archer
<b>Our Reference:</b> 9245 (19-02874)	<b>Sample Matrix:</b> Surface Water
<b>Date Sampled:</b> 16/07/2019	<b>Time Sampled:</b> :

Method:	Parameter:	Units	LOD	Result
	<u>Chemical Analysis: (F)</u>			
SCP 015	Biological Oxygen Demand (BOD)	mg/L	1.0	10.0

For inspection purposes only.  
Consent of copyright owner required for any other use.

(registered office)

4 park business centre | **farranfore** | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
dunrine | **killarney** | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
registered in ireland no 323196 | vat reg no IE 6343196 M



<b>Customer Sample Ref:</b> BH-02 - Ahascra	<b>Customer Sample Code:</b>
<b>Project:</b> Ahascra Kerry	<b>Sampled By:</b> Emily Archer
<b>Our Reference:</b> 9246 (19-02874)	<b>Sample Matrix:</b> Ground Water
<b>Date Sampled:</b> 16/07/2019	<b>Time Sampled:</b> :

Method:	Parameter:	Units	LOD	Result
	<u>Microbiological Analysis: (D)</u>			
SMP 019	Coliforms	MPN/100mL	<10	189
SMP 124	Faecal coliforms	MPN/100mL	<10	< 10

For inspection purposes only.  
 Consent of copyright owner required for any other use.

(registered office)

4 park business centre | **farranfore** | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
 dunrine | **killarney** | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
 registered in ireland no 323196 | vat reg no IE 6343196 M





Unit 7-8 Hawarden Business Park  
 Manor Road (off Manor Lane)  
 Hawarden  
 Deeside  
 CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney  
 3rd Floor  
 North Park Offices  
 North Park Business Park  
 North Road  
 Dublin  
 Dublin 11

**Attention:** Daniel Hayden

## CERTIFICATE OF ANALYSIS

**Date of report Generation:** 24 September 2019  
**Customer:** Fehily Timoney  
**Sample Delivery Group (SDG):** 190906-109  
**Your Reference:** P1766 North Kerry  
**Location:** North Kerry Landfills  
**Report No:** 522621

We received 6 samples on Friday September 06, 2019 and 6 of these samples were scheduled for analysis which was completed on Tuesday September 24, 2019. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-109	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522621
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
20668831	SW01 Ahascra		0.00 - 0.00	03/09/2019
20668850	SW02 Ahascra		0.00 - 0.00	03/09/2019
20668862	SW01 Ardfert		0.00 - 0.00	03/09/2019
20668877	SW02 Ardfert		0.00 - 0.00	03/09/2019
20668892	SW01 Listowel		0.00 - 0.00	03/09/2019
20668907	SW02 Listowel		0.00 - 0.00	03/09/2019

### Maximum Sample/Coolbox Temperature (°C) :

**16.2**

#### ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-109	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522621
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

Results Legend	Lab Sample No(s)		Customer Sample Reference		AGS Reference		Depth (m)		Container		Sample Type
	X	N									
<b>Test</b> <b>No Determination Possible</b>											
Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other											
			20668831	SW01 Ahascra			0.00 - 0.00	0.5l glass bottle (ALE227)	SW		
			20668850	SW02 Ahascra			0.00 - 0.00	500ml Plastic (ALE208)	SW		
			20668862	SW01 Ardtert			0.00 - 0.00	500ml Plastic (ALE208)	SW		
			20668877	SW02 Ardtert			0.00 - 0.00	NaOH (ALE245)	SW		
Alkalinity as CaCO3	All	NDPs: 0 Tests: 6									
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 6									
Anions by Kone (w)	All	NDPs: 0 Tests: 6									
COD Unfiltered	All	NDPs: 0 Tests: 6									
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 6									
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 6									
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 6									
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 6									
Fluoride	All	NDPs: 0 Tests: 6									
Mercury Dissolved	All	NDPs: 0 Tests: 6									
Mineral Oil C10-40 Aqueous (W)	All	NDPs: 0 Tests: 6									
PCB Congeners - Aqueous (W)	All	NDPs: 0 Tests: 6									
Pesticides (Suite I) by GCMS	All	NDPs: 0 Tests: 6									
Pesticides (Suite II) by GCMS	All	NDPs: 0 Tests: 6									
Pesticides (Suite III) by GCMS	All	NDPs: 0 Tests: 6									







# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-109	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522621
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

Results Legend	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></div> <span>Test</span> </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: red; color: white; border: 1px solid black; margin-right: 5px; display: flex; align-items: center; justify-content: center;">N</div> <span>No Determination Possible</span> </div> </div> <p>Sample Types -</p> <ul style="list-style-type: none"> <li>S - Soil/Solid</li> <li>UNS - Unspecified Solid</li> <li>GW - Ground Water</li> <li>SW - Surface Water</li> <li>LE - Land Leachate</li> <li>PL - Prepared Leachate</li> <li>PR - Process Water</li> <li>SA - Saline Water</li> <li>TE - Trade Effluent</li> <li>TS - Treated Sewage</li> <li>US - Untreated Sewage</li> <li>RE - Recreational Water</li> <li>DW - Drinking Water Non-regulatory</li> <li>UNL - Unspecified Liquid</li> <li>SL - Sludge</li> <li>G - Gas</li> <li>OTH - Other</li> </ul>	20668831	SW01 Athasca		0.00 - 0.00	NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245) 0.5l glass bottle (ALE227) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227)
	20668850	SW02 Athasca		0.00 - 0.00	NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245) 0.5l glass bottle (ALE227) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227)	SW
	20668862	SW01 Ardfert		0.00 - 0.00	NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245) 0.5l glass bottle (ALE227) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227)	SW
	20668877	SW02 Ardert		0.00 - 0.00	NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244) HNO3 Filtered (ALE204) NaOH (ALE245) 0.5l glass bottle (ALE227) 500ml Plastic (ALE208) 0.5l glass bottle (ALE227)	SW

pH Value	All	NDPs: 0 Tests: 6	SW	SW	SW	SW	SW	SW	SW
			X			X			X
Phosphate by Kone (w)			X			X			X
Suspended Solids			X			X			X
SVOC MS (W) - Aqueous			X			X			X
Total Organic and Inorganic Carbon				X			X		X
VOC MS (W)			X				X		X

For inspection purposes only. Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-109	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522621
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

Results Legend			Customer Sample Ref.	SW01 Ahascra	SW02 Ahascra	SW01 Ardferd	SW02 Ardferd	SW01 Listowel	SW02 Listowel
# ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-3*# Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668831	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668850	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668862	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668877	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668892	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668907
Component	LOD/Units	Method							
Suspended solids, Total	<2 mg/l	TM022	35.1	46	14.3	15.9	<4	4.47	
Alkalinity, Total as CaCO3	<2 mg/l	TM043	9	12.7	291	292	24.4	18.7	
Oxygen, dissolved	<0.3 mg/l	TM046	9.73	9.04	10.5	10.2	10.8	10.5	
Organic Carbon, Total	<3 mg/l	TM090	63.6	63.5	<3	<3	13	15.8	
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
COD, unfiltered	<7 mg/l	TM107	179	167	<7	<7	41.3	45.3	
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	0.0973	0.0926	0.655	0.646	0.113	0.119	
Arsenic (diss.filt)	<0.5 µg/l	TM152	<0.5	0.683	0.52	<0.5	<0.5	<0.5	
Barium (diss.filt)	<0.2 µg/l	TM152	2.41	2.76	5.62	5.71	2.92	2.86	
Boron (diss.filt)	<10 µg/l	TM152	16.7	16	21.6	22.2	<10	10.5	
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1	<1	<1	<1	<1	
Copper (diss.filt)	<0.3 µg/l	TM152	3.11	2.41	1.22	2.03	3.13	2.97	
Lead (diss.filt)	<0.2 µg/l	TM152	1.26	1.22	<0.2	0.29	0.31	0.349	
Manganese (diss.filt)	<3 µg/l	TM152	79.8	85.2	<3	4.78	38.3	38.2	
Nickel (diss.filt)	<0.4 µg/l	TM152	0.854	0.915	0.756	0.839	2.18	2.18	
Phosphorus (diss.filt)	<10 µg/l	TM152	12.2	12.1	16	28	29	28.4	
Selenium (diss.filt)	<1 µg/l	TM152	<1	<1	<1	<1	<1	<1	
Thallium (diss.filt)	<2 µg/l	TM152	<2	<2	<2	<2	<2	<2	
Zinc (diss.filt)	<1 µg/l	TM152	41.1	39.6	3.92	7.36	11.3	11.2	
Sodium (Dis.Filt)	<0.076 mg/l	TM152	12	11.8	24.3	25.9	10.7	10.8	
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	2.63	2.9	8.05	7.48	2.64	2.62	
Potassium (Dis.Filt)	<0.2 mg/l	TM152	0.281	0.372	2.99	2.98	1.57	1.55	
Calcium (Dis.Filt)	<0.2 mg/l	TM152	6.33	7.48	118	112	7.29	7.19	
Iron (Dis.Filt)	<0.019 mg/l	TM152	1.19	1.13	<0.019	<0.019	0.631	0.668	
Mineral oil >C10 C40 (aq)	<100 µg/l	TM172	<100	<100	<100	<100	<100	<100	
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	<0.05	<0.05	0.08	0.064	<0.05	<0.05	
Chloride	<2 mg/l	TM184	21.2	21.1	48.7	48.8	19.3	19.2	
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	<0.5	<0.5	4.94	4.95	0.997	1.15	
Sulphate (soluble) as S	<1 mg/l	TM184	<5	<5	8.1	7.67	<1	1.73	
PCB congener 28	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-109	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522621
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

Results Legend		Customer Sample Ref.	SW01 Ahasra	SW02 Ahasra	SW01 Ardert	SW02 Ardert	SW01 Listowel	SW02 Listowel
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-3*5@ Sample deviation (see appendix)		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 03/09/2019 03/09/2019 06/09/2019 190906-109 20668831	0.00 - 0.00 Surface Water (SW) 03/09/2019 03/09/2019 06/09/2019 190906-109 20668850	0.00 - 0.00 Surface Water (SW) 03/09/2019 03/09/2019 06/09/2019 190906-109 20668862	0.00 - 0.00 Surface Water (SW) 03/09/2019 03/09/2019 06/09/2019 190906-109 20668877	0.00 - 0.00 Surface Water (SW) 03/09/2019 03/09/2019 06/09/2019 190906-109 20668892	0.00 - 0.00 Surface Water (SW) 03/09/2019 03/09/2019 06/09/2019 190906-109 20668907
Component	LOD/Units	Method						
PCB congener 52	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 101	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 118	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 138	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 153	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
PCB congener 180	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
Sum of detected EC7 PCB's	<0.105 µg/l	TM197	<0.105	<0.105	<0.105	<0.105	<0.105	<0.105
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
pH	<1 pH Units	TM256	6.14 #	6.08 #	8.11 #	8.23 #	7.19 #	7.1 #
Trifluralin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
alpha-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
gamma-HCH (Lindane)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Aldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
beta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Isodrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
delta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor epoxide	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
o,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulphan I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
trans-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
cis-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
p,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Dieldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
o,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin	<0.01 µg/l	TM343	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02
o,p'-DDT	<0.01 µg/l	TM343	<0.03	<0.03	<0.01	<0.01	<0.03	<0.03
p,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulphan II	<0.02 µg/l	TM343	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
p,p'-DDT	<0.01 µg/l	TM343	<0.03	<0.03	<0.02	<0.01	<0.03	<0.03
o,p'-Methoxychlor	<0.01 µg/l	TM343	<0.03	<0.03	<0.01	<0.01	<0.03	<0.03
p,p'-Methoxychlor	<0.01 µg/l	TM343	<0.04	<0.04	<0.01	<0.01	<0.04	<0.04

For inspection purposes only. Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b> 190906-109	<b>Client Reference:</b> P1766 North Kerry	<b>Report Number:</b> 522621
<b>Location:</b> North Kerry Landfills	<b>Order Number:</b> Z1658	<b>Superseded Report:</b>

#	Customer Sample Ref.	SW01 Ahasra	SW02 Ahasra	SW01 Ardfert	SW02 Ardfert	SW01 Listowel	SW02 Listowel
<b>Results Legend</b> ISO17025 accredited. mCERTS accredited. Aqueous / settled sample. Dissolved / filtered sample. Total / unfiltered sample. Subcontracted - refer to subcontractor report for accreditation status. % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. Trigger breach confirmed. Sample deviation (see appendix).	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668831	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668850	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668862	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668877	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668892	0.00 - 0.00 Surface Water (SW) 03/09/2019 06/09/2019 190906-109 20668907
Component	LOD/Units	Method					
Endosulphan Sulphate	<0.02 µg/l	TM343	<0.06	<0.06	<0.02	<0.06	<0.06
Permethrin I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01
Permethrin II	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Hexachlorobutadiene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Dichlorvos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Dichlobenil	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Mevinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Tecnazene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Hexachlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Demeton-S-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Phorate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Diazinon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Triallate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Atrazine	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Simazine	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Disulfoton	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Propetamphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorpyrifos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Dimethoate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Pirimiphos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorpyrifos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Methyl Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Malathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Fenthion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Fenitrothion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Triadimefon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Pendimethalin	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorfenvinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.01	<0.01

For inspection purposes only. Consent of copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

SDG: 190906-109  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 522621  
Superseded Report:

## SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	SW01 Ahascra	SW02 Ahascra	SW01 Ardferd	SW02 Ardferd	SW01 Listowel	SW02 Listowel
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery.								
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
			0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
			03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019
			06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019
			190906-109	190906-109	190906-109	190906-109	190906-109	190906-109	190906-109
			20668831	20668850	20668862	20668877	20668892	20668907	20668907
			SDG Ref	SDG Ref	SDG Ref	SDG Ref	SDG Ref	SDG Ref	SDG Ref
			Lab Sample No.(s)	Lab Sample No.(s)	Lab Sample No.(s)	Lab Sample No.(s)	Lab Sample No.(s)	Lab Sample No.(s)	Lab Sample No.(s)
			AGS Reference	AGS Reference	AGS Reference	AGS Reference	AGS Reference	AGS Reference	AGS Reference
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2-Chlorophenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2-Methylphenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2-Nitroaniline (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
2-Nitrophenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
3-Nitroaniline (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
4-Chloroaniline (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
4-Methylphenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
4-Nitroaniline (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
4-Nitrophenol (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
Azobenzene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
Acenaphthylene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
Acenaphthene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
Anthracene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<40	<16	<4	<2	<8	<2	
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<20	<8	<2	<1	<4	<1	





# CERTIFICATE OF ANALYSIS

Validated

SDG: 190906-109  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 522621  
Superseded Report:

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	SW01 Ahasra	SW02 Ahasra	SW01 Ardert	SW02 Ardert	SW01 Listowel	SW02 Listowel
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.		03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.		06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		190906-109	190906-109	190906-109	190906-109	190906-109	190906-109
(F)	Trigger breach confirmed		20668831	20668850	20668862	20668877	20668892	20668907
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Benzo(a)pyrene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Carbazole (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Chrysene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Dibenzofuran (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Diethyl phthalate (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Dimethyl phthalate (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	<100 @ #	<40 @ #	<10 @ #	<5 @ #	<20 @ #	<5 @ #
Fluoranthene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Fluorene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Hexachlorobenzene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Hexachlorobutadiene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Pentachlorophenol (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Phenol (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Hexachloroethane (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Nitrobenzene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Naphthalene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Isophorone (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Phenanthrene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #
Pyrene (aq)	<1 µg/l	TM176	<20 @ #	<8 @ #	<2 @ #	<1 @ #	<4 @ #	<1 @ #



# CERTIFICATE OF ANALYSIS

Validated

SDG: 190906-109  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 522621  
Superseded Report:

## VOC MS (W)

Results Legend			Customer Sample Ref.	SW01 Ahasca	SW02 Ahasca	SW01 Ardferf	SW02 Ardferf	SW01 Listowel	SW02 Listowel
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery.								
(F)	Trigger breach confirmed								
1-3*§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
Dibromofluoromethane**	%	TM208	0.00 - 0.00	112	108	104	107	110	104
Toluene-d8**	%	TM208	0.00 - 0.00	101	100	99.9	99.6	100	101
4-Bromofluorobenzene**	%	TM208	0.00 - 0.00	99.6	99.6	99.7	100	100	101
Dichlorodifluoromethane	<1 µg/l	TM208	03/09/2019	<1	<1	<1	<1	<1	<1
Chloromethane	<1 µg/l	TM208	03/09/2019	<1	<1	<1	<1	<1	<1
Vinyl chloride	<1 µg/l	TM208	06/09/2019	<1	<1	<1	<1	<1	<1
Bromomethane	<1 µg/l	TM208	190906-109	<1	<1	<1	<1	<1	<1
Chloroethane	<1 µg/l	TM208	20668831	<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1 µg/l	TM208	20668850	<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	<1 µg/l	TM208	06/09/2019	<1	<1	<1	<1	<1	<1
Carbon disulphide	<1 µg/l	TM208	190906-109	<1	<1	<1	<1	<1	<1
Dichloromethane	<3 µg/l	TM208	20668862	<3	<3	<3	<3	<3	<3
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	20668877	<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	<1 µg/l	TM208	06/09/2019	<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1 µg/l	TM208	190906-109	<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	<1 µg/l	TM208	20668892	<1	<1	<1	<1	<1	<1
2,2-Dichloropropane	<1 µg/l	TM208	20668907	<1	<1	<1	<1	<1	<1
Bromochloromethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
Chloroform	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
Carbontetrachloride	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
Benzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
Trichloroethene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
Dibromomethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
Toluene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1



# CERTIFICATE OF ANALYSIS

Validated

SDG: 190906-109  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 522621  
Superseded Report:

## VOC MS (W)

Results Legend		Customer Sample Ref.	SW01 Ahasra	SW02 Ahasra	SW01 Ardferd	SW02 Ardferd	SW01 Listowel	SW02 Listowel
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.		03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019	03/09/2019
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.		06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019	06/09/2019
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		190906-109	190906-109	190906-109	190906-109	190906-109	190906-109
(F)	Trigger breach confirmed		20668831	20668850	20668862	20668877	20668892	20668907
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Chlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Ethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
m,p-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
o-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Styrene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Bromofom	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Isopropylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Bromobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Propylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
n-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1	1	1	1	1	1
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
Naphthalene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
			1 #	1 #	1 #	1 #	1 #	1 #

Consent for inspection purposes only.  
Copyright owner required for any other use.





# CERTIFICATE OF ANALYSIS

Validated

SDG: 190906-109 Client Reference: P1766 North Kerry Report Number: 522621  
 Location: North Kerry Landfills Order Number: Z1658 Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM197	Modified: US EPA Method 8082.EA Method 174 and 5109631	Determination of WHO12 and EC7 Polychlorinated Biphenyl Congeners by GC-MS in Waters
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

For inspection purposes only.  
Consent of Copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 190906-109  
Location: North Kerry Landfills

Client Reference: P1766 North Kerry  
Order Number: Z1658

Report Number: 522621  
Superseded Report:

## Test Completion Dates

Lab Sample No(s)  
Customer Sample Ref.

AGS Ref.  
Depth  
Type

	20668831	20668850	20668862	20668877	20668892	20668907
	SW01 Ahasra	SW02 Ahasra	SW01 Ardfer	SW02 Ardfer	SW01 Listowel	SW02 Listowel
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Alkalinity as CaCO3	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019
Ammoniacal Nitrogen	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019
Anions by Kone (w)	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019
COD Unfiltered	11-Sep-2019	11-Sep-2019	11-Sep-2019	10-Sep-2019	11-Sep-2019	11-Sep-2019
Conductivity (at 20 deg.C)	11-Sep-2019	11-Sep-2019	11-Sep-2019	11-Sep-2019	11-Sep-2019	11-Sep-2019
Cyanide Comp/Free/Total/Thiocyanate	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019
Dissolved Metals by ICP-MS	18-Sep-2019	17-Sep-2019	18-Sep-2019	18-Sep-2019	18-Sep-2019	18-Sep-2019
Dissolved Oxygen by Probe	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019
Fluoride	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019
Mercury Dissolved	11-Sep-2019	11-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019
Mineral Oil C10-40 Aqueous (W)	16-Sep-2019	18-Sep-2019	16-Sep-2019	10-Sep-2019	18-Sep-2019	10-Sep-2019
PCB Congeners - Aqueous (W)	16-Sep-2019	16-Sep-2019	16-Sep-2019	11-Sep-2019	16-Sep-2019	11-Sep-2019
Pesticides (Suite I) by GCMS	11-Sep-2019	11-Sep-2019	12-Sep-2019	11-Sep-2019	11-Sep-2019	11-Sep-2019
Pesticides (Suite II) by GCMS	12-Sep-2019	11-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	11-Sep-2019
Pesticides (Suite III) by GCMS	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019
pH Value	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	13-Sep-2019	13-Sep-2019
Phosphate by Kone (w)	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019	09-Sep-2019
Suspended Solids	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019	12-Sep-2019
SVOC MS (W) - Aqueous	19-Sep-2019	20-Sep-2019	24-Sep-2019	19-Sep-2019	19-Sep-2019	19-Sep-2019
Total Organic and Inorganic Carbon	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019	10-Sep-2019
VOC MS (W)	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019	13-Sep-2019

For inspection purposes only.  
Consent of copyright owner required for any other use.



# CERTIFICATE OF ANALYSIS

SDG: 190906-109 Client Reference: P1766 North Kerry Report Number: 522621  
 Location: North Kerry Landfills Order Number: Z1658 Superseded Report:

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

### 18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

### 19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

#### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

#### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

#### Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2107)*.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**



### Certificate of Analysis

<b>Customer:</b>	Fehily Timoney & Co	<b>Project:</b>	Ahascra
<b>Address:</b>	Core House Pouladuff Rd Cork	<b>Date Received:</b>	04/09/2019
<b>Report to:</b>	Emily Archer	<b>Condition of Sample:</b>	Satisfactory
<b>Customer PO</b>		<b>Date Analysed:</b>	04/09/2019 - 17/09/2019
<b>Quote No.</b>		<b>Issue Date:</b>	17/09/2019
		<b>BATCH NUMBER:</b>	19-03588

*Conor Murphy*

Conor Murphy  
Operations Manager

### Index to symbols used & Notes

*	Analysis is not INAB/UKAS accredited
**	Adapted from Standard Methods for the Examination of Water and Wastewater.
****	Customer specific limits
(F)	Analysis carried out at our Farranfore Laboratory.
(D)	Analysis carried out at our Dunrinc Laboratory.
LOD	Parameter Limit of Detection.
Note 6	Subcontracted Parameter.

### Notes

- ◆ The results relate only to the items tested.
- ◆ Opinions and interpretations expressed herein are outside the scope of INAB accreditation.
- ◆ The analysis report shall not be reproduced except in full without written approval of the laboratory.
- ◆ Sampling is outside the scope of the laboratory activities.

(registered office)

4 park business centre | farranfore | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
dunrinc | killarney | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
registered in ireland no 323196 | vat reg no IE 6343196 M







<b>Customer Sample Ref:</b>	BH 01 - Ahascra	<b>Customer Sample Code:</b>	
<b>Project:</b>	Ahascra	<b>Sampled By:</b>	Emily Archer
<b>Our Reference:</b>	11194 (19-03588)	<b>Sample Matrix:</b>	Ground Water
<b>Date Sampled:</b>	03/09/2019	<b>Time Sampled:</b>	12:45

Method:	Parameter:	Units	LOD	Result
<b><u>Microbiological Analysis: (D)</u></b>				
SMP 019	Coliforms	MPN/100mL	<10	74
SMP 124	Faecal coliforms	MPN/100mL	<10	988

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

(registered office)

4 park business centre | **farranfore** | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
dunrine | **killarney** | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
registered in ireland no 323196 | vat reg no IE 6343196 M





<b>Customer Sample Ref:</b>	BH 02 - Ahascra	<b>Customer Sample Code:</b>	
<b>Project:</b>	Ahascra	<b>Sampled By:</b>	Emily Archer
<b>Our Reference:</b>	11195 (19-03588)	<b>Sample Matrix:</b>	Ground Water
<b>Date Sampled:</b>	03/09/2019	<b>Time Sampled:</b>	12:00

Method:	Parameter:	Units	LOD	Result
<b><u>Microbiological Analysis: (D)</u></b>				
SMP 019	Coliforms	MPN/100mL	<10	204
SMP 124	Faecal coliforms	MPN/100mL	<10	< 10

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

(registered office)

4 park business centre | **farranfore** | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
dunrine | **killarney** | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
registered in ireland no 323196 | vat reg no IE 6343196 M





<b>Customer Sample Ref:</b>	SW01 - Ahascra	<b>Customer Sample Code:</b>	
<b>Project:</b>	Ahascra	<b>Sampled By:</b>	Emily Archer
<b>Our Reference:</b>	11196 (19-03588)	<b>Sample Matrix:</b>	Surface Water
<b>Date Sampled:</b>	03/09/2019	<b>Time Sampled:</b>	:

Method:	Parameter:	Units	LOD	Result
<b>Chemical Analysis: (F)</b>				
SCP 015	Biological Oxygen Demand (BOD)	mg/L	1.0	4.5

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

(registered office)

4 park business centre | **farranfore** | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
dunrine | **killarney** | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
registered in ireland no 323196 | vat reg no IE 6343196 M





<b>Customer Sample Ref:</b>	SW02 - Ahascra	<b>Customer Sample Code:</b>	
<b>Project:</b>	Ahascra	<b>Sampled By:</b>	Emily Archer
<b>Our Reference:</b>	11197 (19-03588)	<b>Sample Matrix:</b>	Surface Water
<b>Date Sampled:</b>	03/09/2019	<b>Time Sampled:</b>	:

Method:	Parameter:	Units	LOD	Result
<b>Chemical Analysis: (F)</b>				
SCP 015	Biological Oxygen Demand (BOD)	mg/L	1.0	3.6

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

(registered office)

4 park business centre | **farranfore** | county kerry | ireland | telephone +353 66 976 3588 | fax +353 66 976 3589  
dunrine | **killarney** | county kerry | ireland | telephone +353 64 66 33922 | fax +353 64 66 39022

web site [www.southernscientificireland.com](http://www.southernscientificireland.com) | e-mail [info@southernscientificireland.com](mailto:info@southernscientificireland.com)

directors: K. Murphy, M. Murphy & C. Murphy  
registered in ireland no 323196 | vat reg no IE 6343196 M

