

Our ref: IBR1266

Date: 22 June 2021

Enterprise Fund Business
Centre, Business Park
Road, Ballyraine
Letterkenny, Co. Donegal
F92 AF43
T +353 74 916 1927

Julie McMahon
Executive Engineer
Donegal County Council
County House
The Diamond
Lifford
Co Donegal

Risk assessment for Dunkineely historic landfill in support of an application for a certificate of authorisation in accordance with regulation 7 of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations 2008.

Dear Ms McMahon

As a person who is qualified, trained and experienced to the standard set out in section 2.3 of Code of Practice: Environmental Risk Assessment for Unregulated Waste Disposal Sites (EPA, 2007), it is my opinion that the risk assessment carried out by Donegal County Council in relation to a closed landfill at Dunkineely landfill is adequate and complete. The risk assessment complies with all of the requirements of the Code of Practice. The local authority or its agent/contractor, in carrying out the risk assessment, has followed and completed the steps set out in the Code of Practice and associated guidance (Matrix 1 and Matrix 2 – as published).

The following items:

- the risk assessment,
- the findings and conclusions of the risk assessment,
- the remedial measures proposed, if any, and
- the monitoring proposed to be carried out to demonstrate the effectiveness of the remedial measures, if any, are, in my opinion, appropriate and adequate to:
 - identify the instances and risks of environmental pollution arising from the closed landfill to which this application refers,
 - proportionately address any and all such instances and risks of environmental pollution, and
 - ensure that any future instances of environmental pollution will be detected in a timely manner

I have advised the local authority on the following aspects of this project or have carried out or managed the following aspects of the project on behalf of the local authority:

Our ref: IBR1266

- Tier 2 risk assessment
- Tier 3 risk assessment including GQRA
- Remedial measures

Yours sincerely,
for RPS Ireland Limited (NI)



Donal Doyle

Director -Waste and Contaminated Land

donal.doyle@rpsgroup.com

+44 28 9694 9782

*For inspection purposes only.
Consent of copyright owner required for any other use.*