




CONSULTANTS IN ENGINEERING,  
ENVIRONMENTAL SCIENCE & PLANNING

# APPENDIX 1

## Tier 1 Risk Assessment

*For inspection purposes only.  
Consent of copyright owner required for any other use.*



### 3. Source – Pathway - Receptor Scores

SPR	Maximum Score	SPR Value	Linkages	Normalised Score
1	$10 \times (3+5+2) \times 3 = 300$	$7 \times (3+1+2) \times 3 = 126$	leachate – s/water	42%
2	$10 \times (3+5+2) \times 3 = 300$	$7 \times (3+1+2) \times 0 = 0$	leachate - GWDTE	0%
3	$10 \times (3+5) \times 3 = 240$	$7 \times (3+1) \times 1 = 28$	leachate – private wells	12%
4	$10 \times (3+5) \times 3 = 240$	$7 \times (3+1) \times 0 = 0$	leachate - GWDTE	0%
5	$10 \times (3+5) \times 5 = 400$	$7 \times (3+1) \times 3 = 84$	leachate – aquifer	21%
6	$10 \times (3+5) \times 7 = 560$	$7 \times (3+1) \times 3 = 84$	leachate - PWS	15%
7	$10 \times (3+5) \times 3 = 240$	$7 \times (3+1) \times 3 = 84$	leachate – s/water	35%
8	$10 \times 2 \times 3 = 60$	$7 \times 2 \times 3 = 42$	leachate – s/water	<b>70%</b>
9	$10 \times 2 \times 3 = 60$	$7 \times 2 \times 0 = 0$	leachate - GWDTE	0%
10	$10 \times 3 \times 5 = 150$	$7 \times 1.5 \times 3 = 31.5$	landfill gas - humans	21%
11	$10 \times 5 \times 5 = 250$	$7 \times 2 \times 3 = 42$	landfill gas - humans	17%

Risk Classification	Range of Risk Scores
Highest Risk (Class A)	Greater than or equal to 70% for any individual SPR linkage
Moderate Risk (Class B)	Between 40-70% for any individual SPR linkage
Lowest Risk (Class C)	Less than or equal to 40% for any individual SPR linkage

<b>OVERALL RISK RATING</b>	<b>HIGH</b>
----------------------------	-------------