




CONSULTANTS IN ENGINEERING,
ENVIRONMENTAL SCIENCE & PLANNING

APPENDIX 5

Groundwater, Leachate and
Surface Water Sampling
Analysis Results

*For inspection purposes only.
Consent of copyright owner required for any other use.*





Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney
3rd Floor
North Park Offices
North Park Business Park
North Road
Dublin
Dublin 11

Attention: Daniel Hayden

CERTIFICATE OF ANALYSIS

Date of report Generation: 19 August 2020
Customer: Fehily Timoney
Sample Delivery Group (SDG): 200702-50
Your Reference: P2282
Location: Gort Landfill
Report No: 563812

This report has been revised and directly supersedes 562070 in its entirety.

We received 4 samples on Thursday July 02, 2020 and 4 of these samples were scheduled for analysis which was completed on Wednesday August 19, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan

Operations Manager





CERTIFICATE OF ANALYSIS

Validated

SDG:	200702-50	Client Reference:	P2282	Report Number:	563812
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	562070

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
22408528	Holy Well		0.00 - 0.00	01/07/2020
22408517	MH-1		0.00 - 0.00	01/07/2020
22408488	SW1		0.00 - 0.00	01/07/2020
22408504	SW2		0.00 - 0.00	01/07/2020

Maximum Sample/Coolbox Temperature (°C) :

15.2

ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50	Client Reference: P2282	Report Number: 563812	
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562070	

Results Legend <div style="margin-bottom: 10px;"> X Test </div> <div> N No Determination Possible </div> Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	Lab Sample No(s)	22408528	22408517	22409488	
	Customer Sample Reference	Holy Well	MH-1	SW1	
	AGS Reference				
	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	
	Container	0.5l glass bottle (ALE227)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	500ml Plastic (ALE208)
	Sample Type	GW	LE	SW	SW

Parameter	All	NDPs: 0 Tests: 3	X	N	X	N	X	N	X	N	X	N	X	N	X
Acid Herbicides by GCMS	All	NDPs: 0 Tests: 3	X								X				
Alkalinity as CaCO3	All	NDPs: 0 Tests: 1	X												
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 2									X				
Ammonium Low	All	NDPs: 0 Tests: 4				X					X				X
Anions by Kone (w)	All	NDPs: 0 Tests: 4	X				X					X			
BOD True Total	All	NDPs: 0 Tests: 3							X				X		
COD Unfiltered	All	NDPs: 0 Tests: 3							X				X		
Coliforms (W)	All	NDPs: 0 Tests: 1		X											
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 4			X					X				X	
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 4					X				X				
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 4					X				X				X
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 4			X					X				X	
Fluoride	All	NDPs: 0 Tests: 4			X					X				X	
Mercury Dissolved	All	NDPs: 0 Tests: 4					X				X				X
Mineral Oil C10-40 Aqueous (W)	All	NDPs: 0 Tests: 4			X				X					X	

For inspection purposes only. Content of copyright owner required for any other use.

22408504	SW2	0.00 - 0.00	Via1 (ALE297)	SW	Via1 (ALE297)	SW	Via1 (ALE297)	SW	Via1 (ALE297)	SW	Via1 (ALE297)	SW	Via1 (ALE297)	SW
22408488	SW1	0.00 - 0.00	Via1 (ALE297)	SW	Via1 (ALE297)	SW	Via1 (ALE297)	SW	Via1 (ALE297)	SW	Via1 (ALE297)	SW	Via1 (ALE297)	SW
			NaOH (ALE245)	SW										
			HNO3 Filtered (ALE204)	SW										
			H2SO4 (ALE244)	SW										
			500ml Plastic (ALE208)	SW										
			250ml BOD (ALE212)	SW										
			0.5l glass bottle (ALE227)	SW										
			NaOH (ALE245)	SW										

For inspection purposes only.
Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50	Client Reference: P2282	Report Number: 563812	Superseded Report: 562070
Location: Gort Landfill	Order Number: Z2189		

Results Legend <div style="margin-top: 5px;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="width: 20px; height: 20px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></div> Test </div> <div style="display: flex; align-items: center;"> <div style="width: 20px; height: 20px; background-color: red; color: white; border: 1px solid black; margin-right: 5px;"></div> No Determination Possible </div> </div> Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type	
		22408528	Holy Well		0.00 - 0.00	HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	GW
		22408517	MH-1		0.00 - 0.00	NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	LE
		22408488	SW1		0.00 - 0.00	HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	SW
						HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	SW
						NaOH (ALE245) HNO3 Filtered (ALE204) H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)	LE

Parameter	All	NDPs: 0 Tests: 1	NDPs: 0 Tests: 1	NDPs: 0 Tests: 4	NDPs: 0 Tests: 4	NDPs: 0 Tests: 4	NDPs: 0 Tests: 4	NDPs: 0 Tests: 4	NDPs: 0 Tests: 1	NDPs: 0 Tests: 3	NDPs: 0 Tests: 4	NDPs: 0 Tests: 2	NDPs: 0 Tests: 4
Nitrite by Kone (w)	All							X					
Organotins in Aqueous Samples	All							X					
PCB Congeners - Aqueous (W)	All				X							X	
Pesticides (Suite I) by GCMS	All				X							X	
Pesticides (Suite II) by GCMS	All				X							X	
Pesticides (Suite III) by GCMS	All				X							X	
pH Value	All					X							X
Phosphate by Kone (w)	All							X					X
Silicon Dissolved by ICP-OES	All								X				
Suspended Solids	All											X	
SVOC MS (W) - Aqueous	All												X
Total Organic and Inorganic Carbon	All											X	
VOC MS (W)	All												X



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50	Client Reference: P2282	Report Number: 563812	
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562070	

Results Legend		Customer Sample Ref.		Holy Well	MH-1	SW1	SW2		
# ISO17025 accredited.		Depth (m)		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M mCERTS accredited.		Sample Type		Ground Water (GW)	Land Leachate (LE)	Surface Water (SW)	Surface Water (SW)		
aq Aqueous / settled sample.		Date Sampled		01/07/2020	01/07/2020	01/07/2020	01/07/2020		
diss.filt Dissolved / filtered sample.		Sample Time							
tot.unfilt Total / unfiltered sample.		Date Received		02/07/2020	02/07/2020	02/07/2020	02/07/2020		
* Subcontracted - refer to subcontractor report for accreditation status.		SDG Ref		200702-50	200702-50	200702-50	200702-50		
** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		Lab Sample No.(s)		22408528	22408517	22408488	22408504		
(F) Trigger breach confirmed		AGS Reference							
1-3*#@ Sample deviation (see appendix)									
Component	LOD/Units	Method							
Coliforms, Total*	MPN/100ml	SUB	>2420						
Coliforms, Faecal*	CFU/100ml	SUB	10						
Suspended solids, Total	<2 mg/l	TM022		<9		7.05	<4		
Alkalinity, Total as HCO3	<2 mg/l	TM043	405						
BOD, unfiltered	<1 mg/l	TM045		<1		<1	<1		
Oxygen, dissolved	<0.3 mg/l	TM046	9.28	9.64		9.69	10.4		
Organic Carbon, Total	<3 mg/l	TM090	3.47	5.71					
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099		0.573			<0.2		
Ammoniacal Nitrogen as N (low level)	<0.01 mg/l	TM099	1.06	0.664		0.0296	0.0653		
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5		<0.5	<0.5		
COD, unfiltered	<7 mg/l	TM107		16.8		18.3	23.5		
Conductivity @ 20 deg.C	<0.02 mS/cm	TM120	0.692	0.624		0.169	0.167		
Antimony (diss.filt)	<1 µg/l	TM152		<1					
Arsenic (diss.filt)	<0.5 µg/l	TM152	2.16	<0.5		<0.5	<0.5		
Barium (diss.filt)	<0.2 µg/l	TM152	17.8	36.7		38.3	37.9		
Beryllium (diss.filt)	<0.1 µg/l	TM152		<0.1					
Boron (diss.filt)	<10 µg/l	TM152	19.5	44.9					
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08		<0.08	<0.08		
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1		<1	<1		
Cobalt (diss.filt)	<0.5 µg/l	TM152		<0.5					
Copper (diss.filt)	<0.3 µg/l	TM152	1.33	1.09		1.11	0.699		
Lead (diss.filt)	<0.2 µg/l	TM152	1.13	<0.2		0.483	0.268		
Manganese (diss.filt)	<3 µg/l	TM152	58	32.7		50.9	38.9		
Molybdenum (diss.filt)	<3 µg/l	TM152		<3					
Nickel (diss.filt)	<0.4 µg/l	TM152	1.31	1.35		1.24	0.795		
Phosphorus (diss.filt)	<10 µg/l	TM152	206	67.9		21.3	12.4		
Selenium (diss.filt)	<1 µg/l	TM152	<1	<1		<1	<1		
Tellurium (diss.filt)	<2 µg/l	TM152		<2					
Thallium (diss.filt)	<2 µg/l	TM152	<2	<2		<2	<2		
Titanium (diss.filt)	<1 µg/l	TM152		3.32					
Uranium (diss.filt)	<0.5 µg/l	TM152		1.05					
Vanadium (diss.filt)	<1 µg/l	TM152		<1					
Zinc (diss.filt)	<1 µg/l	TM152	3.85	22.9		6.61	8.97		



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50	Client Reference: P2282	Report Number: 563812
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562070

Results Legend		Customer Sample Ref.	Holy Well	MH-1	SW1	SW2				
#	ISO17025 accredited.									
M	mCERTS accredited.									
aq	Aqueous / settled sample.									
diss.filt	Dissolved / filtered sample.									
tot.unfilt	Total / unfiltered sample.									
*	Subcontracted - refer to subcontractor report for accreditation status.									
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery									
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received	SDG Ref	Lab Sample No.(s)	AGS Reference
Tin (Diss.Filt)	<1 µg/l	TM152	0.00 - 0.00	Ground Water (GW)	01/07/2020				22408528	
Silver (diss.filt)	<0.5 µg/l	TM152	0.00 - 0.00	Land Leachate (LE)	01/07/2020				22408517	
Sodium (Dis.Filt)	<0.076 mg/l	TM152	0.00 - 0.00	Surface Water (SW)	01/07/2020				22408488	
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	0.00 - 0.00	Surface Water (SW)	01/07/2020				22408504	
Potassium (Dis.Filt)	<0.2 mg/l	TM152								
Calcium (Dis.Filt)	<0.2 mg/l	TM152								
Iron (Dis.Filt)	<0.019 mg/l	TM152								
Mineral oil >C10 C40 (aq)	<100 µg/l	TM172								
Mercury (diss.filt)	<0.01 µg/l	TM183								
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184								
Sulphate	<2 mg/l	TM184								
Chloride	<2 mg/l	TM184								
Nitrite as N	<0.0152 mg/l	TM184								
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184								
Sulphate (soluble) as S	<1 mg/l	TM184								
PCB congener 28	<0.015 µg/l	TM197								
PCB congener 52	<0.015 µg/l	TM197								
PCB congener 101	<0.015 µg/l	TM197								
PCB congener 118	<0.015 µg/l	TM197								
PCB congener 138	<0.015 µg/l	TM197								
PCB congener 153	<0.015 µg/l	TM197								
PCB congener 180	<0.015 µg/l	TM197								
Sum of detected EC7 PCB's	<0.105 µg/l	TM197								
Cyanide, Total	<0.05 mg/l	TM227								
Cyanide, Free	<0.05 mg/l	TM227								
pH	<1 pH Units	TM256								
Silicon (diss.filt)	<0.05 mg/l	TM284								
Dibutyl tin	<5 ng/l	TM328								
Tributyl tin	<1 ng/l	TM328								
Tetrabutyl tin	<2 ng/l	TM328								
Triphenyl tin	<1 ng/l	TM328								
Surrogate	%	TM328								
Trifluralin	<0.01 µg/l	TM343								



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50	Client Reference: P2282	Report Number: 563812
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562070

Results Legend			Customer Sample Ref.	Holy Well	MH-1	SW1	SW2		
# ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-3*§@ Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Ground Water (GW) 01/07/2020	0.00 - 0.00 Land Leachate (LE) 01/07/2020	0.00 - 0.00 Surface Water (SW) 01/07/2020	0.00 - 0.00 Surface Water (SW) 01/07/2020		
Component	LOD/Units	Method							
alpha-HCH	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
gamma-HCH (Lindane)	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
Heptachlor	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
Aldrin	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
beta-HCH	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
Isodrin	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
delta-HCH	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
Heptachlor epoxide	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
o,p'-DDE	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
Endosulphan I	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
trans-Chlordane	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
cis-Chlordane	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
p,p'-DDE	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
Dieldrin	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
o,p'-DDD (TDE)	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
Endrin	<0.01 µg/l	TM343		<0.02	<0.02	<0.01	<0.02		
o,p'-DDT	<0.01 µg/l	TM343		<0.03	<0.03	<0.01	<0.03		
p,p'-DDD (TDE)	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
Endosulphan II	<0.02 µg/l	TM343		<0.02	<0.02	<0.02	<0.02		
p,p'-DDT	<0.01 µg/l	TM343		<0.05	<0.05	<0.02	<0.05		
o,p'-Methoxychlor	<0.01 µg/l	TM343		<0.03	<0.03	<0.02	<0.03		
p,p'-Methoxychlor	<0.01 µg/l	TM343		<0.05	<0.05	<0.02	<0.05		
Endosulphan Sulphate	<0.02 µg/l	TM343		<0.02	<0.02	<0.02	<0.02		
Permethrin I	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
Permethrin II	<0.01 µg/l	TM343		<0.01	<0.01	<0.01	<0.01		
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Hexachlorobutadiene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Dichlorvos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Dichlobenil	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Mevinphos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Tecnazene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50	Client Reference: P2282	Report Number: 563812
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562070

Results Legend			Customer Sample Ref.	Holy Well	MH-1	SW1	SW2		
# ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-3*5@ Sample deviation (see appendix)									
			Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Ground Water (GW) 01/07/2020	0.00 - 0.00 Land Leachate (LE) 01/07/2020	0.00 - 0.00 Surface Water (SW) 01/07/2020	0.00 - 0.00 Surface Water (SW) 01/07/2020		
Component	LOD/Units	Method							
Hexachlorobenzene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Demeton-S-methyl	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Phorate	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Diazinon	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Triallate	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Atrazine	<0.01 µg/l	TM344		0.0777	0.0174	<0.01	<0.01		
Simazine	<0.01 µg/l	TM344		0.0312	<0.01	<0.01	<0.01		
Disulfoton	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Propetamphos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Chlorpyrifos-methyl	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Dimethoate	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Pirimiphos-methyl	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Chlorpyrifos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Methyl Parathion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Malathion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Fenthion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Fenitrothion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Triadimefon	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Pendimethalin	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Parathion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Chlorfenvinphos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
trans-Chlordane	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
cis-Chlordane	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Ethion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Carbophenothion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Triazophos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01	<0.01		
Phosalone	<0.01 µg/l	TM344		<0.02	<0.02	<0.02	<0.02		
Azinphos methyl	<0.02 µg/l	TM344		<0.04	<0.04	<0.04	<0.04		
Azinphos ethyl	<0.02 µg/l	TM344		<0.02	<0.02	<0.02	<0.02		
Etridiazole	<0.01 µg/l	TM345		<0.02	<0.02	<0.02	<0.02		
Pentachlorobenzene	<0.01 µg/l	TM345		<0.01	<0.01	<0.01	<0.01		
Propachlor	<0.01 µg/l	TM345		<0.01	<0.01	<0.01	<0.01		
Quintozene (PCNB)	<0.01 µg/l	TM345		<0.01	<0.01	<0.01	<0.01		

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50	Client Reference: P2282	Report Number: 563812
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562070

Results Legend			Customer Sample Ref.	Holy Well	MH-1	SW1	SW2		
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m)	Ground Water (GW)	Land Leachate (LE)	Surface Water (SW)	Surface Water (SW)		
Omethoate	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Propazine	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Propyzamide	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Alachlor	<0.01 µg/l	TM345	0.00 - 0.00	<0.02	<0.02	<0.02	<0.02		
Prometryn	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Telodrin	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Terbutryn	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Chlorothalonil	<0.01 µg/l	TM345	0.00 - 0.00	<0.02	<0.02	<0.02	<0.02		
Etrimphos	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Metazachlor	<0.01 µg/l	TM345	0.00 - 0.00	<0.02	<0.02	<0.02	<0.02		
Cyanazine	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Trietazine	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Coumaphos	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Phosphamidon I	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Phosphamidon II	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01	<0.01		
Dinitro-o-cresol	<0.1 µg/l	TM411	0.00 - 0.00	<0.2		<0.2	0.114		
Clopyralid	<0.04 µg/l	TM411	0.00 - 0.00	<0.08		<0.08	<0.04		
MCPA	<0.05 µg/l	TM411	0.00 - 0.00	<0.1		<0.1	<0.05		
Mecoprop	<0.04 µg/l	TM411	0.00 - 0.00	<0.08		<0.08	<0.04		
Dicamba	<0.04 µg/l	TM411	0.00 - 0.00	<0.08		<0.08	<0.04		
MCPB	<0.05 µg/l	TM411	0.00 - 0.00	<0.1		<0.1	<0.05		
2,4-DB	<0.1 µg/l	TM411	0.00 - 0.00	<0.2		<0.2	<0.1		
2,3,6-Trichlorobenzoic acid	<0.05 µg/l	TM411	0.00 - 0.00	<0.1		<0.1	<0.05		
Dichlorprop	<0.1 µg/l	TM411	0.00 - 0.00	<0.2		<0.2	<0.1		
Triclopyr	<0.05 µg/l	TM411	0.00 - 0.00	<0.75		<0.75	<0.75		
Fenoprop (Silvex)	<0.1 µg/l	TM411	0.00 - 0.00	<0.2		<0.2	<0.1		
2,4-Dichlorophenoxyacetic acid	<0.05 µg/l	TM411	0.00 - 0.00	<0.1		<0.1	<0.05		
2,4,5-Trichlorophenoxyacetic acid	<0.05 µg/l	TM411	0.00 - 0.00	<0.1		<0.1	<0.05		
Bromoxynil	<0.04 µg/l	TM411	0.00 - 0.00	<0.08		<0.08	<0.08		
Benazolin	<0.04 µg/l	TM411	0.00 - 0.00	<0.08		<0.08	<0.08		
Ioxynil	<0.05 µg/l	TM411	0.00 - 0.00	<0.1		<0.1	<0.1		
Pentachlorophenol	<0.04 µg/l	TM411	0.00 - 0.00	<0.08		<0.08	<0.08		
Fluoroxypyr	<0.1 µg/l	TM411	0.00 - 0.00	<0.2		<0.2	<0.2		

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 563812
Superseded Report: 562070

SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	Holy Well	MH-1	SW1	SW2		
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
-	Subcontracted - refer to subcontractor report for accreditation status.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery.	Sample Type	Ground Water (GW)	Land Leachate (LE)	Surface Water (SW)	Surface Water (SW)		
(F)	Trigger breach confirmed	Date Sampled	01/07/2020	01/07/2020	01/07/2020	01/07/2020		
1-3*5@	Sample deviation (see appendix)	Date Received	02/07/2020	02/07/2020	02/07/2020	02/07/2020		
		SDG Ref	200702-50	200702-50	200702-50	200702-50		
		Lab Sample No.(s)	22408528	22408517	22408488	22408504		
		AGS Reference						
Component	LOD/Units	Method						
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2-Chlorophenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2-Methylphenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2-Nitroaniline (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
2-Nitrophenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
3-Nitroaniline (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
4-Chloroaniline (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
4-Methylphenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
4-Nitroaniline (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
4-Nitrophenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Azobenzene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Acenaphthylene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Acenaphthene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Anthracene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<2	<4	<2	<2	#	#
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 563812
Superseded Report: 562070

SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	Holy Well	MH-1	SW1	SW2		
#	ISO17025 accredited.							
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
dis.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Sample Type	Ground Water (GW)	Land Leachate (LE)	Surface Water (SW)	Surface Water (SW)		
(F)	Trigger breach confirmed	Date Sampled	01/07/2020	01/07/2020	01/07/2020	01/07/2020		
1-3*§@	Sample deviation (see appendix)	Date Received	02/07/2020	02/07/2020	02/07/2020	02/07/2020		
		SDG Ref	200702-50	200702-50	200702-50	200702-50		
		Lab Sample No.(s)	22408528	22408517	22408488	22408504		
		AGS Reference						
Component	LOD/Units	Method						
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Benzo(a)pyrene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Carbazole (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Chrysene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Dibenzofuran (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Diethyl phthalate (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Dimethyl phthalate (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	<5	<10	<5	<5	#	#
Fluoranthene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Fluorene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Hexachlorobenzene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Hexachlorobutadiene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Pentachlorophenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Phenol (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Hexachloroethane (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Nitrobenzene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Naphthalene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Isophorone (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Phenanthrene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#
Pyrene (aq)	<1 µg/l	TM176	<1	<2	<1	<1	#	#

Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 563812
Superseded Report: 562070

VOC MS (W)

Results Legend			Customer Sample Ref.				
#	ISO17025 accredited.		Holy Well		MH-1	SW1	SW2
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*5@	Sample deviation (see appendix)						
		Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	
		Sample Type	Ground Water (GW)	Land Leachate (LE)	Surface Water (SW)	Surface Water (SW)	
		Date Sampled	01/07/2020	01/07/2020	01/07/2020	01/07/2020	
		Sample Time					
		Date Received	02/07/2020	02/07/2020	02/07/2020	02/07/2020	
		SDG Ref	200702-50	200702-50	200702-50	200702-50	
		Lab Sample No.(s)	22408528	22408517	22408488	22408504	
		AGS Reference					
Component	LOD/Units	Method					
Dibromofluoromethane**	%	TM208	113	114	112	113	
Toluene-d8**	%	TM208	100	99	99	99.3	
4-Bromofluorobenzene**	%	TM208	95.2	94.4	96.6	94.7	
Dichlorodifluoromethane	<1 µg/l	TM208	<1	<1	<1	<1	
Chloromethane	<1 µg/l	TM208	<1	<1	<1	<1	
Vinyl chloride	<1 µg/l	TM208	<1	<1	<1	<1	
Bromomethane	<1 µg/l	TM208	<1	<1	<1	<1	
Chloroethane	<1 µg/l	TM208	<1	<1	<1	<1	
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1	<1	<1	
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1	<1	<1	
Carbon disulphide	<1 µg/l	TM208	<1	<1	<1	<1	
Dichloromethane	<3 µg/l	TM208	<3	<3	<3	<3	
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1	<1	<1	
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1	<1	
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1	<1	<1	
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1	<1	
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	
Bromochloromethane	<1 µg/l	TM208	<1	<1	<1	<1	
Chloroform	<1 µg/l	TM208	<1	<1	<1	<1	
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	<1	<1	<1	
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1	<1	<1	
Carbontetrachloride	<1 µg/l	TM208	<1	<1	<1	<1	
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1	<1	<1	
Benzene	<1 µg/l	TM208	<1	<1	<1	<1	
Trichloroethene	<1 µg/l	TM208	<1	<1	<1	<1	
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	
Dibromomethane	<1 µg/l	TM208	<1	<1	<1	<1	
Bromodichloromethane	<1 µg/l	TM208	<1	<1	<1	<1	
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1	<1	
Toluene	<1 µg/l	TM208	<1	<1	<1	<1	
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1	<1	
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	<1	<1	<1	
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50	Client Reference: P2282	Report Number: 563812	
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562070	

VOC MS (W)

Results Legend			Customer Sample Ref.	Holy Well	MH-1	SW1	SW2		
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received	SDG Ref	Lab Sample No.(s)
Tetrachloroethene	<1 µg/l	TM208	0.00 - 0.00	Ground Water (GW)	01/07/2020				22408528
Dibromochloromethane	<1 µg/l	TM208	0.00 - 0.00	Land Leachate (LE)	01/07/2020				22408517
1,2-Dibromoethane	<1 µg/l	TM208	0.00 - 0.00	Surface Water (SW)	01/07/2020				22408488
Chlorobenzene	<1 µg/l	TM208	0.00 - 0.00	Surface Water (SW)	01/07/2020				22408504
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208							
Ethylbenzene	<1 µg/l	TM208							
m,p-Xylene	<1 µg/l	TM208							
o-Xylene	<1 µg/l	TM208							
Styrene	<1 µg/l	TM208							
Bromoform	<1 µg/l	TM208							
Isopropylbenzene	<1 µg/l	TM208							
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208							
1,2,3-Trichloropropane	<1 µg/l	TM208							
Bromobenzene	<1 µg/l	TM208							
Propylbenzene	<1 µg/l	TM208							
2-Chlorotoluene	<1 µg/l	TM208							
1,3,5-Trimethylbenzene	<1 µg/l	TM208							
4-Chlorotoluene	<1 µg/l	TM208							
tert-Butylbenzene	<1 µg/l	TM208							
1,2,4-Trimethylbenzene	<1 µg/l	TM208							
sec-Butylbenzene	<1 µg/l	TM208							
4-iso-Propyltoluene	<1 µg/l	TM208							
1,3-Dichlorobenzene	<1 µg/l	TM208							
1,4-Dichlorobenzene	<1 µg/l	TM208							
n-Butylbenzene	<1 µg/l	TM208							
1,2-Dichlorobenzene	<1 µg/l	TM208							
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208							
1,2,4-Trichlorobenzene	<1 µg/l	TM208							
Hexachlorobutadiene	<1 µg/l	TM208							
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208							
Naphthalene	<1 µg/l	TM208							
1,2,3-Trichlorobenzene	<1 µg/l	TM208							
1,3,5-Trichlorobenzene	<1 µg/l	TM208							

Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 563812
Superseded Report: 562070

Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM197	Modified: US EPA Method 8082.EA Method 174 and 5109631	Determination of WHO12 and EC7 Polychlorinated Biphenyl Congeners by GC-MS in Waters
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM284		
TM328		
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS
TM411	Acid_Herbs_GCMS	Acid Herbs in Water by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200702-50
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 563812
Superseded Report: 562070

Test Completion Dates

Lab Sample No(s)	22408528	22408517	22408488	22408504
Customer Sample Ref.	Holy Well	MH-1	SW1	SW2
AGS Ref.				
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Land Leachate	Surface Water	Surface Water

Acid Herbicides by GCMS	07-Jul-2020		07-Jul-2020	07-Jul-2020
Alkalinity as CaCO3	07-Jul-2020			
Ammoniacal Nitrogen		06-Jul-2020		06-Aug-2020
Ammonium Low	06-Jul-2020	06-Jul-2020	08-Jul-2020	19-Aug-2020
Anions by Kone (w)	04-Jul-2020	04-Jul-2020	05-Jul-2020	05-Jul-2020
BOD True Total		08-Jul-2020	08-Jul-2020	08-Jul-2020
COD Unfiltered		06-Jul-2020	06-Jul-2020	06-Jul-2020
Coliforms (W)	06-Jul-2020			
Conductivity (at 20 deg.C)	03-Jul-2020	03-Jul-2020	03-Jul-2020	03-Jul-2020
Cyanide Comp/Free/Total/Thiocyanate	07-Jul-2020	07-Jul-2020	07-Jul-2020	07-Jul-2020
Dissolved Metals by ICP-MS	08-Jul-2020	08-Jul-2020	08-Jul-2020	08-Jul-2020
Dissolved Oxygen by Probe	03-Jul-2020	03-Jul-2020	03-Jul-2020	03-Jul-2020
Fluoride	07-Jul-2020	03-Jul-2020	03-Jul-2020	07-Jul-2020
Mercury Dissolved	03-Jul-2020	03-Jul-2020	03-Jul-2020	03-Jul-2020
Mineral Oil C10-40 Aqueous (W)	07-Jul-2020	07-Jul-2020	07-Jul-2020	07-Jul-2020
Nitrite by Kone (w)		03-Jul-2020		
Organotins in Aqueous Samples		06-Jul-2020		
PCB Congeners - Aqueous (W)	09-Jul-2020	08-Jul-2020	08-Jul-2020	09-Jul-2020
Pesticides (Suite I) by GCMS	09-Jul-2020	09-Jul-2020	09-Jul-2020	09-Jul-2020
Pesticides (Suite II) by GCMS	07-Jul-2020	07-Jul-2020	07-Jul-2020	07-Jul-2020
Pesticides (Suite III) by GCMS	09-Jul-2020	09-Jul-2020	09-Jul-2020	09-Jul-2020
pH Value	03-Jul-2020	03-Jul-2020	03-Jul-2020	03-Jul-2020
Phosphate by Kone (w)	03-Jul-2020	03-Jul-2020	03-Jul-2020	03-Jul-2020
Silicon Dissolved by ICP-OES		10-Jul-2020		
Suspended Solids		08-Jul-2020	08-Jul-2020	08-Jul-2020
SVOC MS (W) - Aqueous	05-Jul-2020	05-Jul-2020	05-Jul-2020	08-Jul-2020
Total Organic and Inorganic Carbon	04-Jul-2020	04-Jul-2020		
VOC MS (W)	06-Jul-2020	06-Jul-2020	06-Jul-2020	06-Jul-2020

For inspection purposes only.
Consent of copyright owner required for any other use.

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Certificate Of Analysis

Job Number: 20-79340
Issue Number: 1
Report Date: 2 July 2020

Site: Galway Historic Landfills
PO Number: Not Supplied
Date Samples Received: 01/07/2020

For inspection purposes only.
Consent of copyright owner required for any other use.

Please find attached the results for the samples received at our laboratory on 01/07/2020.

Should you have any queries regarding the report or require any further services, we would be happy to discuss your requirements. For additional information about the company please log-on to our website at the above address.

Thank you for choosing City Analysts Limited. We look forward to assisting you again.

Authorised By:



Debbie Kelly
Laboratory Supervisor

Authorised Date: 2 July 2020

Notes are not INAB accredited

Results relate only to the items tested.
Information on methods of analysis and uncertainty of measurement is available on request.
Any opinions or interpretations indicated are outside the scope of our INAB accreditation.
This test report shall not be reproduced except in full or with written approval of City Analysts Limited.

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-79340

Report Version: 1

Site: Galway Historic Landfills

Sample Description: 5A Tuam

Date of Sampling: 01/07/2020

Sample Type: Ground

Date Sample Received: 01/07/2020

Lab Reference Number: 517821

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	01/07/2020	Coliforms	913.9	MPN/100ml	-
D/D3221#	01/07/2020	Faecal Coliforms	12	cfu/100ml	-

For inspection purposes only.
Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-79340

Report Version: 1

Site: Galway Historic Landfills

Sample Description: RC2 Tuam

Date of Sampling: 01/07/2020

Sample Type: Ground

Date Sample Received: 01/07/2020

Lab Reference Number: 517822

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	01/07/2020	Coliforms	> 2419.6	MPN/100ml	-
D/D3221#	01/07/2020	Faecal Coliforms	< 1	cfu/100ml	-

For inspection purposes only. Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-79340

Report Version: 1

Site: Galway Historic Landfills

Sample Description: RC3 Tuam

Date of Sampling: 01/07/2020

Sample Type: Ground

Date Sample Received: 01/07/2020

Lab Reference Number: 517823

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	01/07/2020	Coliforms	> 2419.6	MPN/100ml	-
D/D3221#	01/07/2020	Faecal Coliforms	< 100	cfu/100ml	-

For inspection purposes only. Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-79340

Report Version: 1

Site: Galway Historic Landfills

Sample Description: Holywell Gort

Date of Sampling: 01/07/2020

Sample Type: Ground

Date Sample Received: 01/07/2020

Lab Reference Number: 517824

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	01/07/2020	Coliforms	> 2419.6	MPN/100ml	-
D/D3221#	01/07/2020	Faecal Coliforms	10	cfu/100ml	-

For inspection purposes only. Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon



CERTIFICATE OF ANALYSIS

SDG:	200702-50	Client Reference:	P2282	Report Number:	563812
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	562070

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung. Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2017)*.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.



Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney
3rd Floor
North Park Offices
North Park Business Park
North Road
Dublin
Dublin 11

Attention: Daniel Hayden

CERTIFICATE OF ANALYSIS

Date of report Generation: 09 August 2020
Customer: Fehily Timoney
Sample Delivery Group (SDG): 200731-85
Your Reference: P2282
Location: Gort Landfill
Report No: 562378

We received 2 samples on Friday July 31, 2020 and 2 of these samples were scheduled for analysis which was completed on Sunday August 09, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan

Operations Manager





CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85	Client Reference: P2282	Report Number: 562378
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
22583238	SW1		0.00 - 0.00	30/07/2020
22583260	SW2		0.00 - 0.00	30/07/2020

Maximum Sample/Coolbox Temperature (°C) :

16.2

ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85	Client Reference: P2282	Report Number: 562378
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Results Legend

- X Test
- N No Determination Possible

Sample Types -

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Lab Sample No(s)	22583238	22583260
Customer Sample Reference	SW1	SW2
AGS Reference		
Depth (m)	0.00 - 0.00	0.00 - 0.00
Container	0.5l glass bottle (ALE227) 250ml BOD (ALE212) 500ml Plastic (ALE208) H2SO4 (ALE244) NaOH (ALE245) Vial (ALE297)	Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 500ml Plastic (ALE208) 250ml BOD (ALE212) 0.5l glass bottle (ALE227)
Sample Type	SW	SW

Analyte	All	NDPs: 0 Tests: 2	Vial (ALE227)	250ml BOD (ALE212)	500ml Plastic (ALE208)	H2SO4 (ALE244)	NaOH (ALE245)	Vial (ALE297)	0.5l glass bottle (ALE227)	250ml BOD (ALE212)	500ml Plastic (ALE208)	H2SO4 (ALE244)	NaOH (ALE245)	Vial (ALE297)
Acid Herbicides by GCMS	All	NDPs: 0 Tests: 2	X					X						
Ammonium Low	All	NDPs: 0 Tests: 2			X							X		
Anions by Kone (w)	All	NDPs: 0 Tests: 2		X							X			
BOD True Total	All	NDPs: 0 Tests: 2	X							X				
COD Unfiltered	All	NDPs: 0 Tests: 2	X							X				
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 2		X							X			
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 2					X						X	
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 2			X						X			
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 2			X						X			
Fluoride	All	NDPs: 0 Tests: 2			X						X			
Mercury Dissolved	All	NDPs: 0 Tests: 2			X						X			
Mineral Oil C10-40 Aqueous (W)	All	NDPs: 0 Tests: 2	X							X				
PCB Congeners - Aqueous (W)	All	NDPs: 0 Tests: 2	X							X				
Pesticides (Suite I) by GCMS	All	NDPs: 0 Tests: 2	X							X				
Pesticides (Suite II) by GCMS	All	NDPs: 0 Tests: 2	X							X				

For inspection purposes only. Content of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS



SDG: 200731-85
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 562378
Superseded Report:

Results Legend	Lab Sample No(s)		Customer Sample Reference		AGS Reference		Depth (m)		Container		Sample Type																																																																																					
	X Test	N No Determination Possible																																																																																														
<p>Sample Types -</p> <ul style="list-style-type: none"> S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other 																																																																																																
<div style="display: flex; justify-content: space-between;"> <div style="width: 25%;"> <p>Results Legend</p> <p>X Test</p> <p>N No Determination Possible</p> <p>Sample Types -</p> <ul style="list-style-type: none"> S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other </div> <div style="width: 75%;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">Lab Sample No(s)</th> <th style="width: 25%;">Customer Sample Reference</th> <th style="width: 25%;">AGS Reference</th> <th style="width: 25%;">Depth (m)</th> <th style="width: 25%;">Container</th> <th style="width: 25%;">Sample Type</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">22583238</td> <td style="text-align: center;">SW1</td> <td></td> <td style="text-align: center;">0.00 - 0.00</td> <td style="text-align: center;">Vial (ALE227)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td style="text-align: center;">SW2</td> <td></td> <td style="text-align: center;">0.00 - 0.00</td> <td style="text-align: center;">Vial (ALE297)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">Vial (ALE245)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">H2SO4 (ALE244)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">500ml Plastic (ALE208)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">250ml BOD (ALE212)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">0.5l glass bottle (ALE227)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">Vial (ALE297)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">NaOH (ALE245)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">H2SO4 (ALE244)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">500ml Plastic (ALE208)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">250ml BOD (ALE212)</td> <td style="text-align: center;">SW</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="text-align: center;">0.5l glass bottle (ALE227)</td> <td style="text-align: center;">SW</td> </tr> </tbody> </table> </div> </div>													Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type	22583238	SW1		0.00 - 0.00	Vial (ALE227)	SW		SW2		0.00 - 0.00	Vial (ALE297)	SW					Vial (ALE245)	SW					H2SO4 (ALE244)	SW					500ml Plastic (ALE208)	SW					250ml BOD (ALE212)	SW					0.5l glass bottle (ALE227)	SW					Vial (ALE297)	SW					NaOH (ALE245)	SW					H2SO4 (ALE244)	SW					500ml Plastic (ALE208)	SW					250ml BOD (ALE212)	SW					0.5l glass bottle (ALE227)	SW
Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type																																																																																											
22583238	SW1		0.00 - 0.00	Vial (ALE227)	SW																																																																																											
	SW2		0.00 - 0.00	Vial (ALE297)	SW																																																																																											
				Vial (ALE245)	SW																																																																																											
				H2SO4 (ALE244)	SW																																																																																											
				500ml Plastic (ALE208)	SW																																																																																											
				250ml BOD (ALE212)	SW																																																																																											
				0.5l glass bottle (ALE227)	SW																																																																																											
				Vial (ALE297)	SW																																																																																											
				NaOH (ALE245)	SW																																																																																											
				H2SO4 (ALE244)	SW																																																																																											
				500ml Plastic (ALE208)	SW																																																																																											
				250ml BOD (ALE212)	SW																																																																																											
				0.5l glass bottle (ALE227)	SW																																																																																											
Pesticides (Suite III) by GCMS	All	NDPs: 0 Tests: 2																																																																																														
pH Value	All	NDPs: 0 Tests: 2	X		X																																																																																											
Phosphate by Kone (w)	All	NDPs: 0 Tests: 2		X																																																																																												
Suspended Solids	All	NDPs: 0 Tests: 2		X																																																																																												
SVOC MS (W) - Aqueous	All	NDPs: 0 Tests: 2						X	X																																																																																							
VOC MS (W)	All	NDPs: 0 Tests: 2						X				X																																																																																				

For inspection purposes only. Content of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85	Client Reference: P2282	Report Number: 562378
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Results Legend		Customer Sample Ref.	SW1	SW2		
#	ISO17025 accredited.					
M	mCERTS accredited.					
aq	Aqueous / settled sample.					
diss.filt	Dissolved / filtered sample.					
tot.unfilt	Total / unfiltered sample.					
-	Subcontracted - refer to subcontractor report for accreditation status.					
--	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery					
(F)	Trigger breach confirmed					
1-3*#@	Sample deviation (see appendix)					
		Depth (m)	0.00 - 0.00	0.00 - 0.00		
		Sample Type	Surface Water (SW)	Surface Water (SW)		
		Date Sampled	30/07/2020	30/07/2020		
		Sample Time				
		Date Received	31/07/2020	31/07/2020		
		SDG Ref	200731-85	200731-85		
		Lab Sample No.(s)	22583238	22583260		
		AGS Reference				
Component	LOD/Units	Method				
Suspended solids, Total	<2 mg/l	TM022	<2	2.65		
			#	#		
BOD, unfiltered	<1 mg/l	TM045	<1	<1		
			#	#		
Oxygen, dissolved	<0.3 mg/l	TM046	9.94	10.3		
Ammoniacal Nitrogen as N (low level)	<0.01 mg/l	TM099	0.0229	0.0246		
			#	#		
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5		
COD, unfiltered	<7 mg/l	TM107	42.1	43.5		
			#	#		
Conductivity @ 20 deg.C	<0.02 mS/cm	TM120	0.155	0.145		
			#	#		
Arsenic (diss.filt)	<0.5 µg/l	TM152	<0.5	<0.5		
			2 #	2 #		
Barium (diss.filt)	<0.2 µg/l	TM152	42.5	42.6		
			2 #	2 #		
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08		
			2 #	2 #		
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1		
			2 #	2 #		
Copper (diss.filt)	<0.3 µg/l	TM152	0.92	1.14		
			2 #	2 #		
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2	0.442		
			2 #	2 #		
Manganese (diss.filt)	<3 µg/l	TM152	3.81	8.19		
			2 #	2 #		
Nickel (diss.filt)	<0.4 µg/l	TM152	1.09	1.03		
			2 #	2 #		
Phosphorus (diss.filt)	<10 µg/l	TM152	<10	13.4		
			2 #	2 #		
Selenium (diss.filt)	<1 µg/l	TM152	<1	<1		
			2 #	2 #		
Thallium (diss.filt)	<2 µg/l	TM152	<2	<2		
			2 #	2 #		
Zinc (diss.filt)	<1 µg/l	TM152	1.7	2.81		
			2 #	2 #		
Sodium (Dis.Filt)	<0.076 mg/l	TM152	10	11.1		
			2 #	2 #		
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	2.59	2.67		
			2 #	2 #		
Potassium (Dis.Filt)	<0.2 mg/l	TM152	1.03	1.13		
			2 #	2 #		
Calcium (Dis.Filt)	<0.2 mg/l	TM152	20.6	20.6		
			2 #	2 #		
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.183	0.187		
			2 #	2 #		
Mineral oil >C10 C40 (aq)	<100 µg/l	TM172	<100	<100		
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01	<0.01		
			2	2		
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	<0.05	<0.05		
			#	#		
Sulphate	<2 mg/l	TM184	<2	<2		
			#	#		
Chloride	<2 mg/l	TM184	19.6	19.1		
			#	#		
Sulphate (soluble) as S	<1 mg/l	TM184	<1	<1		
			#	#		
PCB congener 28	<0.015 µg/l	TM197	<0.015	<0.015		
PCB congener 52	<0.015 µg/l	TM197	<0.015	<0.015		
PCB congener 101	<0.015 µg/l	TM197	<0.015	<0.015		

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85 **Client Reference:** P2282 **Report Number:** 562378
Location: Gort Landfill **Order Number:** Z2189 **Superseded Report:**

Results Legend		Customer Sample Ref.	SW1	SW2			
#	ISO17025 accredited.						
M	mCERTS accredited.						
sq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*§@	Sample deviation (see appendix)						
		Depth (m)	0.00 - 0.00	0.00 - 0.00			
		Sample Type	Surface Water (SW)	Surface Water (SW)			
		Date Sampled	30/07/2020	30/07/2020			
		Sample Time					
		Date Received	31/07/2020	31/07/2020			
		SDG Ref	200731-85	200731-85			
		Lab Sample No.(s)	22583238	22583260			
		AGS Reference					
Component	LOD/Units	Method					
PCB congener 118	<0.015 µg/l	TM197	<0.015	<0.015			
PCB congener 138	<0.015 µg/l	TM197	<0.015	<0.015			
PCB congener 153	<0.015 µg/l	TM197	<0.015	<0.015			
PCB congener 180	<0.015 µg/l	TM197	<0.015	<0.015			
Sum of detected EC7 PCB's	<0.105 µg/l	TM197	<0.105	<0.105			
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05			
pH	<1 pH Units	TM256	7.52	7.52			
Trifluralin	<0.01 µg/l	TM343	<0.01	<0.01			
alpha-HCH	<0.01 µg/l	TM343	<0.01	<0.01			
gamma-HCH (Lindane)	<0.01 µg/l	TM343	<0.01	<0.01			
Heptachlor	<0.01 µg/l	TM343	<0.01	<0.01			
Aldrin	<0.01 µg/l	TM343	<0.01	<0.01			
beta-HCH	<0.01 µg/l	TM343	<0.01	<0.01			
Isodrin	<0.01 µg/l	TM343	<0.01	<0.01			
delta-HCH	<0.01 µg/l	TM343	<0.02	<0.02			
Heptachlor epoxide	<0.01 µg/l	TM343	<0.01	<0.01			
o,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01			
Endosulphan I	<0.01 µg/l	TM343	<0.01	<0.01			
trans-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01			
cis-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01			
p,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01			
Dieldrin	<0.01 µg/l	TM343	<0.01	<0.01			
o,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01			
Endrin	<0.01 µg/l	TM343	<0.01	<0.01			
o,p'-DDT	<0.01 µg/l	TM343	<0.04	<0.04			
p,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01			
Endosulphan II	<0.02 µg/l	TM343	<0.02	<0.02			
p,p'-DDT	<0.01 µg/l	TM343	<0.07	<0.07			
o,p'-Methoxychlor	<0.01 µg/l	TM343	<0.04	<0.04			
p,p'-Methoxychlor	<0.01 µg/l	TM343	<0.07	<0.07			
Endosulphan Sulphate	<0.02 µg/l	TM343	<0.04	<0.04			
Permethrin I	<0.01 µg/l	TM343	<0.01	<0.01			
Permethrin II	<0.01 µg/l	TM343	<0.01	<0.01			

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85	Client Reference: P2282	Report Number: 562378
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Results Legend		Customer Sample Ref.	SW1	SW2			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*§@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01			
Hexachlorobutadiene	<0.01 µg/l	TM344	<0.01	<0.01			
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01			
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01			
Dichlorvos	<0.01 µg/l	TM344	<0.01	<0.01			
Dichlobenil	<0.01 µg/l	TM344	<0.01	<0.01			
Mevinphos	<0.01 µg/l	TM344	<0.01	<0.01			
Tecnazene	<0.01 µg/l	TM344	<0.01	<0.01			
Hexachlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01			
Demeton-S-methyl	<0.01 µg/l	TM344	<0.01	<0.01			
Phorate	<0.01 µg/l	TM344	<0.01	<0.01			
Diazinon	<0.01 µg/l	TM344	<0.01	<0.01			
Triallate	<0.01 µg/l	TM344	<0.01	<0.01			
Atrazine	<0.01 µg/l	TM344	<0.01	<0.01			
Simazine	<0.01 µg/l	TM344	<0.01	<0.01			
Disulfoton	<0.01 µg/l	TM344	<0.01	<0.01			
Propetamphos	<0.01 µg/l	TM344	<0.01	<0.01			
Chlorpyrifos-methyl	<0.01 µg/l	TM344	<0.01	<0.01			
Dimethoate	<0.01 µg/l	TM344	<0.01	<0.01			
Pirimiphos-methyl	<0.01 µg/l	TM344	<0.01	<0.01			
Chlorpyrifos	<0.01 µg/l	TM344	<0.01	<0.01			
Methyl Parathion	<0.01 µg/l	TM344	<0.01	<0.01			
Malathion	<0.01 µg/l	TM344	<0.01	<0.01			
Fenthion	<0.01 µg/l	TM344	<0.01	<0.01			
Fenitrothion	<0.01 µg/l	TM344	<0.01	<0.01			
Triadimefon	<0.01 µg/l	TM344	<0.01	<0.01			
Pendimethalin	<0.01 µg/l	TM344	<0.01	<0.01			
Parathion	<0.01 µg/l	TM344	<0.01	<0.01			
Chlorfenvinphos	<0.01 µg/l	TM344	<0.01	<0.01			
trans-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01			
cis-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01			
Ethion	<0.01 µg/l	TM344	<0.01	<0.01			
Carbophenothion	<0.01 µg/l	TM344	<0.01	<0.01			

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85	Client Reference: P2282	Report Number: 562378
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Results Legend		Customer Sample Ref.	SW1	SW2			
#	ISO17025 accredited.						
M	mCERTS accredited.						
sq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*§@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Triazophos	<0.01 µg/l	TM344	<0.01	<0.01			
Phosalone	<0.01 µg/l	TM344	<0.01	<0.01			
Azinphos methyl	<0.02 µg/l	TM344	<0.02	<0.02			
Azinphos ethyl	<0.02 µg/l	TM344	<0.02	<0.02			
Etridiazole	<0.01 µg/l	TM345	<0.02	<0.02			
Pentachlorobenzene	<0.01 µg/l	TM345	<0.01	<0.01			
Propachlor	<0.01 µg/l	TM345	<0.01	<0.01			
Quintozene (PCNB)	<0.01 µg/l	TM345	<0.01	<0.01			
Omethoate	<0.01 µg/l	TM345	<0.01	<0.01			
Propazine	<0.01 µg/l	TM345	<0.01	<0.01			
Propyzamide	<0.01 µg/l	TM345	<0.01	<0.01			
Alachlor	<0.01 µg/l	TM345	<0.01	<0.01			
Prometryn	<0.01 µg/l	TM345	<0.01	<0.01			
Telodrin	<0.01 µg/l	TM345	<0.01	<0.01			
Terbutryn	<0.01 µg/l	TM345	<0.01	<0.01			
Chlorothalonil	<0.01 µg/l	TM345	<0.03	<0.03			
Etrimphos	<0.01 µg/l	TM345	<0.01	<0.01			
Metazachlor	<0.01 µg/l	TM345	<0.01	<0.01			
Cyanazine	<0.01 µg/l	TM345	<0.01	<0.01			
Trietazine	<0.01 µg/l	TM345	<0.01	<0.01			
Coumaphos	<0.01 µg/l	TM345	<0.01	<0.01			
Phosphamidon I	<0.01 µg/l	TM345	<0.02	<0.02			
Phosphamidon II	<0.01 µg/l	TM345	<0.02	<0.02			
Dinitro-o-cresol	<0.1 µg/l	TM411	<0.1	<0.1			
Clopyralid	<0.04 µg/l	TM411	<0.04	<0.04			
MCPA	<0.05 µg/l	TM411	<0.05	<0.05			
Mecoprop	<0.04 µg/l	TM411	<0.04	<0.04			
Dicamba	<0.04 µg/l	TM411	<0.04	<0.04			
MCPB	<0.05 µg/l	TM411	<0.05	<0.05			
2,4-DB	<0.1 µg/l	TM411	<0.1	<0.1			
2,3,6-Trichlorobenzoic acid	<0.05 µg/l	TM411	<0.05	<0.05			
Dichlorprop	<0.1 µg/l	TM411	<0.1	<0.1			
Triclopyr	<0.05 µg/l	TM411	<0.05	<0.05			

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 562378
Superseded Report:

SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	SW1	SW2			
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00			
M	mCERTS accredited.		Surface Water (SW)	Surface Water (SW)			
aq	Aqueous / settled sample.		30/07/2020	30/07/2020			
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
-	Subcontracted - refer to subcontractor report for accreditation status.						
--	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*5@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<8	<10	#	#	
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<8	<10	#	#	
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<8	<10	#	#	
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<8	<10	#	#	
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<8	<10	#	#	
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<8	<10	#	#	
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<8	<10	#	#	
2-Chlorophenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<8	<10	#	#	
2-Methylphenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
2-Nitroaniline (aq)	<1 µg/l	TM176	<8	<10	#	#	
2-Nitrophenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
3-Nitroaniline (aq)	<1 µg/l	TM176	<8	<10	#	#	
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<8	<10	#	#	
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
4-Chloroaniline (aq)	<1 µg/l	TM176	<8	<10	#	#	
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<8	<10	#	#	
4-Methylphenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
4-Nitroaniline (aq)	<1 µg/l	TM176	<8	<10	#	#	
4-Nitrophenol (aq)	<1 µg/l	TM176	<8	<10	#	#	
Azobenzene (aq)	<1 µg/l	TM176	<8	<10	#	#	
Acenaphthylene (aq)	<1 µg/l	TM176	<8	<10	#	#	
Acenaphthene (aq)	<1 µg/l	TM176	<8	<10	#	#	
Anthracene (aq)	<1 µg/l	TM176	<8	<10	#	#	
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<8	<10	#	#	
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<8	<10	#	#	
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<16	<20	#	#	
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<8	<10	#	#	
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<8	<10	#	#	

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 562378
Superseded Report:

SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	SW1	SW2			
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*\$@	Sample deviation (see appendix)						
Component	LOD/Units	Method	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	0.00 - 0.00	Surface Water (SW)	30/07/2020	30/07/2020	31/07/2020
							200731-85
							22583238
							22583260
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176					
Benzo(a)pyrene (aq)	<1 µg/l	TM176					
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176					
Carbazole (aq)	<1 µg/l	TM176					
Chrysene (aq)	<1 µg/l	TM176					
Dibenzofuran (aq)	<1 µg/l	TM176					
n-Dibutyl phthalate (aq)	<1 µg/l	TM176					
Diethyl phthalate (aq)	<1 µg/l	TM176					
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176					
Dimethyl phthalate (aq)	<1 µg/l	TM176					
n-Dioctyl phthalate (aq)	<5 µg/l	TM176					
Fluoranthene (aq)	<1 µg/l	TM176					
Fluorene (aq)	<1 µg/l	TM176					
Hexachlorobenzene (aq)	<1 µg/l	TM176					
Hexachlorobutadiene (aq)	<1 µg/l	TM176					
Pentachlorophenol (aq)	<1 µg/l	TM176					
Phenol (aq)	<1 µg/l	TM176					
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176					
Hexachloroethane (aq)	<1 µg/l	TM176					
Nitrobenzene (aq)	<1 µg/l	TM176					
Naphthalene (aq)	<1 µg/l	TM176					
Isophorone (aq)	<1 µg/l	TM176					
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176					
Phenanthrene (aq)	<1 µg/l	TM176					
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176					
Pyrene (aq)	<1 µg/l	TM176					

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 562378
Superseded Report:

VOC MS (W)

Table with columns: Results Legend, Customer Sample Ref., SW1, SW2, Component, LOD/Units, Method. Rows include various VOCs like Dibromofluoromethane, Toluene-d8, 4-Bromofluorobenzene, etc.

For inspection purposes only.
Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 562378
Superseded Report:

VOC MS (W)

Results Legend		Customer Sample Ref.	SW1	SW2			
#	ISO17025 accredited.						
M	mCERTS accredited.						
sq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*§@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Tetrachloroethene	<1 µg/l	TM208	<1	<1	#	#	
Dibromochloromethane	<1 µg/l	TM208	<1	<1	#	#	
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	#	#	
Chlorobenzene	<1 µg/l	TM208	<1	<1	#	#	
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	#	#	
Ethylbenzene	<1 µg/l	TM208	<1	<1	#	#	
m,p-Xylene	<1 µg/l	TM208	<1	<1	#	#	
o-Xylene	<1 µg/l	TM208	<1	<1	#	#	
Styrene	<1 µg/l	TM208	<1	<1	#	#	
Bromoform	<1 µg/l	TM208	<1	<1	#	#	
Isopropylbenzene	<1 µg/l	TM208	<1	<1	#	#	
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	#	#	
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	#	#	
Bromobenzene	<1 µg/l	TM208	<1	<1	#	#	
Propylbenzene	<1 µg/l	TM208	<1	<1	#	#	
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	#	#	
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	#	#	
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	#	#	
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	#	#	
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	#	#	
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	#	#	
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	#	#	
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	#	#	
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	#	#	
n-Butylbenzene	<1 µg/l	TM208	<1	<1	#	#	
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	#	#	
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1	#	#	
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	#	#	
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	#	#	
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	#	#	
Naphthalene	<1 µg/l	TM208	<1	<1	#	#	
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	#	#	
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1	<1	#	#	

Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85	Client Reference: P2282	Report Number: 562378
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Table of Results - Appendix

Method No	Reference	Description
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM197	Modified: US EPA Method 8082.EA Method 174 and 5109631	Determination of WHO12 and EC7 Polychlorinated Biphenyl Congeners by GC-MS in Waters
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D – Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS
TM411	Acid_Herbs_GCMS	Acid Herbs in Water by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-85
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 562378
Superseded Report:

Test Completion Dates

Lab Sample No(s)	22583238	22583260
Customer Sample Ref.	SW1	SW2
AGS Ref.		
Depth	0.00 - 0.00	0.00 - 0.00
Type	Surface Water	Surface Water

Acid Herbicides by GCMS	07-Aug-2020	07-Aug-2020
Ammonium Low	06-Aug-2020	06-Aug-2020
Anions by Kone (w)	03-Aug-2020	03-Aug-2020
BOD True Total	06-Aug-2020	05-Aug-2020
COD Unfiltered	01-Aug-2020	01-Aug-2020
Conductivity (at 20 deg.C)	05-Aug-2020	05-Aug-2020
Cyanide Comp/Free/Total/Thiocyanate	07-Aug-2020	07-Aug-2020
Dissolved Metals by ICP-MS	07-Aug-2020	07-Aug-2020
Dissolved Oxygen by Probe	02-Aug-2020	02-Aug-2020
Fluoride	04-Aug-2020	04-Aug-2020
Mercury Dissolved	05-Aug-2020	05-Aug-2020
Mineral Oil C10-40 Aqueous (W)	07-Aug-2020	07-Aug-2020
PCB Congeners - Aqueous (W)	07-Aug-2020	07-Aug-2020
Pesticides (Suite I) by GCMS	06-Aug-2020	06-Aug-2020
Pesticides (Suite II) by GCMS	07-Aug-2020	07-Aug-2020
Pesticides (Suite III) by GCMS	05-Aug-2020	05-Aug-2020
pH Value	04-Aug-2020	03-Aug-2020
Phosphate by Kone (w)	04-Aug-2020	04-Aug-2020
Suspended Solids	05-Aug-2020	05-Aug-2020
SVOC MS (W) - Aqueous	09-Aug-2020	09-Aug-2020
VOC MS (W)	05-Aug-2020	05-Aug-2020

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

SDG: 200731-85	Client Reference: P2282	Report Number: 562378
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2017)*.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.



Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney
3rd Floor
North Park Offices
North Park Business Park
North Road
Dublin
Dublin 11

Attention: Daniel Hayden

CERTIFICATE OF ANALYSIS

Date of report Generation: 07 August 2020
Customer: Fehily Timoney
Sample Delivery Group (SDG): 200731-87
Your Reference: P2282
Location: Gort Landfill
Report No: 562220

We received 2 samples on Friday July 31, 2020 and 2 of these samples were scheduled for analysis which was completed on Friday August 07, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan

Operations Manager





CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-87	Client Reference: P2282	Report Number: 562220
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
22583355	LH01		0.00 - 0.00	30/07/2020
22583349	MH-1		0.00 - 0.00	30/07/2020

Maximum Sample/Coolbox Temperature (°C) :

16.2

ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-87
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 562220
Superseded Report:

Results Legend

- X Test
- N No Determination Possible

Sample Types -

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Lab Sample No(s)		22583355		22583349
Customer Sample Reference		LH01		MH-1
AGS Reference				
Depth (m)		0.00 - 0.00		0.00 - 0.00
Container		0.5l glass bottle (ALE227)	500ml Plastic (ALE208)	H2SO4 (ALE244)
Sample Type		LE	LE	LE

Parameter	All	NDPs: 0 Tests: 2					
Ammonium Low	All	NDPs: 0 Tests: 2		X			X
Anions by Kone (w)	All	NDPs: 0 Tests: 2	X			X	
BOD True Total	All	NDPs: 0 Tests: 2	X		X		
COD Unfiltered	All	NDPs: 0 Tests: 2	X			X	
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 2		X		X	
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 2		X		X	
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 2		X		X	
Fluoride	All	NDPs: 0 Tests: 2		X		X	
Mercury Dissolved	All	NDPs: 0 Tests: 2		X		X	
pH Value	All	NDPs: 0 Tests: 2		X		X	
Phosphate by Kone (w)	All	NDPs: 0 Tests: 2		X		X	
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 2			X		X

For inspection purposes only. Content of copyright owner, required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-87	Client Reference: P2282	Report Number: 562220
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Results Legend		Customer Sample Ref.		LH01	MH-1			
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. - Subcontracted - refer to subcontractor report for accreditation status. - % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-3*5@ Sample deviation (see appendix)		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00 Land Leachate (LE) 30/07/2020 31/07/2020 200731-87 22583355	0.00 - 0.00 Land Leachate (LE) 30/07/2020 31/07/2020 200731-87 22583349			
Component	LOD/Units	Method						
BOD, unfiltered	<1 mg/l	TM045	61.9	2.18	#	#		
Oxygen, dissolved	<0.3 mg/l	TM046	7.64	9.33				
Organic Carbon, Total	<3 mg/l	TM090	26.6	6.67				
Ammoniacal Nitrogen as N (low level)	<0.01 mg/l	TM099	59.2	0.63				
Fluoride	<0.5 mg/l	TM104	<0.5	<0.5				
COD, unfiltered	<7 mg/l	TM107	640	25.8	#	#		
Conductivity @ 20 deg.C	<0.02 mS/cm	TM120	1.87	0.603	#	#		
Arsenic (diss.filt)	<0.5 µg/l	TM152	3.16	<0.5	2 #	2 #		
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	2 #	2 #		
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1	2 #	2 #		
Copper (diss.filt)	<0.3 µg/l	TM152	1.19	1.3	2 #	2 #		
Lead (diss.filt)	<0.2 µg/l	TM152	0.308	<0.2	2 #	2 #		
Manganese (diss.filt)	<3 µg/l	TM152	1920	19.2	2 #	2 #		
Nickel (diss.filt)	<0.4 µg/l	TM152	16.3	17.3	2 #	2 #		
Phosphorus (diss.filt)	<10 µg/l	TM152	30.9	82.3	2 #	2 #		
Selenium (diss.filt)	<1 µg/l	TM152	1.12	<1	2 #	2 #		
Zinc (diss.filt)	<1 µg/l	TM152	11.3	26.3	2 #	2 #		
Sodium (Dis.Filt)	<0.076 mg/l	TM152	69.5	16.8	2 #	2 #		
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	44.7	9.92	2 #	2 #		
Potassium (Dis.Filt)	<0.2 mg/l	TM152	53.1	6.97	2 #	2 #		
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0299	0.0494	2 #	2 #		
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01	<0.01	2 #	2 #		
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	<0.05	0.2				
Sulphate	<2 mg/l	TM184	223	18.3				
Chloride	<2 mg/l	TM184	95.1	22.3				
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	0.558	4.69				
pH	<1 pH Units	TM256	7.06	7.41	#	#		

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-87
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 562220
Superseded Report:

Table of Results - Appendix

Method No	Reference	Description
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-87
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 562220
Superseded Report:

Test Completion Dates

Lab Sample No(s)	22583355	22583349
Customer Sample Ref.	LH01	MH-1
AGS Ref.		
Depth	0.00 - 0.00	0.00 - 0.00
Type	Land Leachate	Land Leachate

Ammonium Low	06-Aug-2020	06-Aug-2020
Anions by Kone (w)	04-Aug-2020	04-Aug-2020
BOD True Total	06-Aug-2020	06-Aug-2020
COD Unfiltered	04-Aug-2020	04-Aug-2020
Conductivity (at 20 deg.C)	05-Aug-2020	05-Aug-2020
Dissolved Metals by ICP-MS	07-Aug-2020	07-Aug-2020
Dissolved Oxygen by Probe	04-Aug-2020	02-Aug-2020
Fluoride	04-Aug-2020	04-Aug-2020
Mercury Dissolved	05-Aug-2020	05-Aug-2020
pH Value	04-Aug-2020	04-Aug-2020
Phosphate by Kone (w)	04-Aug-2020	04-Aug-2020
Total Organic and Inorganic Carbon	06-Aug-2020	06-Aug-2020

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

SDG: 200731-87	Client Reference: P2282	Report Number: 562220
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung. Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2017)*.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.



Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney
3rd Floor
North Park Offices
North Park Business Park
North Road
Dublin
Dublin 11

Attention: Daniel Hayden

CERTIFICATE OF ANALYSIS

Date of report Generation: 03 September 2020
Customer: Fehily Timoney
Sample Delivery Group (SDG): 200826-93
Your Reference: P2282
Location: Gort Landfill
Report No: 565742

We received 1 sample on Wednesday August 26, 2020 and 1 of these samples were scheduled for analysis which was completed on Thursday September 03, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan

Operations Manager





CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-93 **Client Reference:** P2282 **Report Number:** 565742
Location: Gort Landfill **Order Number:** Z2189 **Superseded Report:**

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
22723140	LH01		0.00 - 0.00	25/08/2020

Only received samples which have had analysis scheduled will be shown on the following pages.

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-93	Client Reference: P2282	Report Number: 565742
Location: Gort Landfill	Order Number: Z2189	Superseded Report:

Results Legend

- X Test
- N No Determination Possible

Sample Types -

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Lab Sample No(s)	22723140			
Customer Sample Reference	LH01			
AGS Reference				
Depth (m)	0.00 - 0.00			
Container	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; text-align: center;">250ml BOD (ALE12)</td> <td style="width: 33%; text-align: center;">500ml Plastic (ALE208)</td> <td style="width: 33%; text-align: center;">H2SO4 (ALE244)</td> </tr> </table>	250ml BOD (ALE12)	500ml Plastic (ALE208)	H2SO4 (ALE244)
250ml BOD (ALE12)	500ml Plastic (ALE208)	H2SO4 (ALE244)		
Sample Type	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; text-align: center;">LE</td> <td style="width: 33%; text-align: center;">LE</td> <td style="width: 33%; text-align: center;">LE</td> </tr> </table>	LE	LE	LE
LE	LE	LE		

Parameter	All	NDPs: 0 Tests: 1				
Ammonium Low	All	NDPs: 0 Tests: 1			X	
Anions by Kone (w)	All	NDPs: 0 Tests: 1		X		
BOD True Total	All	NDPs: 0 Tests: 1	X			
COD Unfiltered	All	NDPs: 0 Tests: 1	X			
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 1		X		
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 1		X		
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 1		X		
Fluoride	All	NDPs: 0 Tests: 1		X		
Mercury Dissolved	All	NDPs: 0 Tests: 1		X		
pH Value	All	NDPs: 0 Tests: 1		X		
Phosphate by Kone (w)	All	NDPs: 0 Tests: 1		X		
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 1				X

For inspection purposes only.
 Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-93
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 565742
Superseded Report:

Results Legend		Customer Sample Ref.							
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. - Subcontracted - refer to subcontractor report for accreditation status. -- % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-3*#@ Sample deviation (see appendix)		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference							
Component	LOD/Units	Method							
BOD, unfiltered	<1 mg/l	TM045	7.95						
				#					
Oxygen, dissolved	<0.3 mg/l	TM046	6.13						
Organic Carbon, Total	<3 mg/l	TM090	28.4						
Ammoniacal Nitrogen as N (low level)	<0.01 mg/l	TM099	42						
Fluoride	<0.5 mg/l	TM104	<0.5						
COD, unfiltered	<7 mg/l	TM107	143						
				#					
Conductivity @ 20 deg.C	<0.02 mS/cm	TM120	1.77						
				#					
Arsenic (diss.filt)	<0.5 µg/l	TM152	2.14						
				2 #					
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08						
				2 #					
Chromium (diss.filt)	<1 µg/l	TM152	<1						
				2 #					
Copper (diss.filt)	<0.3 µg/l	TM152	3.02						
				2 #					
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2						
				2 #					
Manganese (diss.filt)	<3 µg/l	TM152	4310						
				2 #					
Nickel (diss.filt)	<0.4 µg/l	TM152	13.7						
				2 #					
Phosphorus (diss.filt)	<10 µg/l	TM152	23.6						
				2 #					
Selenium (diss.filt)	<1 µg/l	TM152	<1						
				2 #					
Zinc (diss.filt)	<1 µg/l	TM152	19						
				2 #					
Sodium (Dis.Filt)	<0.076 mg/l	TM152	87.3						
				2 #					
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	27.1						
				2 #					
Potassium (Dis.Filt)	<0.2 mg/l	TM152	36.4						
				2 #					
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0492						
				2 #					
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01						
				2 #					
Phosphate (Ortho as PO4)	<0.05 mg/l	TM184	<0.05						
Sulphate	<2 mg/l	TM184	128						
Chloride	<2 mg/l	TM184	49						
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	<0.1						
pH	<1 pH Units	TM256	7.1						
				#					

For inspection purposes only.
 Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-93
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 565742
Superseded Report:

Table of Results - Appendix

Method No	Reference	Description
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

For inspection purposes only.
Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-93
Location: Gort Landfill

Client Reference: P2282
Order Number: Z2189

Report Number: 565742
Superseded Report:

Test Completion Dates

Lab Sample No(s)	22723140
Customer Sample Ref.	LH01
AGS Ref.	
Depth	0.00 - 0.00
Type	Land Leachate

Ammonium Low	02-Sep-2020
Anions by Kone (w)	31-Aug-2020
BOD True Total	01-Sep-2020
COD Unfiltered	28-Aug-2020
Conductivity (at 20 deg.C)	27-Aug-2020
Dissolved Metals by ICP-MS	01-Sep-2020
Dissolved Oxygen by Probe	28-Aug-2020
Fluoride	01-Sep-2020
Mercury Dissolved	03-Sep-2020
pH Value	27-Aug-2020
Phosphate by Kone (w)	27-Aug-2020
Total Organic and Inorganic Carbon	30-Aug-2020

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

SDG: 200826-93 Client Reference: P2282 Report Number: 565742
 Location: Gort Landfill Order Number: Z2189 Superseded Report:

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung. Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2017)*.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.



Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney
3rd Floor
North Park Offices
North Park Business Park
North Road
Dublin
Dublin 11

Attention: Daniel Hayden

CERTIFICATE OF ANALYSIS

Date of report Generation: 27 August 2020
Customer: Fehily Timoney
Sample Delivery Group (SDG): 200731-86
Your Reference: Galway Historic Landfills
Location: Gort Landfill
Report No: 564885

This report has been revised and directly supersedes 562437 in its entirety.

We received 3 samples on Friday July 31, 2020 and 3 of these samples were scheduled for analysis which was completed on Monday August 10, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan

Operations Manager





CERTIFICATE OF ANALYSIS

Validated

SDG:	200731-86	Client Reference:	Galway Historic Landfills	Report Number:	564885
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	562437

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
22583337	BH1		0.00 - 0.00	30/07/2020
22583320	GW01		0.00 - 0.00	30/07/2020
22583328	GW02		0.00 - 0.00	30/07/2020

Maximum Sample/Coolbox Temperature (°C) :

16.2

ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

SDG: 200731-86 **Client Reference:** Galway Historic Landfills **Report Number:** 564885
Location: Gort Landfill **Order Number:** Z2189 **Superseded Report:** 562437

Results Legend

- X Test
- N No Determination Possible

Sample Types -

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
22583337	BH1		0.00 - 0.00	Vial (ALE297)	GW
22583320	GW01		0.00 - 0.00	Vial (ALE297)	GW
22583328	GW02		0.00 - 0.00	Vial (ALE297)	GW

Parameter	All	NDPs: 0 Tests: 3	Container												
			Vial (ALE297)	NaOH (ALE245)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	Vial (ALE297)	NaOH (ALE245)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)			
Acid Herbicides by GCMS			X					X						X	
Alkalinity as CaCO3				X				X						X	
Ammonium Low					X			X						X	
Anions by Kone (w)				X				X						X	
BOD True Total				X				X						X	
COD Unfiltered				X				X						X	
Conductivity (at 20 deg.C)				X				X						X	
Cyanide Comp/Free/Total/Thiocyanate						X				X					X
Dissolved Metals by ICP-MS				X				X						X	
Dissolved Oxygen by Probe				X				X						X	
Faecal Coliforms (W)*				X				X						X	
Fluoride				X				X						X	
Mercury Dissolved				X				X						X	
PCB Congeners - Aqueous (W)			X					X						X	
Pesticides (Suite I) by GCMS			X					X						X	

For inspection purposes only. Content of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86	Client Reference: Galway Historic Landfills	Report Number: 564885	
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562437	

Results Legend

- X Test
- N No Determination Possible

Sample Types -

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Lab Sample No(s)	22583337		22583320		22583328	
Customer Sample Reference	BH1		GW01		GW02	
AGS Reference						
Depth (m)	0.00 - 0.00		0.00 - 0.00		0.00 - 0.00	
Container	Vial (ALE297)	NaOH (ALE245)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	Vial (ALE297)
Sample Type	GW	GW	GW	GW	GW	GW

Test Name	Frequency	NDPs: 0 Tests: 3	Container					
			Vial (ALE297)	NaOH (ALE245)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	Vial (ALE297)
Pesticides (Suite II) by GCMS	All		X		X		X	
Pesticides (Suite III) by GCMS	All		X		X		X	
pH Value	All		X		X		X	
SVOC MS (W) - Aqueous	All			X			X	X
Total Coliforms(W)*	All		X		X			
Total Organic and Inorganic Carbon	All			X		X		X
VOC MS (W)	All			X			X	X

For inspection purposes only. Content of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86	Client Reference: Galway Historic Landfills	Report Number: 564885
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562437

Results Legend		Customer Sample Ref.		BH1	GW01	GW02		
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. - Subcontracted - refer to subcontractor report for accreditation status. - % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-3*#@ Sample deviation (see appendix)		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00 Ground Water (GW) 30/07/2020 31/07/2020 200731-86 22583337	0.00 - 0.00 Ground Water (GW) 30/07/2020 31/07/2020 200731-86 22583320	0.00 - 0.00 Ground Water (GW) 30/07/2020 31/07/2020 200731-86 22583328		
Component	LOD/Units	Method						
Faecal coliforms confirmed (M7M)*	0 CFU/100ml	SUB	4	19	620			
Total Coliform Presumptive (M16)*	CFU/100ml	SUB	>100	>100				
Total Coliform Confirmed (M14)*	CFU/100ml	SUB	>100	>100				
Alkalinity, Total as HCO3	<2 mg/l	TM043	952	744	1710			
BOD, unfiltered	<1 mg/l	TM045	<1 #	<1 #	4.52 #			
Oxygen, dissolved	<0.3 mg/l	TM046	9.4	9.5	9.12			
Organic Carbon, Total	<3 mg/l	TM090	<3 #	<3 #	<3 #			
Ammoniacal Nitrogen as N (low level)	<0.01 mg/l	TM099	0.0297 #	0.0331 #	0.0627 #			
Fluoride	<0.5 mg/l	TM104	<0.5 #	<0.5 #	<0.5 #			
COD, unfiltered	<7 mg/l	TM107	94.5 #	116 #	412 #			
Conductivity @ 20 deg.C	<0.02 mS/cm	TM120	0.62 #	0.623 #	0.593 #			
Arsenic (diss.filt)	<0.5 µg/l	TM152	0.532 2#	0.642 2#	0.754 2#			
Barium (diss.filt)	<0.2 µg/l	TM152	20.3 2#	22.7 2#	38.4 2#			
Boron (diss.filt)	<10 µg/l	TM152	12.5 2#	21.9 2#	25.1 2#			
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08 2#	<0.08 2#	<0.08 2#			
Chromium (diss.filt)	<1 µg/l	TM152	<1 2#	<1 2#	<1 2#			
Copper (diss.filt)	<0.3 µg/l	TM152	1.46 2#	0.926 2#	3.77 2#			
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2 2#	<0.2 2#	<0.2 2#			
Manganese (diss.filt)	<3 µg/l	TM152	<3 2#	<3 2#	5.72 2#			
Nickel (diss.filt)	<0.4 µg/l	TM152	1.78 2#	3.64 2#	7.68 2#			
Phosphorus (diss.filt)	<10 µg/l	TM152	18 2#	11.2 2#	<10 2#			
Selenium (diss.filt)	<1 µg/l	TM152	1.42 2#	2.33 2#	3.64 2#			
Thallium (diss.filt)	<2 µg/l	TM152	<2 2#	<2 2#	<2 2#			
Zinc (diss.filt)	<1 µg/l	TM152	1.52 2#	1.49 2#	2.6 2#			
Sodium (Dis.Filt)	<0.076 mg/l	TM152	9.71 2#	33.9 2#	17.2 2#			
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	7.69 2#	12.8 2#	9.62 2#			
Potassium (Dis.Filt)	<0.2 mg/l	TM152	1.83 2#	4.19 2#	2.43 2#			
Calcium (Dis.Filt)	<0.2 mg/l	TM152	130 2#	91 2#	112 2#			
Iron (Dis.Filt)	<0.019 mg/l	TM152	<0.019 2#	<0.019 2#	<0.019 2#			
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01 2#	<0.01 2#	<0.01 2#			
Sulphate	<2 mg/l	TM184	12.9 #	39.8 #	49.8 #			
Chloride	<2 mg/l	TM184	20.2 #	45.7 #	20.7 #			
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	1.86 #	1.76 #	1.35 #			



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86	Client Reference: Galway Historic Landfills	Report Number: 564885
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562437

Results Legend		Customer Sample Ref.	BH1	GW01	GW02		
#	ISO17025 accredited.						
M	mCERTS accredited.						
sq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*§@	Sample deviation (see appendix)						
		Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
		Sample Type	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
		Date Sampled	30/07/2020	30/07/2020	30/07/2020		
		Sample Time					
		Date Received	31/07/2020	31/07/2020	31/07/2020		
		SDG Ref	200731-86	200731-86	200731-86		
		Lab Sample No.(s)	22583337	22583320	22583328		
		AGS Reference					
Component	LOD/Units	Method					
PCB congener 28	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 52	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 101	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 118	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 138	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 153	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
PCB congener 180	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		
Sum of detected EC7 PCB's	<0.105 µg/l	TM197	<0.105	<0.105	<0.105		
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	#	#
pH	<1 pH Units	TM256	7.55	7.76	7.59	#	#
Trifluralin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
alpha-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
gamma-HCH (Lindane)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Heptachlor	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Aldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
beta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Isodrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
delta-HCH	<0.01 µg/l	TM343	<0.02	<0.02	<0.02		
Heptachlor epoxide	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endosulphan I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
trans-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
cis-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
p,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Dieldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-DDT	<0.01 µg/l	TM343	<0.04	<0.04	<0.04		
p,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endosulphan II	<0.02 µg/l	TM343	<0.02	<0.02	<0.02		
p,p'-DDT	<0.01 µg/l	TM343	<0.07	<0.07	<0.07		
o,p'-Methoxychlor	<0.01 µg/l	TM343	<0.04	<0.04	<0.04		
p,p'-Methoxychlor	<0.01 µg/l	TM343	<0.07	<0.07	<0.07		



CERTIFICATE OF ANALYSIS

Validated

SDG:	200731-86	Client Reference:	Galway Historic Landfills	Report Number:	564885
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	562437

Results Legend			Customer Sample Ref.	BH1	GW01	GW02		
# ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-3*§@ Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Ground Water (GW) 30/07/2020	0.00 - 0.00 Ground Water (GW) 30/07/2020	0.00 - 0.00 Ground Water (GW) 30/07/2020		
Component	LOD/Units	Method						
Endosulphan Sulphate	<0.02 µg/l	TM343		<0.04	<0.04	<0.04		
Permethrin I	<0.01 µg/l	TM343		<0.01	<0.01	<0.01		
Permethrin II	<0.01 µg/l	TM343		<0.01	<0.01	<0.01		
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Hexachlorobutadiene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Dichlorvos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Dichlobenil	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Mevinphos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Tecnazene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Hexachlorobenzene	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Demeton-S-methyl	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Phorate	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Diazinon	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Triallate	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Atrazine	<0.01 µg/l	TM344		0.0305	0.0605	<0.01		
Simazine	<0.01 µg/l	TM344		<0.01	0.0362	<0.01		
Disulfoton	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Propetamphos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Chlorpyrifos-methyl	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Dimethoate	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Pirimiphos-methyl	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Chlorpyrifos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Methyl Parathion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Malathion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Fenthion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Fenitrothion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Triadimefon	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Pendimethalin	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Parathion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Chlorfenvinphos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
trans-Chlordane	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG:	200731-86	Client Reference:	Galway Historic Landfills	Report Number:	564885
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	562437

Results Legend			Customer Sample Ref.	BH1	GW01	GW02		
# ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. dis.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-3*§@ Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Ground Water (GW) 30/07/2020	0.00 - 0.00 Ground Water (GW) 30/07/2020	0.00 - 0.00 Ground Water (GW) 30/07/2020		
Component	LOD/Units	Method						
cis-Chlordane	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Ethion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Carbophenothion	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Triazophos	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Phosalone	<0.01 µg/l	TM344		<0.01	<0.01	<0.01		
Azinphos methyl	<0.02 µg/l	TM344		<0.02	<0.02	<0.02		
Azinphos ethyl	<0.02 µg/l	TM344		<0.02	<0.02	<0.02		
Etridiazole	<0.01 µg/l	TM345		<0.02	<0.02	<0.02		
Pentachlorobenzene	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Propachlor	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Quintozene (PCNB)	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Omethoate	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Propazine	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Propyzamide	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Alachlor	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Prometryn	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Telodrin	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Terbutryn	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Chlorothalonil	<0.01 µg/l	TM345		<0.03	<0.03	<0.03		
Etrimphos	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Metazachlor	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Cyanazine	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Trietazine	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Coumaphos	<0.01 µg/l	TM345		<0.01	<0.01	<0.01		
Phosphamidon I	<0.01 µg/l	TM345		<0.02	<0.02	<0.02		
Phosphamidon II	<0.01 µg/l	TM345		<0.02	<0.02	<0.02		
Dinitro-o-cresol	<0.1 µg/l	TM411		<0.1	<0.5	<0.5		
Clopyralid	<0.04 µg/l	TM411		<0.04	<0.2	<0.2		
MCPA	<0.05 µg/l	TM411		<0.05	<0.25	<0.25		
Mecoprop	<0.04 µg/l	TM411		<0.04	<0.2	<0.2		
Dicamba	<0.04 µg/l	TM411		<0.04	<0.2	<0.2		
MCPB	<0.05 µg/l	TM411		<0.05	<0.25	<0.25		
2,4-DB	<0.1 µg/l	TM411		<0.1	<0.5	<0.5		

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86 **Client Reference:** Galway Historic Landfills **Report Number:** 564885
Location: Gort Landfill **Order Number:** Z2189 **Superseded Report:** 562437

Results Legend		Customer Sample Ref.	BH1	GW01	GW02			
#	ISO17025 accredited.							
M	mCERTS accredited.							
sq	Aqueous / settled sample.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00			
dis.filt	Dissolved / filtered sample.	Sample Type	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)			
tot.unfilt	Total / unfiltered sample.	Date Sampled	30/07/2020	30/07/2020	30/07/2020			
*	Subcontracted - refer to subcontractor report for accreditation status.	Sample Time	.	.	.			
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Date Received	31/07/2020	31/07/2020	31/07/2020			
(F)	Trigger breach confirmed	SDG Ref	200731-86	200731-86	200731-86			
1-3*§@	Sample deviation (see appendix)	Lab Sample No.(s)	22583337	22583320	22583328			
		AGS Reference						
Component	LOD/Units	Method						
2,3,6-Trichlorobenzoic acid	<0.05 µg/l	TM411	<0.05	<0.25	<0.25			
Dichlorprop	<0.1 µg/l	TM411	<0.1	<0.5	<0.5			
Triclopyr	<0.05 µg/l	TM411	<0.05	<0.25	<0.25			
Fenoprop (Silvex)	<0.1 µg/l	TM411	<0.1	<0.5	<0.5			
2,4-Dichlorophenoxyacetic acid	<0.05 µg/l	TM411	<0.05	<0.25	<0.25			
2,4,5-Trichlorophenoxyacetic acid	<0.05 µg/l	TM411	<0.05	<0.25	<0.25			
Bromoxynil	<0.04 µg/l	TM411	<0.04	<0.2	<0.2			
Benazolin	<0.04 µg/l	TM411	<0.04	<0.2	<0.2			
Ioxynil	<0.05 µg/l	TM411	<0.05	<0.25	<0.25			
Pentachlorophenol	<0.04 µg/l	TM411	<0.04	<0.2	<0.2			
Fluoroxypyr	<0.1 µg/l	TM411	<0.1	<0.5	<0.5			

For inspection purposes only.
 Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86
Location: Gort Landfill

Client Reference: Galway Historic Landfills
Order Number: Z2189

Report Number: 564885
Superseded Report: 562437

SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	BH1	GW01	GW02		
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
-	Subcontracted - refer to subcontractor report for accreditation status.						
--	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*5@	Sample deviation (see appendix)						
		Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
		Sample Type	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
		Date Sampled	30/07/2020	30/07/2020	30/07/2020		
		Sample Time					
		Date Received	31/07/2020	31/07/2020	31/07/2020		
		SDG Ref	200731-86	200731-86	200731-86		
		Lab Sample No.(s)	22583337	22583320	22583328		
		AGS Reference					
Component	LOD/Units	Method					
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2-Chlorophenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2-Methylphenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2-Nitroaniline (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
2-Nitrophenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
3-Nitroaniline (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
4-Chloroaniline (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
4-Methylphenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
4-Nitroaniline (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
4-Nitrophenol (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
Azobenzene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
Acenaphthylene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
Acenaphthene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
Anthracene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<20	<20	<40	#	#
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<10	<10	<20	#	#
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<10	<10	<20	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86
Location: Gort Landfill

Client Reference: Galway Historic Landfills
Order Number: Z2189

Report Number: 564885
Superseded Report: 562437

SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	BH1	GW01	GW02					
#	ISO17025 accredited.									
M	mCERTS accredited.									
aq	Aqueous / settled sample.									
dis.filt	Dissolved / filtered sample.									
tot.unfilt	Total / unfiltered sample.									
*	Subcontracted - refer to subcontractor report for accreditation status.									
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery									
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received	SDG Ref	Lab Sample No.(s)	AGS Reference
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583337	
										<10 # <10 # <20 #
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583320	
										<10 # <10 # <20 #
Benzo(a)pyrene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Carbazole (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Chrysene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Dibenzofuran (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Diethyl phthalate (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Dimethyl phthalate (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<50 # <50 # <100 #
Fluoranthene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Fluorene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Hexachlorobenzene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Hexachlorobutadiene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Pentachlorophenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Phenol (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Hexachloroethane (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Nitrobenzene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Naphthalene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Isophorone (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Phenanthrene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #
Pyrene (aq)	<1 µg/l	TM176	0.00 - 0.00	Ground Water (GW)	30/07/2020		30/07/2020	200731-86	22583328	
										<10 # <10 # <20 #

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86	Client Reference: Galway Historic Landfills	Report Number: 564885
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562437

VOC MS (W)

Results Legend			Customer Sample Ref.	BH1	GW01	GW02		
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-3*#@ Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Ground Water (GW) 30/07/2020	0.00 - 0.00 Ground Water (GW) 30/07/2020	0.00 - 0.00 Ground Water (GW) 30/07/2020		
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208		108	105	107		
Toluene-d8**	%	TM208		96.9	97.2	96.8		
4-Bromofluorobenzene**	%	TM208		99.5	101	99.5		
Dichlorodifluoromethane	<1 µg/l	TM208		<1	<1	<1	#	#
Chloromethane	<1 µg/l	TM208		<1	<1	<1	#	#
Vinyl chloride	<1 µg/l	TM208		<1	<1	<1	#	#
Bromomethane	<1 µg/l	TM208		<1	<1	<1	#	#
Chloroethane	<1 µg/l	TM208		<1	<1	<1	#	#
Trichlorofluoromethane	<1 µg/l	TM208		<1	<1	<1	#	#
1,1-Dichloroethene	<1 µg/l	TM208		<1	<1	<1	#	#
Carbon disulphide	<1 µg/l	TM208		<1	<1	<1	#	#
Dichloromethane	<3 µg/l	TM208		<3	<3	<3	#	#
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208		<1	<1	<1	#	#
trans-1,2-Dichloroethene	<1 µg/l	TM208		<1	<1	<1	#	#
1,1-Dichloroethane	<1 µg/l	TM208		<1	<1	<1	#	#
cis-1,2-Dichloroethene	<1 µg/l	TM208		<1	<1	<1	#	#
2,2-Dichloropropane	<1 µg/l	TM208		<1	<1	<1	#	#
Bromochloromethane	<1 µg/l	TM208		<1	<1	<1	#	#
Chloroform	<1 µg/l	TM208		<1	8.44	7.39	#	#
1,1,1-Trichloroethane	<1 µg/l	TM208		<1	<1	<1	#	#
1,1-Dichloropropene	<1 µg/l	TM208		<1	<1	<1	#	#
Carbontetrachloride	<1 µg/l	TM208		<1	<1	<1	#	#
1,2-Dichloroethane	<1 µg/l	TM208		<1	<1	<1	#	#
Benzene	<1 µg/l	TM208		<1	<1	<1	#	#
Trichloroethene	<1 µg/l	TM208		<1	<1	<1	#	#
1,2-Dichloropropane	<1 µg/l	TM208		<1	<1	<1	#	#
Dibromomethane	<1 µg/l	TM208		<1	<1	<1	#	#
Bromodichloromethane	<1 µg/l	TM208		<1	4.04	3.94	#	#
cis-1,3-Dichloropropene	<1 µg/l	TM208		<1	<1	<1	#	#
Toluene	<1 µg/l	TM208		<1	<1	<1	#	#
trans-1,3-Dichloropropene	<1 µg/l	TM208		<1	<1	<1	#	#
1,1,2-Trichloroethane	<1 µg/l	TM208		<1	<1	<1	#	#
1,3-Dichloropropane	<1 µg/l	TM208		<1	<1	<1	#	#

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86
Location: Gort Landfill

Client Reference: Galway Historic Landfills
Order Number: Z2189

Report Number: 564885
Superseded Report: 562437

VOC MS (W)

Results Legend			Customer Sample Ref.	BH1	GW01	GW02			
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received	SDG Ref	Lab Sample No.(s)
Tetrachloroethene	<1 µg/l	TM208	0.00 - 0.00	Ground Water (GW)	30/07/2020		31/07/2020	200731-86	22583337
Dibromochloromethane	<1 µg/l	TM208	0.00 - 0.00	Ground Water (GW)	30/07/2020		31/07/2020	200731-86	22583320
1,2-Dibromoethane	<1 µg/l	TM208	0.00 - 0.00	Ground Water (GW)	30/07/2020		31/07/2020	200731-86	22583328
Chlorobenzene	<1 µg/l	TM208							
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208							
Ethylbenzene	<1 µg/l	TM208							
m,p-Xylene	<1 µg/l	TM208							
o-Xylene	<1 µg/l	TM208							
Styrene	<1 µg/l	TM208							
Bromoform	<1 µg/l	TM208							
Isopropylbenzene	<1 µg/l	TM208							
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208							
1,2,3-Trichloropropane	<1 µg/l	TM208							
Bromobenzene	<1 µg/l	TM208							
Propylbenzene	<1 µg/l	TM208							
2-Chlorotoluene	<1 µg/l	TM208							
1,3,5-Trimethylbenzene	<1 µg/l	TM208							
4-Chlorotoluene	<1 µg/l	TM208							
tert-Butylbenzene	<1 µg/l	TM208							
1,2,4-Trimethylbenzene	<1 µg/l	TM208							
sec-Butylbenzene	<1 µg/l	TM208							
4-iso-Propyltoluene	<1 µg/l	TM208							
1,3-Dichlorobenzene	<1 µg/l	TM208							
1,4-Dichlorobenzene	<1 µg/l	TM208							
n-Butylbenzene	<1 µg/l	TM208							
1,2-Dichlorobenzene	<1 µg/l	TM208							
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208							
1,2,4-Trichlorobenzene	<1 µg/l	TM208							
Hexachlorobutadiene	<1 µg/l	TM208							
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208							
Naphthalene	<1 µg/l	TM208							
1,2,3-Trichlorobenzene	<1 µg/l	TM208							
1,3,5-Trichlorobenzene	<1 µg/l	TM208							

Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86	Client Reference: Galway Historic Landfills	Report Number: 564885
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562437

Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM197	Modified: US EPA Method 8082.EA Method 174 and 5109631	Determination of WHO12 and EC7 Polychlorinated Biphenyl Congeners by GC-MS in Waters
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS
TM411	Acid_Herbs_GCMS	Acid Herbs in Water by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

For internal purposes only. Consent of copyright owners required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200731-86	Client Reference: Galway Historic Landfills	Report Number: 564885	
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 562437	

Test Completion Dates

Lab Sample No(s)	22583337	22583320	22583328
Customer Sample Ref.	BH1	GW01	GW02
AGS Ref.			
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water

Parameter	22583337	22583320	22583328
Acid Herbicides by GCMS	07-Aug-2020	07-Aug-2020	07-Aug-2020
Alkalinity as CaCO3	06-Aug-2020	06-Aug-2020	05-Aug-2020
Ammonium Low	06-Aug-2020	06-Aug-2020	06-Aug-2020
Anions by Kone (w)	04-Aug-2020	04-Aug-2020	04-Aug-2020
BOD True Total	06-Aug-2020	06-Aug-2020	06-Aug-2020
COD Unfiltered	04-Aug-2020	04-Aug-2020	04-Aug-2020
Conductivity (at 20 deg.C)	05-Aug-2020	05-Aug-2020	05-Aug-2020
Cyanide Comp/Free/Total/Thiocyanate	07-Aug-2020	07-Aug-2020	07-Aug-2020
Dissolved Metals by ICP-MS	07-Aug-2020	07-Aug-2020	07-Aug-2020
Dissolved Oxygen by Probe	02-Aug-2020	02-Aug-2020	02-Aug-2020
Faecal Coliforms (W)*	10-Aug-2020	10-Aug-2020	10-Aug-2020
Fluoride	04-Aug-2020	04-Aug-2020	04-Aug-2020
Mercury Dissolved	05-Aug-2020	05-Aug-2020	05-Aug-2020
PCB Congeners - Aqueous (W)	10-Aug-2020	10-Aug-2020	10-Aug-2020
Pesticides (Suite I) by GCMS	06-Aug-2020	06-Aug-2020	06-Aug-2020
Pesticides (Suite II) by GCMS	07-Aug-2020	07-Aug-2020	07-Aug-2020
Pesticides (Suite III) by GCMS	05-Aug-2020	05-Aug-2020	05-Aug-2020
pH Value	04-Aug-2020	04-Aug-2020	04-Aug-2020
SVOC MS (W) - Aqueous	09-Aug-2020	09-Aug-2020	10-Aug-2020
Total Coliforms(W)*	10-Aug-2020	10-Aug-2020	
Total Organic and Inorganic Carbon	06-Aug-2020	06-Aug-2020	06-Aug-2020
VOC MS (W)	05-Aug-2020	05-Aug-2020	05-Aug-2020

For inspection purposes only.
Consent of copyright owner required for any other use.



ALS Environmental Ltd
Torrington Avenue
Coventry
CV4 9GU

T: +44 (0)24 7642 1213
F: +44 (0)24 7685 6575
www.alsenvironmental.co.uk

Subcon Results
ALS Life Sciences Limited
Torrington Avenue
Tile Hill CV4 9GU

08 August 2020

Test Report: COV/1904555/2020

Dear Subcon Results

Analysis of your sample(s) received on 01 August 2020 is now complete and we have pleasure in enclosing the appropriate test report(s).


An invoice for the analysis carried out will be sent under separate cover.

Should you have any queries regarding this report(s) or any part of our service, please contact Customer Services on +44 (0)24 7642 1213 who will be happy to discuss your requirements.

If you would like to arrange any further analysis, please contact Customer Services. To arrange container delivery or sample collection, please call the Couriers Department directly on 024 7685 6562.

Thank you for using ALS Environmental Ltd and we look forward to receiving your next samples.

Yours Sincerely,

Signed: 

Name: B. Paige

Title: Microbiology Team Leader



This communication has been sent to you by ALS Environmental Ltd. Registered in England and Wales. Registration No.02148934. Registered Office: ALS Environmental Limited, Torrington Avenue, Coventry, CV4 9GU.

Report Summary

**Hawarden Subcon Results
ALS Life Sciences Limited
Torrington Avenue
Tile Hill
CV4 9GU**

ANALYSED BY



Date of Issue: **08 August 2020**

Report Number: **COV/1904555/2020**

Issue **1**

This issue replaces
all previous issues

Job Description: 2020 Analysis

Job Location: 200731-86

Number of Samples
included in this report **5**

Job Received: **01 August 2020**

Number of Test Results
included in this report **7**

Analysis Commenced: **01 August 2020**

Signed:

Name: **B. Paige**

Date: **08 August 2020**

Title: **Microbiology Team Leader**

ALS Environmental Ltd was not responsible for sampling unless otherwise stated.

Information on the methods of analysis and performance characteristics are available on request.

Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. The results relate only to the items tested and where relevant sampled.

Tests marked 'Not UKAS Accredited' in this Report/Certificate are not included in the UKAS Accreditation Schedule for our laboratory.

This test report is not a statement of conformity to any specification or standard.

This communication has been sent to you by ALS Environmental Ltd. Registered in England and Wales. Registration No. 02148934. Registered Office: ALS Environmental Limited, Torrington Avenue, Coventry, CV4 9GU.

(c) ALS Environmental Ltd 2020. All rights reserved. We, ALS Environmental Ltd, are the owner of all copyright in this report. You must not copy, reproduce, amend or adapt this report, its contents or any format in which it is delivered without our prior written agreement. If you copy, reproduce, amend, or adapt this report in any way without our agreement you will be liable for any damage or loss to us. In the event of a dispute the copy of the report held by us shall be the reference copy.

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 1 of 9

Certificate of Analysis

ANALYSED BY



Report Number: **COV/1904555/2020**
Laboratory Number: **19545528**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **22584567 BH1**
Sample Matrix: **Ground Water**
Sample Date/Time: **30 July 2020**
Sample Received: **01 August 2020**
Analysis Complete: **08 August 2020**
SDG: **200731-86**
Sample Reference: **BH1**

Issue **1**
Sample **1** of **5**

Test Description	Result	Units	Analysis Date	Accreditation	Method
Faecal coliforms confirmed	4	cfu/100m	08/08/2020	N Cov	W57

Analyst Comments for 19545528:

This sample has been analysed for Faecal coliforms confirmed outside recommended stability times. It is therefore possible that the results provided may be compromised.

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2SW), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

For inspection purposes only. Consent of copyright owner required for any other use.

Signed: *B. Paige*

Name: **B. Paige**

Date: **08 August 2020**

Title: **Microbiology Team Leader**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 2 of 9

Certificate of Analysis

ANALYSED BY



Report Number: **COV/1904555/2020**
Laboratory Number: **19545529**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **22584568 BH1**
Sample Matrix: **Ground Water**
Sample Date/Time: **30 July 2020**
Sample Received: **01 August 2020**
Analysis Complete: **08 August 2020**
SDG: **200731-86**
Sample Reference: **BH1**

Issue **1**
Sample **2** of **5**

Test Description	Result	Units	Analysis Date	Accreditation	Method
Total Coliform presumpt	>100	cfu/100ml	02/08/2020	Y Cov	W10
Total Coliforms confirmed	>100	cfu/100ml	02/08/2020	Y Cov	W10

Analyst Comments for 19545529:

This sample has been analysed for Total Coliforms confirmed, Total Coliform presumpt outside recommended stability times. It is therefore possible that the results provided may be compromised. Confirmation process not been carried out for coliforms due to nature of the sample.

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2SW), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:  Name: **B. Paige** Date: **08 August 2020**
Title: **Microbiology Team Leader**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 3 of 9

Certificate of Analysis

ANALYSED BY



Report Number: **COV/1904555/2020**
Laboratory Number: **19545530**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **22584558 GW01**
Sample Matrix: **Ground Water**
Sample Date/Time: **30 July 2020**
Sample Received: **01 August 2020**
Analysis Complete: **08 August 2020**
SDG: **200731-86**
Sample Reference: **GW01**

Issue **1**
Sample **3** of **5**

Test Description	Result	Units	Analysis Date	Accreditation	Method
Faecal coliforms confirmed	19	cfu/100m	08/08/2020	N Cov	W57

Analyst Comments for 19545530:

This sample has been analysed for Faecal coliforms confirmed outside recommended stability times. It is therefore possible that the results provided may be compromised.


This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO22 2SW), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:  Name: **B. Paige** Date: **08 August 2020**
Title: **Microbiology Team Leader**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Certificate of Analysis

ANALYSED BY



Report Number: **COV/1904555/2020**
Laboratory Number: **19545531**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **22584559 GW01**
Sample Matrix: **Ground Water**
Sample Date/Time: **30 July 2020**
Sample Received: **01 August 2020**
Analysis Complete: **08 August 2020**
SDG: **200731-86**
Sample Reference: **GW01**

Issue **1**
Sample **4** of **5**

Test Description	Result	Units	Analysis Date	Accreditation	Method
Total Coliform presumpt	>100	cfu/100ml	02/08/2020	Y Cov	W10
Total Coliforms confirmed	>100	cfu/100ml	02/08/2020	Y Cov	W10

Analyst Comments for 19545531:

This sample has been analysed for Total Coliforms confirmed, Total Coliform presumpt outside recommended stability times. It is therefore possible that the results provided may be compromised. Confirmation process not been carried out for coliforms due to nature of the sample.

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2SW), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:  Name: **B. Paige** Date: **08 August 2020**
Title: **Microbiology Team Leader**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 5 of 9

Certificate of Analysis

ANALYSED BY



Report Number: **COV/1904555/2020**
 Laboratory Number: **19545532**
 Sample Source: **ALS Life Sciences Limited**
 Sample Point Description:
 Sample Description: **22584565 GW02**
 Sample Matrix: **Ground Water**
 Sample Date/Time: **30 July 2020**
 Sample Received: **01 August 2020**
 Analysis Complete: **08 August 2020**
 SDG: **200731-86**
 Sample Reference: **GW02**

Issue **1**
 Sample **5** of **5**

Test Description	Result	Units	Analysis Date	Accreditation	Method
Faecal coliforms confirmed	620	cfu/100m	08/08/2020	N Cov	W57

Analyst Comments for 19545532:

This sample has been analysed for Faecal coliforms confirmed outside recommended stability times. It is therefore possible that the results provided may be compromised.

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO22 2SW), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

For inspection purposes only. Consent of copyright owner required for any other use.

Signed: *B. Paige* Name: **B. Paige** Date: **08 August 2020**
 Title: **Microbiology Team Leader**



ANALYST COMMENTS FOR REPORT COV/1904555/2020

Issue 1

This issue replaces all previous issues

Date of Issue: 08 August 2020

Sample No	Analysis Comments
19545528	This sample has been analysed for Faecal coliforms confirmed outside recommended stability times. It is therefore possible that the results provided may be compromised.
19545529	This sample has been analysed for Total Coliforms confirmed, Total Coliform presumpt outside recommended stability times. It is therefore possible that the results provided may be compromised. Confirmation process not been carried out for coliforms due to nature of the sample.
19545530	This sample has been analysed for Faecal coliforms confirmed outside recommended stability times. It is therefore possible that the results provided may be compromised.
19545531	This sample has been analysed for Total Coliforms confirmed, Total Coliform presumpt outside recommended stability times. It is therefore possible that the results provided may be compromised. Confirmation process not been carried out for coliforms due to nature of the sample.
19545532	This sample has been analysed for Faecal coliforms confirmed outside recommended stability times. It is therefore possible that the results provided may be compromised.

Signed:

Name: **B. Paige**

Date: **08 August 2020**

Title: **Microbiology Team Leader**

*For inspection purposes only.
Consent of copyright owner required for any other use.*




DETERMINAND COMMENTS FOR REPORT COV/1904555/2020

ISSUE 1

Date of Issue: 08 August 2020

This issue replaces all previous issues

Sample No	Description	Determinand	Comments
19545529	22584568 BH1	Total Coliform presump	Confirmation process not been carried out for coliforms due to nature of the sample.
19545531	22584559 GW01	Total Coliform presump	Confirmation process not been carried out for coliforms due to nature of the sample.

Signed: 	Name: B. Paige	Date: 08 August 2020
	Title: Microbiology Team Leader	

*For inspection purposes only.
Consent of copyright owner required for any other use.*

Page Intentionally Left Blank

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

SDG:	200731-86	Client Reference:	Galway Historic Landfills	Report Number:	564885
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	562437

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung. Standing Committee of Analysts, *The Quantification of Asbestos in Soil (2017)*.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.



Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Fehily Timoney
3rd Floor
North Park Offices
North Park Business Park
North Road
Dublin
Dublin 11

Attention: Daniel Hayden

CERTIFICATE OF ANALYSIS

Date of report Generation: 03 September 2020
Customer: Fehily Timoney
Sample Delivery Group (SDG): 200826-91
Your Reference: Galway Historic Landfills
Location: Gort Landfill
Report No: 565822

This report has been revised and directly supersedes 565524 in its entirety.

We received 3 samples on Wednesday August 26, 2020 and 3 of these samples were scheduled for analysis which was completed on Thursday September 03, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan

Operations Manager





CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-91 **Client Reference:** Galway Historic Landfills **Report Number:** 565822
Location: Gort Landfill **Order Number:** Z2189 **Superseded Report:** 565524

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
22723066	BH1		0.00 - 0.00	25/08/2020
22723048	GW01		0.00 - 0.00	25/08/2020
22723058	GW02		0.00 - 0.00	25/08/2020

Only received samples which have had analysis scheduled will be shown on the following pages.

*For inspection purposes only.
Consent of copyright owner required for any other use.*



CERTIFICATE OF ANALYSIS

Validated

SDG:	200826-91	Client Reference:	Galway Historic Landfills	Report Number:	565822
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	565524

Results Legend	Lab Sample No(s)			22723066	22723048	22723058		
	Customer Sample Reference			BH1	GW01	GW02		
AGS Reference								
Depth (m)			0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
Container			0.5l glass bottle (ALE227)	500ml Plastic (ALE208)	H2SO4 (ALE244)	NaOH (ALE245)	Vial (ALE297)	
Sample Type			GW	GW	GW	GW	GW	
Acid Herbicides by GCMS	All	NDPs: 0 Tests: 3	X		X		X	
Alkalinity as CaCO3	All	NDPs: 0 Tests: 3		X		X		X
Ammonium Low	All	NDPs: 0 Tests: 3		X		X		X
Anions by Kone (w)	All	NDPs: 0 Tests: 3	X		X		X	
BOD True Total	All	NDPs: 0 Tests: 3	X		X		X	
COD Unfiltered	All	NDPs: 0 Tests: 3	X		X		X	
Coliforms (W)	All	NDPs: 0 Tests: 3	X		X		X	
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 3	X		X		X	
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 3		X		X		X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 3	X		X		X	
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 1	X					
Fluoride	All	NDPs: 0 Tests: 3	X		X		X	
Mercury Dissolved	All	NDPs: 0 Tests: 3	X		X		X	
PCB Congeners - Aqueous (W)	All	NDPs: 0 Tests: 3	X		X		X	
Pesticides (Suite I) by GCMS	All	NDPs: 0 Tests: 3	X		X		X	

For inspection purposes only. Content of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG:	200826-91	Client Reference:	Galway Historic Landfills	Report Number:	565822
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	565524

Results Legend

- X Test
- N No Determination Possible

Sample Types -

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
22723066	BH1		0.00 - 0.00	Vial (ALE297)	GW
22723048	GW01		0.00 - 0.00	Vial (ALE297)	GW
22723058	GW02		0.00 - 0.00	Vial (ALE297)	GW
				NaOH (ALE245)	GW
				H2SO4 (ALE244)	GW
				500ml Plastic (ALE208)	GW
				0.5l glass bottle (ALE227)	GW
				500ml Plastic (ALE208)	GW
				H2SO4 (ALE244)	GW
				NaOH (ALE245)	GW
				Vial (ALE297)	GW
				0.5l glass bottle (ALE227)	GW
				500ml Plastic (ALE208)	GW
				500ml Plastic (ALE208)	GW
				0.5l glass bottle (ALE227)	GW
				Vial (ALE297)	GW
				NaOH (ALE245)	GW
				H2SO4 (ALE244)	GW
				500ml Plastic (ALE208)	GW
				0.5l glass bottle (ALE227)	GW
				500ml Plastic (ALE208)	GW
				H2SO4 (ALE244)	GW
				NaOH (ALE245)	GW
				Vial (ALE297)	GW
				0.5l glass bottle (ALE227)	GW
				500ml Plastic (ALE208)	GW
				500ml Plastic (ALE208)	GW
				0.5l glass bottle (ALE227)	GW
				Vial (ALE297)	GW

Test Name	All	NDPs: 0 Tests: 3	Vial (ALE297)	NaOH (ALE245)	H2SO4 (ALE244)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	500ml Plastic (ALE208)	H2SO4 (ALE244)	NaOH (ALE245)	Vial (ALE297)	0.5l glass bottle (ALE227)	500ml Plastic (ALE208)	500ml Plastic (ALE208)	0.5l glass bottle (ALE227)	Vial (ALE297)
Pesticides (Suite II) by GCMS	All	NDPs: 0 Tests: 3	X			X						X				
Pesticides (Suite III) by GCMS	All	NDPs: 0 Tests: 3	X			X						X				
pH Value	All	NDPs: 0 Tests: 3		X				X					X			
SVOC MS (W) - Aqueous	All	NDPs: 0 Tests: 3	X					X					X			
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 3			X				X						X	
VOC MS (W)	All	NDPs: 0 Tests: 3					X				X					X

For inspection purposes only. Content of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG:	200826-91	Client Reference:	Galway Historic Landfills	Report Number:	565822
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	565524

Results Legend		Customer Sample Ref.	BH1	GW01	GW02		
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. - Subcontracted - refer to subcontractor report for accreditation status. -- % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-3*5@ Sample deviation (see appendix)		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Ground Water (GW) 25/08/2020 26/08/2020 200826-91 22723066	0.00 - 0.00 Ground Water (GW) 25/08/2020 26/08/2020 200826-91 22723048	0.00 - 0.00 Ground Water (GW) 25/08/2020 26/08/2020 200826-91 22723058		
Component	LOD/Units	Method					
Coliforms, Total*	MPN/100ml	SUB	345	425	146		
Coliforms, Faecal*	CFU/100ml	SUB	47	2	21		
Alkalinity, Total as HCO3	<2 mg/l	TM043	1050	382	1180		
BOD, unfiltered	<1 mg/l	TM045	<1	7	2.45		
Oxygen, dissolved	<0.3 mg/l	TM046	9.71				
Organic Carbon, Total	<3 mg/l	TM090	3.29	<3	3.33		
Ammoniacal Nitrogen as N (low level)	<0.01 mg/l	TM099	0.0572	0.0516	0.0745		
Fluoride	<0.5 mg/l	TM104	0.972	<0.5	<0.5		
COD, unfiltered	<7 mg/l	TM107	150	25.6	135		
Conductivity @ 20 deg.C	<0.02 mS/cm	TM120	0.664	0.699	0.609		
Arsenic (diss.filt)	<0.5 µg/l	TM152	0.982	1.6	0.939		
Barium (diss.filt)	<0.2 µg/l	TM152	23.2	20	28.9		
Boron (diss.filt)	<10 µg/l	TM152	33.4	22.9	17.4		
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	0.0863	<0.08		
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1	<1		
Copper (diss.filt)	<0.3 µg/l	TM152	<0.3	0.895	0.932		
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2	1.01	<0.2		
Manganese (diss.filt)	<3 µg/l	TM152	15.2	30.3	13.8		
Nickel (diss.filt)	<0.4 µg/l	TM152	1.39	15	4.78		
Phosphorus (diss.filt)	<10 µg/l	TM152	19.4	<10	<10		
Selenium (diss.filt)	<1 µg/l	TM152	<1	1.4	1.07		
Thallium (diss.filt)	<2 µg/l	TM152	<2	<2	<2		
Zinc (diss.filt)	<1 µg/l	TM152	1.03	10.8	2.69		
Sodium (Dis.Filt)	<0.076 mg/l	TM152	9.23	39.5	9.51		
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	7.72	15.4	8.09		
Potassium (Dis.Filt)	<0.2 mg/l	TM152	1.77	4.38	1.94		
Calcium (Dis.Filt)	<0.2 mg/l	TM152	129	102	128		
Iron (Dis.Filt)	<0.019 mg/l	TM152	<0.019	0.0433	<0.019		
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01	<0.01	<0.01		
Sulphate	<2 mg/l	TM184	8.1	31.2	13.5		
Chloride	<2 mg/l	TM184	21.4	58.6	19.4		
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	1.78	1.76	1.92		
PCB congener 28	<0.015 µg/l	TM197	<0.015	<0.015	<0.015		



CERTIFICATE OF ANALYSIS

Validated

SDG:	200826-91	Client Reference:	Galway Historic Landfills	Report Number:	565822
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	565524

Results Legend		Customer Sample Ref.	BH1	GW01	GW02		
#	ISO17025 accredited.						
M	mCERTS accredited.						
sq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*§@	Sample deviation (see appendix)						
Component	LOD/Units	Method	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received
PCB congener 52	<0.015 µg/l	TM197	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020
PCB congener 101	<0.015 µg/l	TM197	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020
PCB congener 118	<0.015 µg/l	TM197	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020
PCB congener 138	<0.015 µg/l	TM197	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020
PCB congener 153	<0.015 µg/l	TM197	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020
PCB congener 180	<0.015 µg/l	TM197	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020
Sum of detected EC7 PCB's	<0.105 µg/l	TM197	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020
Cyanide, Total	<0.05 mg/l	TM227					
pH	<1 pH Units	TM256	7.24	7.45	7.29		
Trifluralin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
alpha-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
gamma-HCH (Lindane)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Heptachlor	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Aldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
beta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Isodrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
delta-HCH	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Heptachlor epoxide	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endosulphan I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
trans-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
cis-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
p,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Dieldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-DDT	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
p,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endosulphan II	<0.02 µg/l	TM343	<0.02	<0.02	<0.02		
p,p'-DDT	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
o,p'-Methoxychlor	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
p,p'-Methoxychlor	<0.01 µg/l	TM343	<0.01	<0.01	<0.01		
Endosulphan Sulphate	<0.02 µg/l	TM343	<0.02	<0.02	<0.02		

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG:	200826-91	Client Reference:	Galway Historic Landfills	Report Number:	565822
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	565524

Results Legend			Customer Sample Ref.	BH1	GW01	GW02		
# ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-3*§@ Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Ground Water (GW) 25/08/2020	0.00 - 0.00 Ground Water (GW) 25/08/2020	0.00 - 0.00 Ground Water (GW) 25/08/2020		
Component	LOD/Units	Method						
Permethrin I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01			
Permethrin II	<0.01 µg/l	TM343	<0.01	<0.01	<0.01			
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Hexachlorobutadiene	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Dichlorvos	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Dichlobenil	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Mevinphos	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Tecnazene	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Hexachlorobenzene	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Demeton-S-methyl	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Phorate	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Diazinon	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Triallate	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Atrazine	<0.01 µg/l	TM344	<0.02	0.0233	0.0125			
Simazine	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Disulfoton	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Propetamphos	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Chlorpyrifos-methyl	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Dimethoate	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Pirimiphos-methyl	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Chlorpyrifos	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Methyl Parathion	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Malathion	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Fenthion	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Fenitrothion	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Triadimefon	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Pendimethalin	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Parathion	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
Chlorfenvinphos	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
trans-Chlordane	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			
cis-Chlordane	<0.01 µg/l	TM344	<0.02	<0.01	<0.01			

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG:	200826-91	Client Reference:	Galway Historic Landfills	Report Number:	565822
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	565524

Results Legend			Customer Sample Ref.	BH1	GW01	GW02			
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)			
Ethion	<0.01 µg/l	TM344	0.00 - 0.00	<0.02	<0.01	<0.01			
Carbophenothion	<0.01 µg/l	TM344	0.00 - 0.00	<0.02	<0.01	<0.01			
Triazophos	<0.01 µg/l	TM344	0.00 - 0.00	<0.02	<0.01	<0.01			
Phosalone	<0.01 µg/l	TM344	0.00 - 0.00	<0.04	<0.01	<0.01			
Azinphos methyl	<0.02 µg/l	TM344	0.00 - 0.00	<0.12	<0.04	<0.04			
Azinphos ethyl	<0.02 µg/l	TM344	0.00 - 0.00	<0.08	<0.02	<0.02			
Etridiazole	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Pentachlorobenzene	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Propachlor	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Quintozene (PCNB)	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Omethoate	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Propazine	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Propyzamide	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Alachlor	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Prometryn	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Telodrin	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Terbutryn	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Chlorothalonil	<0.01 µg/l	TM345	0.00 - 0.00	<0.02	<0.02	<0.02			
Etrimphos	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Metazachlor	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Cyanazine	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Trietazine	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Coumaphos	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Phosphamidon I	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Phosphamidon II	<0.01 µg/l	TM345	0.00 - 0.00	<0.01	<0.01	<0.01			
Dinitro-o-cresol	<0.1 µg/l	TM411	0.00 - 0.00	<0.1	<0.2	0.283			
Clopyralid	<0.04 µg/l	TM411	0.00 - 0.00	<0.04	<0.08	<0.04			
MCPA	<0.05 µg/l	TM411	0.00 - 0.00	<0.05	<0.1	<0.05			
Mecoprop	<0.04 µg/l	TM411	0.00 - 0.00	<0.08	<0.08	<0.04			
Dicamba	<0.04 µg/l	TM411	0.00 - 0.00	<0.08	<0.08	<0.04			
MCPB	<0.05 µg/l	TM411	0.00 - 0.00	<0.1	<0.1	<0.05			
2,4-DB	<0.1 µg/l	TM411	0.00 - 0.00	<0.2	<0.2	<0.1			
2,3,6-Trichlorobenzoic acid	<0.05 µg/l	TM411	0.00 - 0.00	<0.05	<0.1	<0.05			

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-91 **Client Reference:** Galway Historic Landfills **Report Number:** 565822
Location: Gort Landfill **Order Number:** Z2189 **Superseded Report:** 565524

Results Legend			Customer Sample Ref.	BH1	GW01	GW02			
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received	SDG Ref	Lab Sample No.(s)
Dichlorprop	<0.1 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		
Triclopyr	<0.05 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		
Fenoprop (Silvex)	<0.1 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		
2,4-Dichlorophenoxyacetic acid	<0.05 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		
2,4,5-Trichlorophenoxyacetic acid	<0.05 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		
Bromoxynil	<0.04 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		
Benazolin	<0.04 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		
loxynil	<0.05 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		
Pentachlorophenol	<0.04 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		
Fluoroxypyr	<0.1 µg/l	TM411	0.00 - 0.00	Ground Water (GW)	25/08/2020		25/08/2020		

For inspection purposes only.
Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-91 **Client Reference:** Galway Historic Landfills **Report Number:** 565822
Location: Gort Landfill **Order Number:** Z2189 **Superseded Report:** 565524

SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	BH1	GW01	GW02		
#	ISO17025 accredited.						
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
-	Subcontracted - refer to subcontractor report for accreditation status.						
--	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-3*5@	Sample deviation (see appendix)						
		Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
		Sample Type	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
		Date Sampled	25/08/2020	25/08/2020	25/08/2020		
		Sample Time					
		Date Received	26/08/2020	26/08/2020	26/08/2020		
		SDG Ref	200826-91	200826-91	200826-91		
		Lab Sample No.(s)	22723066	22723048	22723058		
		AGS Reference					
Component	LOD/Units	Method					
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2-Chlorophenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2-Methylphenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2-Nitroaniline (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
2-Nitrophenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
3-Nitroaniline (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
4-Chloroaniline (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
4-Methylphenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
4-Nitroaniline (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
4-Nitrophenol (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
Azobenzene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
Acenaphthylene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
Acenaphthene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
Anthracene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<20	<2	<20	#	#
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<10	<1	<10	#	#
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<10	<1	<10	#	#

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-91
Location: Gort Landfill

Client Reference: Galway Historic Landfills
Order Number: Z2189

Report Number: 565822
Superseded Report: 565524

SVOC MS (W) - Aqueous

Table with columns: Results Legend, Customer Sample Ref., BH1, GW01, GW02, Component, LOD/Units, Method. Rows include various SVOCs like Benzo(a)fluoranthene, Benzo(k)fluoranthene, etc.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-91
Location: Gort Landfill

Client Reference: Galway Historic Landfills
Order Number: Z2189

Report Number: 565822
Superseded Report: 565524

VOC MS (W)

Results Legend			Customer Sample Ref.	BH1	GW01	GW02		
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M	mCERTS accredited.			Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
aq	Aqueous / settled sample.			25/08/2020	25/08/2020	25/08/2020		
diss.filt	Dissolved / filtered sample.			26/08/2020	26/08/2020	26/08/2020		
tot.unfilt	Total / unfiltered sample.			200826-91	200826-91	200826-91		
*	Subcontracted - refer to subcontractor report for accreditation status.			22723066	22723048	22723058		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-3*#@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	117	119	116			
Toluene-d8**	%	TM208	98.2	98.7	98.5			
4-Bromofluorobenzene**	%	TM208	97.2	97.1	97			
Dichlorodifluoromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Chloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Vinyl chloride	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Bromomethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Chloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Trichlorofluoromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
1,1-Dichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Carbon disulphide	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Dichloromethane	<3 µg/l	TM208	<3 #	<3 #	<3 #			
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1 #	<1 #	<1 #			
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #			
1,1-Dichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #			
2,2-Dichloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Bromochloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Chloroform	<1 µg/l	TM208	<1 #	<1 #	<1 #			
1,1,1-Trichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
1,1-Dichloropropene	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Carbontetrachloride	<1 µg/l	TM208	<1 #	<1 #	<1 #			
1,2-Dichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Benzene	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Trichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #			
1,2-Dichloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Dibromomethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Bromodichloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1 #	<1 #	<1 #			
Toluene	<1 µg/l	TM208	<1 #	<1 #	<1 #			
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1 #	<1 #	<1 #			
1,1,2-Trichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #			
1,3-Dichloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #			

For inspection purposes only. Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG:	200826-91	Client Reference:	Galway Historic Landfills	Report Number:	565822
Location:	Gort Landfill	Order Number:	Z2189	Superseded Report:	565524

VOC MS (W)

Results Legend			Customer Sample Ref.	BH1	GW01	GW02		
# ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-3*§@ Sample deviation (see appendix)	Depth (m)							
	Sample Type							
	Date Sampled							
	Sample Time							
	Date Received							
	SDG Ref							
	Lab Sample No.(s)							
	AGS Reference							
Component	LOD/Units	Method						
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1			
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1			
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	<1			
Chlorobenzene	<1 µg/l	TM208	<1	<1	<1			
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1			
Ethylbenzene	<1 µg/l	TM208	<1	<1	<1			
m,p-Xylene	<1 µg/l	TM208	<1	<1	<1			
o-Xylene	<1 µg/l	TM208	<1	<1	<1			
Styrene	<1 µg/l	TM208	<1	<1	<1			
Bromoform	<1 µg/l	TM208	<1	<1	<1			
Isopropylbenzene	<1 µg/l	TM208	<1	<1	<1			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	<1			
Bromobenzene	<1 µg/l	TM208	<1	<1	<1			
Propylbenzene	<1 µg/l	TM208	<1	<1	<1			
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1			
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1			
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1			
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	<1			
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1			
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	<1			
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	<1			
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1			
n-Butylbenzene	<1 µg/l	TM208	<1	<1	<1			
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1	<1			
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1			
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	<1			
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	<1			
Naphthalene	<1 µg/l	TM208	<1	<1	<1			
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1			
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1			

Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-91	Client Reference: Galway Historic Landfills	Report Number: 565822
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 565524

Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM197	Modified: US EPA Method 8082.EA Method 174 and 5109631	Determination of WHO12 and EC7 Polychlorinated Biphenyl Congeners by GC-MS in Waters
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM345	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite III) by GCMS
TM411	Acid_Herbs_GCMS	Acid Herbs in Water by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

For internal purposes only. Consent of copyright owners required for any other use.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200826-91	Client Reference: Galway Historic Landfills	Report Number: 565822	
Location: Gort Landfill	Order Number: Z2189	Superseded Report: 565524	

Test Completion Dates

Lab Sample No(s)	22723066	22723048	22723058
Customer Sample Ref.	BH1	GW01	GW02
AGS Ref.			
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water

	22723066	22723048	22723058
Acid Herbicides by GCMS	03-Sep-2020	03-Sep-2020	03-Sep-2020
Alkalinity as CaCO3	29-Aug-2020	29-Aug-2020	29-Aug-2020
Ammonium Low	03-Sep-2020	03-Sep-2020	03-Sep-2020
Anions by Kone (w)	31-Aug-2020	31-Aug-2020	31-Aug-2020
BOD True Total	01-Sep-2020	01-Sep-2020	01-Sep-2020
COD Unfiltered	28-Aug-2020	28-Aug-2020	30-Aug-2020
Coliforms (W)	02-Sep-2020	02-Sep-2020	02-Sep-2020
Conductivity (at 20 deg.C)	27-Aug-2020	27-Aug-2020	27-Aug-2020
Cyanide Comp/Free/Total/Thiocyanate	03-Sep-2020	03-Sep-2020	03-Sep-2020
Dissolved Metals by ICP-MS	02-Sep-2020	02-Sep-2020	02-Sep-2020
Dissolved Oxygen by Probe	28-Aug-2020		
Fluoride	01-Sep-2020	01-Sep-2020	28-Aug-2020
Mercury Dissolved	03-Sep-2020	03-Sep-2020	03-Sep-2020
PCB Congeners - Aqueous (W)	03-Sep-2020	03-Sep-2020	03-Sep-2020
Pesticides (Suite I) by GCMS	01-Sep-2020	01-Sep-2020	01-Sep-2020
Pesticides (Suite II) by GCMS	01-Sep-2020	01-Sep-2020	01-Sep-2020
Pesticides (Suite III) by GCMS	01-Sep-2020	01-Sep-2020	01-Sep-2020
pH Value	27-Aug-2020	27-Aug-2020	27-Aug-2020
SVOC MS (W) - Aqueous	30-Aug-2020	30-Aug-2020	30-Aug-2020
Total Organic and Inorganic Carbon	29-Aug-2020	29-Aug-2020	01-Sep-2020
VOC MS (W)	03-Sep-2020	03-Sep-2020	03-Sep-2020

For inspection purposes only.
 Consent of copyright owner required for any other use.

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Certificate Of Analysis

Job Number: 20-82835
Issue Number: 1
Report Date: 1 September 2020

Site: Fehily Timoney
PO Number: ALS GLOBAL
Date Samples Received: 27/08/2020

For inspection purposes only.
Consent of copyright owner required for any other use.

Please find attached the results for the samples received at our laboratory on 27/08/2020.

Should you have any queries regarding the report or require any further services, we would be happy to discuss your requirements. For additional information about the company please log-on to our website at the above address.

Thank you for choosing City Analysts Limited. We look forward to assisting you again.

Authorised By: 

Louise Morrow

Authorised Date: 1 September 2020

Notes are not INAB accredited

Results relate only to the items tested.
Information on methods of analysis and uncertainty of measurement is available on request.
Any opinions or interpretations indicated are outside the scope of our INAB accreditation.
This test report shall not be reproduced except in full or with written approval of City Analysts Limited.

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-82835

Report Version: 1

Site: Fehily Timoney

Sample Description: GW01 - GORT

Date of Sampling: 26/08/2020

Sample Type: Ground

Date Sample Received: 27/08/2020

Lab Reference Number: 529041

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/08/2020	Coliforms	424.5	MPN/100ml	-
D/D3221#	27/08/2020	Faecal Coliforms	2	cfu/100ml	-

For inspection purposes only.
Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-82835

Report Version: 1

Site: Fehily Timoney

Sample Description: GW02 - GORT

Date of Sampling: 26/08/2020

Sample Type: Ground

Date Sample Received: 27/08/2020

Lab Reference Number: 529042

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/08/2020	Coliforms	145.5	MPN/100ml	-
D/D3221#	27/08/2020	Faecal Coliforms	21	cfu/100ml	-

For inspection purposes only.
Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-82835

Report Version: 1

Site: Fehily Timoney

Sample Description: BH01 - GORT

Date of Sampling: 26/08/2020

Sample Type: Ground

Date Sample Received: 27/08/2020

Lab Reference Number: 529043

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/08/2020	Coliforms	344.8	MPN/100ml	-
D/D3221#	27/08/2020	Faecal Coliforms	47	cfu/100ml	-

For inspection purposes only. Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-82835

Report Version: 1

Site: Fehily Timoney

Sample Description: GW01 -NEW INN

Date of Sampling: 26/08/2020

Sample Type: Ground

Date Sample Received: 27/08/2020

Lab Reference Number: 529044

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/08/2020	Coliforms	2.0	MPN/100ml	-
D/D3221#	27/08/2020	Faecal Coliforms	< 1	cfu/100ml	-

For inspection purposes only.
Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-82835

Report Version: 1

Site: Fehily Timoney

Sample Description: GW02 - NEW INN

Date of Sampling: 26/08/2020

Sample Type: Ground

Date Sample Received: 27/08/2020

Lab Reference Number: 529045

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/08/2020	Coliforms	488.4	MPN/100ml	-
D/D3221#	27/08/2020	Faecal Coliforms	10	cfu/100ml	-

For inspection purposes only.
Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-82835

Report Version: 1

Site: Fehily Timoney

Sample Description: BH1 - NEW INN

Date of Sampling: 26/08/2020

Sample Type: Ground

Date Sample Received: 27/08/2020

Lab Reference Number: 529046

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/08/2020	Coliforms	< 1.0	MPN/100ml	-
D/D3221#	27/08/2020	Faecal Coliforms	< 1	cfu/100ml	-

For inspection purposes only.
Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-82835

Report Version: 1

Site: Fehily Timoney

Sample Description: BH4 -NEW INN

Date of Sampling: 26/08/2020

Sample Type: Ground

Date Sample Received: 27/08/2020

Lab Reference Number: 529047

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/08/2020	Coliforms	< 1.0	MPN/100ml	-
D/D3221#	27/08/2020	Faecal Coliforms	< 1	cfu/100ml	-

For inspection purposes only.
Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-82835

Report Version: 1

Site: Fehily Timoney

Sample Description: RC2 - TUAM

Date of Sampling: 27/08/2020

Sample Type: Ground

Date Sample Received: 27/08/2020

Lab Reference Number: 529048

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/08/2020	Coliforms	817.0	MPN/100ml	-
D/D3221#	27/08/2020	Faecal Coliforms	9	cfu/100ml	-

For inspection purposes only. Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon

Certificate Of Analysis

Customer

Customer Services
ALS Life Sciences
Hawarden Business Park
Manor Lane
Hawarden, Deeside
UK
CH5 3US

Report Reference: 20-82835

Report Version: 1

Site: Fehily Timoney

Sample Description: RC3- TUAM

Date of Sampling: 27/08/2020

Sample Type: Ground

Date Sample Received: 27/08/2020

Lab Reference Number: 529049

Site / Method Ref.	Analysis Start Date	Parameter	Result	Units	PV Value (Drinking Water Only)
D/D1201#	27/08/2020	Coliforms	52000.0	MPN/100ml	-
D/D3221#	27/08/2020	Faecal Coliforms	2	cfu/100ml	-

For inspection purposes only.
Consent of copyright owner required for any other use.

= INAB Accredited, U = UKAS Accredited, * = Subcontracted

Note:

PV Value is the parametric value, taken from European Communities, (Drinking Water) Regulations, 2014. S.I. No. 122 of 2014 and relates only to drinking water samples.

For queries on results, please contact us within two weeks of the report date to ensure that we can accommodate your query as samples cannot be stored indefinitely.

NAC & ATC - No abnormal change and acceptable to customers.

TVC - Total viable count

Site D = Analysed at City Analysts Dublin. Site S = Analysed at City Analysts Shannon