

Licence Alteration Request

Alteration Details	
Licence	W0107-01 Waste Recovery Services (Fermoy) Limited
Licensee	Waste Recovery Services (Fermoy) Limited
Title of Alteration	Increase Annual Tonnage

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase the total specified emissions for any emission parameter? significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	Yes
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration regularise an on-going breach of a licence condition?	No
17	Does the proposed alteration require a change to a condition or schedule of the Licence?	Yes

Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Licence Review' application for this proposed alteration.

To progress this request you are required to go to the EPA website (www.epa.ie), complete the relevant Licence Application Form and follow the licensing application process. The application should be submitted to the EPA as specified in the licence application form or any associated instructions for applicants.

Recommendation Date: 03/09/2021

Clerical or Technical Amendment Application Details

Proposed Alteration Description

Increase Annual Tonnage

Priority	3. Urgent
Category of Amendment	(c) Otherwise facilitating the operation of the licence (or certificate) and the making of the amendment does not result in the relevant requirements of section 83(5) of the EPA Act as amended/ section 42B(1) of the Waste Management Act as amended/environmental requirements ceasing to be satisfied

Licence Alteration Request

Licence Condition Changes																						
Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording																				
1.4	The maximum tonnage to be accepted at the facility shall not exceed 6,500 tonnes per annum.	The maximum tonnage to be accepted at the facility shall not exceed 10,000 tonnes per annum.																				
Schedule A	<p>A.1 Waste Acceptance Table A.1 Waste Categories and Quantities</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">WASTE TYPE</th> <th style="text-align: right;">MAXIMUM (TONNES PER ANNUM)Note1</th> </tr> </thead> <tbody> <tr> <td>Commercial</td> <td style="text-align: right;">3000</td> </tr> <tr> <td>Industrial</td> <td style="text-align: right;">1700</td> </tr> <tr> <td>Construction and Demolition</td> <td style="text-align: right;">1800</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right;">6500</td> </tr> </tbody> </table> <p>Note 1: The breakdown of individual waste type quantities may be amended but the overall total may not be exceeded</p>	WASTE TYPE	MAXIMUM (TONNES PER ANNUM)Note1	Commercial	3000	Industrial	1700	Construction and Demolition	1800	TOTAL	6500	<p>A.1 Waste Acceptance Table A.1 Waste Categories and Quantities</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">WASTE TYPE</th> <th style="text-align: right;">MAXIMUM (TONNES PER ANNUM)Note1</th> </tr> </thead> <tbody> <tr> <td>Commercial</td> <td style="text-align: right;">3000</td> </tr> <tr> <td>Industrial</td> <td style="text-align: right;">1700</td> </tr> <tr> <td>Construction and Demolition</td> <td style="text-align: right;">5300</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right;">10,000</td> </tr> </tbody> </table> <p>Note 1: The breakdown of individual waste type quantities may be amended but the overall total may not be exceeded</p>	WASTE TYPE	MAXIMUM (TONNES PER ANNUM)Note1	Commercial	3000	Industrial	1700	Construction and Demolition	5300	TOTAL	10,000
WASTE TYPE	MAXIMUM (TONNES PER ANNUM)Note1																					
Commercial	3000																					
Industrial	1700																					
Construction and Demolition	1800																					
TOTAL	6500																					
WASTE TYPE	MAXIMUM (TONNES PER ANNUM)Note1																					
Commercial	3000																					
Industrial	1700																					
Construction and Demolition	5300																					
TOTAL	10,000																					

Questions		
Q1	Is planning permission required to support the proposed alteration?	Yes
If 'Yes', please provide written confirmation from the Planning Authority that an EIA was not required in this instance <u>OR</u> an EIA Screening Report that indicates that the development does not comprise or is not for the purposes of the activity		EIA Screening Report.pdf
Q2	Does the application involve an installation boundary change?	No
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	AA Screening.pdf

Additional Documentation
ScreeningReport.pdf

Final Declaration	
Name	Adrian Dunlea
Position	Environmental Manager

Application Details			
Selected by:	Adrian Dunlea	Selected date:	03/09/2021
Submitted by:	Adrian Dunlea	Submitted date:	03/09/2021