

Licence Alteration Request

Alteration Details	
Licence	W0146-02 Knockharley Landfill
Licensee	Knockharley Landfill Limited
Title of Alteration	Temporary increase in waste tonnage acceptance

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase the total specified emissions for any emission parameter? significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	Yes
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	Yes
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	Yes
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration regularise an on-going breach of a licence condition?	No
17	Does the proposed alteration require a change to a condition or schedule of the Licence?	Yes

Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Licence Review' application for this proposed alteration.

To progress this request you are required to go to the EPA website (www.epa.ie), complete the relevant Licence Application Form and follow the licensing application process. The application should be submitted to the EPA as specified in the licence application form or any associated instructions for applicants.

Recommendation Date: 14/07/2021

Clerical or Technical Amendment Application Details

Proposed Alteration Description

A temporary increase of the annual waste acceptance limit for disposal to 225,000 tonnes pending a determination of licence review application W0146-04.

Priority	3. Urgent
Category of Amendment	(c) Otherwise facilitating the operation of the licence (or certificate) and the making of the amendment does not result in the relevant requirements of section 83(5) of the EPA Act as amended/ section 42B(1) of the Waste Management Act as amended/environmental requirements ceasing to be satisfied

Licence Alteration Request



Licence Condition Changes		
Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
Schedule A1	Table A 1 Waste Categories and Quantities Waste Type Maximum Tonnes Per Annum Household 100,000 Commercial 45,000 Industrial 30,000 Subtotal Waste for Disposal 175,000 Construction & Demolition for Recovery 25,000 Total 200,000	Table A 1 Waste Categories and Quantities Waste Type Maximum Tonnes Per Annum Household 118,000 Commercial 61,000 Industrial 46,000 Subtotal Waste for Disposal 225,000 Construction & Demolition for Recovery 25,000 Total 250,000

Questions		
Q1	Is planning permission required to support the proposed alteration?	Yes
If 'Yes', please provide written confirmation from the Planning Authority that an EIA was not required in this instance <u>OR</u> an EIA Screening Report that indicates that the development does not comprise or is not for the purposes of the activity		
Q2	Does the application involve an installation boundary change?	No
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	AA Screening Report.pdf

Additional Documentation
ScreeningReport.pdf
TA letter to EPA July 2021 FINAL.pdf

Final Declaration	
Name	David Naughton
Position	Head of Environmental Affairs

Application Details			
Selected by:	David Naughton	Selected date:	16/07/2021
Submitted by:	David Naughton	Submitted date:	16/07/2021