

Headquarters
P.O. Box 3000
Johnstown Castle Estate
County Wexford
Ireland

TECHNICAL AMENDMENT D
TO
INDUSTRIAL EMISSIONS LICENCE

Licence Register Number:	W0054-02
Company Registration Number:	258299
Licensee:	SRCL Limited
Location of Installation:	Unit 1A Allied Industrial Estate Kylemore Road Ballyfermot Dublin 10

Reasons for the Decision

The Environmental Protection Agency is satisfied, on the basis of the information available, that subject to compliance with the conditions of Licence Reg. No. W0054-02 granted on 1 August 2003 and amended on 20 October 2005, 9 November 2010, 18 January 2012, and 7 January 2014, as well as any amendments noted herein, any emissions from the activity will comply with and not contravene any of the requirements of Section 83(5) of the Environmental Protection Agency Act 1992 as amended.

A screening for Appropriate Assessment was undertaken to assess, in view of best scientific knowledge and the conservation objectives of the site, if the activities, individually or in combination with other plans or projects are likely to have a significant effect on any European Site. In this context, particular attention was paid to the European Sites at South Dublin Bay SAC (000210), North Dublin Bay SAC (000206), North Dublin Bay and River Tolka Estuary SPA (004024) and North Bull Island SPA (004006).

The activities are not directly connected with or necessary to the management of any European Site and the Agency considered, for the reasons set out below, that it can be excluded, on the basis of objective information, that the activities, individually or in combination with other plans or projects, will have a significant effect on any European Site and accordingly determined that an Appropriate Assessment of the activities was not required.

This determination is based on the following:

- This installation is not located within any European Site:
- There will be no change in emissions from the installation and the amendment will not substantially change the nature or extent of the operations at the installation from what was considered when the revised licence Reg. No. W0054-02 was granted; and
- The change will not result in any increase in the overall waste limit accepted at the installation from what was considered when revised licence Reg. No. W0054-02 was granted.

Technical Amendment

In pursuance of the powers conferred on it by Section 96(1)(c) of the Environmental Protection Agency Act 1992 as amended, the Agency amends the licence, granted to SRCL Limited, for an installation located at Unit 1A, Allied Industrial Estate, Kylemore Road, Ballyfermot, Dublin 10.

Henceforth, the licence shall be read in conjunction with the Section 82A(11) Amendment issued on 7 January 2014, Amendment A issued on 20 October 2005, Amendment B issued on 9 November 2010, Amendment C issued on 18 January 2012, and the amendments set out below.

This Technical Amendment is limited to the following Schedule:

Amendments

New Condition

Append the following to Condition 1, of the existing licence:

- 1.12 No alteration to, or reconstruction in respect of, the activity, or any part thereof, that would, or is likely to, result in
- (i) a material change or increase in:
 - the nature or quantity of any emission;
 - the abatement/treatment or recovery systems;
 - the range of processes to be carried out;
 - the fuels, raw materials, intermediates, products or wastes generated, or
 - (ii) any changes in:
 - site management, infrastructure or control with adverse environmental significance,
- shall be carried out or commenced without prior notice to, and without the approval of, the Agency.

Amended Schedule

Amend Schedule A: Waste Acceptance, of the existing licence to read as follows:

Schedule A: Waste Acceptance

Table A.1 Waste Categories and Quantities

WASTE TYPE	MAXIMUM (TONNES PER ANNUM)
Used Sharp Instruments	3,072 ^{Note 1}
Infected or potentially hazardous health care risk waste	
Laboratory waste	
HEPA filters ^{Note 2}	260
Obsolete Mechanical Equipment ^{Note 2}	
Surgical Equipment ^{Note 2}	
TOTAL	3,332

Note 1: The limitation on individual hazardous waste types may be varied with the approval of the Agency, subject to the total limit for hazardous waste in Schedule A staying the same.

Note 2: These waste types may be treated in the Static Autoclave as detailed in the Commissioning Trials.

Table A.2 Other Wastes Acceptable at the Facility

WASTE TYPE	MAXIMUM (TONNES PER ANNUM)
Non-Hazardous Wastes	500 ^{Note 1}
Hazardous Waste (types as listed in Attachment D3 - Activity 5 of the application form)	8,025 ^{Note 2}
TOTAL	8,525

Note 1: This includes confidential records, bank records, insurance details and patient files only.

Note 2: The limitation on individual hazardous waste types may be varied with the approval of the Agency subject to the total limit for hazardous waste in Schedule A staying the same.



This Technical Amendment shall be cited as Amendment D to the licence.

Sealed by the Seal of the Agency on this the 22nd day of December, 2021

PRESENT when the seal of the Agency was affixed hereto



Ray Cullinane, Authorised Person

