

EPA Application Form

7.7 - Discharges to Storm Water - Attachment Amazon Data Services Ireland Limited **Organisation Name: *** Application I.D.: * LA007494

Amendments to this Application Form Attachment

Version No.	Date	Amendment since previous version	Reason
		. چې	

Consent of copyright owner required for any other tree

^{*} indicates required field



Storm Water Discharge Points

Storm water is rain water run-off from roof and non-process areas

Complete the table below for all storm water discharge points – (one row per discharge point).

Note: This section is **NOT** for rain water run-off from areas used for the <u>outdoor storage of waste</u> **OR** <u>run-off from process areas likely to be contaminated</u>. (Process effluent discharges and emissions should be described in the **7.2 Emissions to Water** tab of the application form).

Discharge Point Code	Easting ¹	Northing ²	Discharges to? (enter relevant option) ³	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)
SW-1	730944	702773	SDCC Stormwater Main	Stormwater Main. Sediment forebay, attenuation basin, hydrocarbon Interceptors debris separator, and the	and dher use Griffeen River	IE_EA_09_242
SW-2	731,073	703,099	Baldonnel Stream	Headwall at stream edge. Sediment forebay, attenuation basin, hydrocarbon Interceptors debris separator, and Hydrobreak.	Baldonnel Stream	IE_EA_09L012100
SW-3	730,957	703,309	Baldonnel Stream	Headwall at stream edge. Sediment forebay, attenuation basin, hydrocarbon Interceptors	Baldonnel Stream	IE_EA_09L012100

¹ Six Digit GPS Irish National Grid Reference

² Six Digit GPS Irish National Grid Reference

Options: 'River', 'Ditch', 'Estuary', 'Lake', 'Land Drain', 'Foul Sewer', 'Percolation Area', 'Groundwater', 'Storm Sewer' or 'Other' (where 'Other' is selected please enter a description)

^{*} indicates required field



Discharge Point Code	Easting ¹	Northing ²	Discharges to? (enter relevant option) ³	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)
				debris separator, and Hydrobreak.		
SW-4	730,867	703,395	Baldonnel Stream	Headwall at stream edge. Sediment forebay, attenuation basin, hydrocarbon Interceptors debris separator, and Hydrobreak.	Baldonnel Stream	IE_EA_09L012100

^{*}add rows to the table as necessary

^{*} indicates required field Page 4 of 6



Storm Water Discharge Monitoring Points

Enter the Discharge Point Code, the associated Monitoring Point Code and the grid reference details for each Monitoring Point location.

Discharge Point Code	Monitoring Point Code	Easting ⁴	Northing ⁵
SW1	SW-1-1	730,936	702,790
SW2	SW-2-1	731,062	703,305
SW3	SW-3-1	730,947	703,305
SW4	SW-4-1	730,852	703,391

^{*}add rows to the table as necessary

Consent of copyright owner required for any other tise.

Six Digit GPS Irish National Grid Reference

⁵ Six Digit GPS Irish National Grid Reference

^{*} indicates required field



Storm Water Trigger Levels and Monitoring

Complete the table below with details of the trigger levels and proposed monitoring regime for each parameter.

Select parameters that are a good indicator of loss of containment on-site. Consult the EPA guidance in the setting of trigger values for storm water discharges to off-site surface wastes at EPA licensed facilities (2012).

(If different parameters or monitoring arrangements apply at different storm water discharge points include information on this within the table).

			Sampling / Monitoring		
Parameter	Trigger Level	How was the trigger level determined?	Proposed Monitoring Frequency ⁶	Sample Method ⁷	Analysis Method and Technique 8
Visual Inspection	N/A	N/A	Weekly	N/A	Examine for colour and odour

^{*}add rows to the table as necessary

If not provided for in the table above, upload a document that includes details of how storm water is proposed to be monitored (select Document Type: 'Storm Water Monitoring' in the application form).

Storm Water Monitoring document file name:

Attachment 7-7-1 Stormwater Monitoring

⁶ Option list: 'Continuous', 'Hourly', 'Daily', 'Weekly', 'Monthly', 'Quarterly', 'Biannually' OR 'Annually'.

⁷ Option list: 'Continuous', '24-hour Flow Proportional Composite', '24-hour Time Proportional Composite' OR 'Grab'.

⁸ Option list: 'Gravimetric', 'Online Calibrated Suspended Solids', 'Online Flow Meter with Recorder', 'Online pH electrode/probe Meter and Recorder', 'Online Temperature Probe with Recorder', 'Standard Method', 'Visual', OR 'To be agreed by the Agency'.

^{*} indicates required field