

EPA Application Form

9.1 - Environmental Management Techniques - Attachment

Organisation Name: *

ERAS ECO Ltd

Application I.D.: *

LA007376



Amendments to this Application Form Attachment

Version No.	Date	Amendment since previous version	Reason
V.1.0	July 2017	N/A	Online application form attachment
As above	Mar 2018	Identification of required fields	Assist correct completion of attachment
		ve.	
		14. od otter	
		oses all of the	



9 Environmental Management Techniques ¹

9.1. Accident Prevention Measures

Measures to prevent accidental emissions and liabilities

Incidents and accidents are unplanned events. Emissions from incidents and (major) accidents usually occur within a relatively short time frame but with greater intensity than under normal operating conditions. Incidents such as fire or fuel spillages can result in liabilities such as contaminated soil and groundwater. Proactive risk management reduces the potential for an incident.

Abnormal operating conditions must be managed without endangering human health and harming the environment, and in particular without risk to water, air, soil, plants or animals, without causing a nuisance through noise or odours, and without adversely affecting the countryside or places of special interest.

The applicant must firstly undertake a risk assessment in accordance with EPA guidance on assessing and costing environmental liabilities. Having identified the key risks, the applicant should populate the following table with the measures to be taken to treat the key risks, e.g., bunding, integrity testing, fire prevention, etc.

The range of measures is dependent on the complexity of the site. Pollution prevention measures may, inter alia, include the following information:

- Conclusions on BAT set out in the EU Reference document on BAT on emissions from storage such as a safety management system; corrosion prevention measures on tanks, etc.
- Details of storage of all raw materials, products and wastes such as segregation, labelling, designation and impervious surface;
- Details of spill or emergency containment measures and structures such as bunds, high level alarms, absorbent materials;
- Details of fire detection and fire-water retention facilities in the event of emergencies or other measures to contain fire-water;
- Details of transport of material within the site, solid, liquid or sludge transported by pipe, vehicle or conveyor; etc.,
- The Agency has published a guidance document on Fire-Water Retention Facilities and on the Storage and transfer of materials.

This part of the form collects information on environmental management at the installation/ facility. It seeks to understand the maturity of the management system in terms of knowledge of abnormal operating conditions, prevention and early detection measures and emergency response procedures. The level of detail required in this part of form relates to the environmental risk posed.

^{*} indicates required field



Describe in the table below existing and/or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage. (This table should include the measures to be taken under abnormal operating conditions, including start-up, shutdown, leaks, malfunctions, breakdowns and momentary stoppages that will demonstrate that any emission arising will not cause significant environmental pollution)².

	Surveillance Measures					
Measure *	Description *	Frequency of Surveillance *	Method / Standard *			
Fire Risk Assessment	Fire Risk Assessment has been prepared and submitted to the Agency					
Emergency Response Procedure	An Emergency Response Procedure has been adopted. Its objectives are: - To ensure all appropriate infrastructure related to fire safety and other emergency situation is installed and properly maintained on site - To ensure appropriate precautionary work practices are carried out on site to prevent fires and other emergency situations occurring - To ensure that all employees are appropriately trained and aware of their roles and responsibilities with regard fire safety and what actions to carry out in the event of a fire or other emergency situation					

² Information relating to the integrity, impermeability and recent testing or pipes, tanks and bund areas should be included.

^{*} indicates required field



Surveillance Measures				
Description *	Frequency of Surveillance *	Method / Standard *		
nge.				
14. of other c				
See of for at.				
our dir				
	Description *	Description * Frequency of Surveillance * Interpretation of Surveillance of		

^{*}add rows to the table as necessary



Outline what provisions have been made to ensure an adequate response to emergency situations outside of normal working hours, i.e., during night-time, weekends and holiday periods (attach additional pages to this document if required): *

The office and Building 1 are provided with smoke detectors that are linked to a centralised alarm system, with wall mounted sirens in all of the buildings. The fire control panel is located in the office reception. It is subject to quarterly inspection by a fire safety contractor (Firecrest). In addition there are 'break glass' alarm points at strategic locations in all of the buildings that can be activated by staff members. There is no formalised system for testing the alarm. Outside of operational hours the fire alarm system is monitored by a security company that alerts Eras Eco staff that the alarm has been activated.

Soil Monitoring Points

Periodic monitoring of soil and groundwater is required having regard to the possibility of soil and groundwater contamination of the site³.

Complete the table below with details of soil monitoring locations and in particular where a baseline report has been/is required in accordance with Section

No

	86B of the EPA Act 1992 as amended.			
Is periodic soil monitoring proposed at the installation/facility? (Yes/No): ************************************				
	Cail Manitarina Paint Cada	Monitoring	Point Grid Ref.	
	Soil Monitoring Point Code	Easting ⁴	Northing 5	

^{*}add rows to the table as necessary

³ Inherent in the monitoring of soil and groundwater is accepting the possible necessity for remediation of the soil / groundwater. Regular monitoring of soil and groundwater provides an early detection of any contaminations.

⁴ Six Digit GPS Irish National Grid Reference

⁵ Six Digit GPS Irish National Grid Reference

^{*} indicates required field



Soil Parameters

Complete the table below with details of soil monitoring parameters (where a baseline report is required in accordance with Section 86B of the EPA Act 1992 as amended). (If different parameters are associated with different monitoring points this should also be identified in the table below.)

Parameter	Unit	Trigger Level	How was the trigger level determined?	Proposed Monitoring Frequency	Sample Method	Analysis Method / Technique
			, 13 ⁵ C.			
			i. A differ			
			्ड श्रीति वामी			
			autoutied for			
			ritispetion vertee			
			Forthe			
			ellor			

^{*}add rows to the table as necessary



Groundwater Monitoring Points

Based on the assessment(s) carried out previously or as part of this licence application, complete the table below with summary details of the groundwater monitoring points.

Is groundwater monitoring proposed at the installation/facility? (Yes/No): *

Yes

Manitoring Daint Code	Monitoring Poi	nt Grid Ref.
Monitoring Point Code	Easting ⁶	Northing ⁷
MW2	209704	79731
MW3	209589	79778
MW3d	209589	79778
		0
		For integration
		For Might
		of cost,
		ansent.
		C

^{*}add rows to the table as necessary

⁶ Six Digit GPS Irish National Grid Reference

⁷ Six Digit GPS Irish National Grid Reference

^{*} indicates required field



Groundwater Parameters

Complete the table below with summary details of the groundwater parameters. (If different parameters are associated with different monitoring points this should be identified in the table below.)

Parameter	Unit	Trigger Level	How was the trigger level determined?	Proposed Monitoring Frequency	Sample Method	Analysis Method / Technique
рН	pH Units			Biannual		Standard Method
Conductivity	mS/cm			Biannual		Standard Method
COD	mg/l		net use.	Biannual		Standard Method
Diesel Range Organics	mg/l		For inspection purples equired for any other use.	Biannual		Standard Method
Petrol Range Organics	mg/l		ase alto	Biannual		Standard Method
Nitrate	mg/l		Ruff Equite	Biannual		Standard Method
Total Ammonia	mg/l		getioner.	Biannual		Standard Method
Chloride	mg/l		Cor ite dia	Biannual		Standard Method
Cadmium	mg/l		S cons	Biannual		Standard Method
Cobalt	mg/l		Consentatio	Biannual		Standard Method
Iron	mg/l		Cox	Biannual		Standard Method
Manganese	mg/l			Biannual		Standard Method
Arsenic	mg/l			Biannual		Standard Method
Organohalogens	mg/l			Biannual		GS-MS

^{*}add rows to the table as necessary

^{*} indicates required field



Costed Environmental Liabilities Risk Assessment (ELRA)

Indicate if the activity, through pre-application meeting with the Agency or other means, is required to submit a costed ELRA⁸ as part of the licence, or licence review application.

Costed Environmental Liabilities Risk Assessment (B	ELRA) required to be submitted? (Yes/No): * Yes
•	isk Assessment (ELRA), prepared in accordance with the <i>Environmental Protection Agency's Guidance on</i> 14) (select Document Type: ' <u>ELRA</u> ' in the application form).
Costed ELRA document filename:	ELRA.pdf
Indicate your preferred form of financial provision Financial Provision (2015), e.g., Environmental Liab	instrument to meet ELRA costings have regard to the Environmental Protection Agency's Guidance on oility Insurance:
Environmental Liability Insurance	ntf Quite C
, , , , , ,	rd to the Environmental Protection Agency's Guidance on Financial Provision (2015) (where required a ment Type: 'Financial Provision Proposal' in the application form)
Financial Provision Proposal filename:	Consent die ook

- There is an explicit requirement in EU and Irish law for financial provision for certain activities. The following categories of activities have an ELRA/CRAMP/FP requirement:
 - 1. Landfills (excl. closed L.A. Landfills closed before 16th July 2009)
 - 2. CAT A Extractive Waste Facilities
 - 3. High Risk Contaminated Land Facilities
 - 4. All Haz-Waste Transfer Stations
 - 5. Non-Haz WTS (Accepting >50,000 tons/annum)
 - 6. Incineration (incl. co-incineration of hazardous waste)
 - 7. Upper & Lower Tier Seveso Sites
 - 8. Exceptional circumstances associated with the site, e.g., significant ground/groundwater contamination.

Regard should be had by applicants to relevant Agency guidance on these matters.

^{*} indicates required field



Closure, Restoration and Aftercare Management Plan (CRAMP)

A restoration/aftercare period will be required where there are on-going environmental liabilities following closure. Applicants are required to describe the existing or proposed measures to avoid any risk of environmental pollution and to return the site to a satisfactory state or the state established in the baseline report where applicable, after the activity or part of the activity ceases operation.

A key measure is the preparation of a Closure, Restoration and Aftercare Management Plan (CRAMP) by the operator, for certain activities⁹. Notwithstanding the requirements of the EC Environmental Objectives (Groundwater) Regulations 2010, S.I. No. 9 of 2010, the closure and restoration/ aftercare target is the site condition at the time of the original application or the baseline report. The applicant shall have regard to the Environmental Protection Agency's Guidance on Assessing and Costing Environmental Liabilities (2014) in the preparation of the CRAMP.

Upload a CRAMP, where applicable (select Do	cument Type: ' <u>Site Closure'</u> in the application form) 💝
	other .
CRAMP filename:	DMP.pdf
Costed CRAMP	ion purposes difering to the contract of the c
Indicate if the activity, through pre-application	on meeting with the Agency of other means, is required to have a CRAMP ⁹ submitted as part of the licence, or
licence review application.	Ed high
CRAMP required to be submitted at application	on/licence review application stage? (Yes/No): * Yes
	ngser.

The following categories of activities have an ELRA/CRAMP/FP requirement:

- 1. Landfills (excl. closed L.A. Landfills closed before 16th July 2009)
- 2. CAT A Extractive Waste Facilities
- 3. High Risk Contaminated Land Facilities
- 4. All Haz-Waste Transfer Stations
- 5. Non-Haz WTS (Accepting >50,000 tons/annum)
- 6. Incineration (incl. co-incineration of hazardous waste)
- 7. Upper & Lower Tier Seveso Sites
- 8. Exceptional circumstances associated with the site e.g. significant ground/groundwater contamination.

There is an explicit requirement in EU and Irish law for financial provision for certain activities. The applicant shall have regard to the Environmental Protection Agency's Guidance in determining CRAMP requirements and on Financial Provision (2015) in making financial provision to cover any liabilities.

^{*} indicates required field



Indicate your preferred form of financial provision instrument to meet CRAMP costings (where appropriate), e.g., Secured fund, On-demand performance Bond, Parent Company Guarantee, Charge on Property (have regard to the Environmental Protection Agency's Guidance on Financial Provision (2015) on the Agency's website):

State preferred form of financial provision instrument?	Bond
	ng regard to the Environmental Protection Agency's Guidance on Financial Provision (2015) in cument Type: 'Financial Provision Proposal' in the application form)
Financial Provision Proposal filename:	oses other and other
Cessation of Activity	on the principal in the second se
	be taken on and following the permanent cessation of the activity or part of the activity to avoid an e activity to assistisfactory state. (Input your response in the text box below or attach the information
	Consol
Emergency Response Procedure	
Do you have an emergency response procedure (ERP)? (Yes	s/No) * Yes
Is the ERP compliant with the EPA guidance? (Yes/No) *	Yes



9.2. Nuisance

Complete the table below in relation to each potential nuisance. Identify if the activity may cause or contribute to the type of nuisance in the area of the installation/facility and, where applicable, identify the techniques used to prevent/minimise the nuisance.

Type of Nuisance	Applicable to the activity? * (Yes/No/ Not Applicable)	Techniques to prevent nuisances *	Where nuisances cannot be prevented, techniques to be used to minimise and reduce nuisances
Odour	Yes	Odour monitoring and control carried out in accordance with Licence conditions	్టర్.
Fire Control	Yes	Fire Risk Assessment was submitted to the Agency	
Dust	Yes	The site and immediate surroundings are inspected on a daily basis for nuisances caused by litter, vermin, birds, these mud, dust and odours.	
Litter	Yes	The site and immediate surroundings are inspected on a daily basis for nuisances caused by litter, vermin, birds, flies, mud, dust and odours.	
Birds	Yes	The site and immediate surroundings are inspected on a daily basis for nuisances caused by litter vermin, birds, flies, mud, dust and odours.	
Mud	Yes	The site and immediate surroundings are inspected on a daily basis for nuisances caused by litter, vermin, birds, flies, mud, dust and odours.	
Flies	Yes	The site and immediate surroundings are inspected on a daily basis for nuisances caused by litter, vermin, birds, flies, mud, dust and odours.	
Vermin	Yes	The site and immediate surroundings are inspected on a daily basis for nuisances caused by litter, vermin, birds, flies, mud, dust and odours.	
Other			

^{*} indicates required field



If 'Other' is selected define the other nuisance(s):	

Note: Odour must also be addressed in the fugitive emissions section of the '7.4 Emissions to Atmosphere – Main and Fugitive' template, where applicable.

Consent of copyright outlet required for any other tise.

^{*} indicates required field



9.3. Environmental Management System (EMS)

Do you have an environmental management system? (Yes/No) *	Yes
If 'Yes', is the environmental management system accredited? (Yes/No) *	Yes
State the date accreditation was achieved $\underline{\mathbf{or}}$ is expected to be achieved, when applicable:	e
State the standard of accreditation achieved:	ISO 14001
Energy Efficiency	
Outline the measures taken to ensure that energy is used efficiently having regard to the relevant decision on BAT conclusions and/or BAT guidance and where appropriate, an energy audit with reference to the EPA Guidance document on Energy Audit should be carried out. *	Only and
Has an energy audit been carried out? (Yes/No) *	Miles
Do you have an energy efficiency management system? (Yes/No) *	
If 'Yes', is the energy efficiency management system accredited?(Yes/No)	S
State the date accreditation was achieved or is expected to be achieved,	
where applicable:	
State the standard of accreditation achieved:	

^{*} indicates required field



9.4. Hours of Operation

Provide details of the hours of operation for the installation/facility * (hours and days per week, etc.), including:

- (a) Proposed hours of operation. 07.00 to 19.00 Monday to Saturday inclusive, the biological treatment processes operate continuously.
- (b) Proposed hours of construction and development works and timeframes.
- (c) For waste activities, the proposed hours of waste acceptance.
- (d) Any other relevant hours of operation expected (e.g., waste handling, etc.).

 (d) Any other relevant hours of operation expected (e.g., waste handling, etc.).

 (d) Any other relevant hours of operation expected (e.g., waste handling, etc.).

 (d) Any other relevant hours of operation expected (e.g., waste handling, etc.).

 (d) Any other relevant hours of operation expected (e.g., waste handling, etc.).

 (d) Any other relevant hours of operation expected (e.g., waste handling, etc.).



9.5. Review of a Licence

Where the Office of Environmental Enforcement (OEE) has agreed any variations or adjustments to the conditions or schedules of the existing licence, the licensee must provide details of these agreed variations and adjustments to the existing licence conditions in the table that follows.

An updated, scaled drawing of the site layout (no larger than A3) providing visual information on such adjustments or variations where appropriate should be uploaded in the **site tab** – 'site plan(s)' upload.

In the case of once-off assessments/reports required under conditions/schedules of the existing licence the licensee must provide details of those assessments/reports that have been completed and agreed with the OEE or as otherwise agreed, in the table below.

Condition/ Schedule No.	Existing Condition	OEE Agreement Reference	Description
		ion partedly	
		aspect owith	
		For Willer	
		of cov.	
		ansent	

^{*}add rows to the table as necessary

9.6 Environmental Management Techniques – Upload Files

State the number of 'upload files' referred to and named in this attachment document? *

^{*} indicates required field