

Licence Alteration Request

Alteration Details		
Licence	W0036-02	Indaver Ireland Limited (Tolka Quay Road)
Licensee	Indaver Ireland Limited	
Title of Alteration	Condition 5.2.3 Amendment	

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase the total specified emissions for any emission parameter? significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	No
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration regularise an on-going breach of a licence condition?	No
17	Does the proposed alteration require a change to a condition or schedule of the Licence?	Yes

Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Request Licence Amendment' for this proposed alteration.

To submit this request to the EPA you should locate it in the 'Request Alteration' area in LMA. Click on 'Proceed' against this saved request, and then click on the 'Request Licence Amendment' button (in STEP 2 of the process). Then you will be required to provide more detailed information about your proposed amendment.

Note: The responses you have provided in this Screening Report will form part of the information record if you decide to proceed with this alteration request.

Recommendation Date: 16/04/2021

Clerical or Technical Amendment Application Details

Proposed Alteration Description

As part of ongoing efficiencies at the transfer station, it is proposed to support the use of a track & trace system. This track&trace system uses QR codes for tracking waste on customers sites. These sites have Indaver staff working on them to coordinate waste activities. This QR code is scanned and the item is weighed at the customers site on a calibrated weighing scales and the weight is uploaded to our internal database. This track and trace system will bring efficiencies to the transfer station by giving an oversight of what waste is on the customers site and allow the smooth planning of waste loads prior to arrival at the transfer station. It will also allow the customer to have complete traceability of their waste from cradle to grave. It is for this reason we require an amendment to the sentence in condition 5.2.3 which does not explicitly allow for the weighing of waste off site. The weight will be in our system for this waste when it arrives. All waste will have weight registered

Priority	2. High
Category of Amendment	(b) Facilitating the doing of any thing pursuant to a condition attached to the licence where the doing of that thing may reasonably be regarded as having been contemplated by the terms of the condition or the terms of the licence taken as a whole but which was not expressly provided for in the condition

Licence Condition Changes

Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
5.2.3	<p>Waste arriving at the facility shall be inspected immediately upon arrival on site at the inspection area (as detailed in drawing 11037/CD/004A, Revision A) and subject to this inspection, documented and directed to the Waste Storage Building or tank arm. Only after such inspections shall the waste be unloaded and put in storage awaiting disposal or recovery.</p> <p>Individual drummed/package waste shall be weighed on-site prior to storage.</p> <p>Bulk waste shall be weighed at a certified weighbridge facility prior to entry on-site.</p>	<p>Waste arriving at the facility shall be inspected immediately upon arrival on site at the inspection area (as detailed in drawing 11037/CD/004A, Revision A) and subject to this inspection, documented and directed to the Waste Storage Building or tank arm. Only after such inspections shall the waste be unloaded and put in storage awaiting disposal or recovery.</p> <p>Individual drummed/package waste shall have a weight registered on the internal database prior to storage.</p> <p>Bulk waste shall be weighed at a certified weighbridge facility prior to entry on-site.</p>

Questions

Q1	Is planning permission required to support the proposed alteration?	No
Q2	Does the application involve an installation boundary change?	No
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	Appropriate Assessment Screening Report.pdf

Additional Documentation

ScreeningReport.pdf

Licence Alteration Request



Final Declaration	
Name	Grace McCormack
Position	EHS Manager

Application Details			
Selected by:	Grace McCormack	Selected date:	16/04/2021
Submitted by:	Grace McCormack	Submitted date:	16/04/2021

*For inspection purposes only.
Consent of copyright owner required for any other use.*