

Licence Alteration Request

Alteration Details	
Licence	W0036-02 Indaver Ireland Limited (Tolka Quay Road)
Licensee	Indaver Ireland Limited
Title of Alteration	Dublin Port Landtake

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase the total specified emissions for any emission parameter? significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	No
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration regularise an on-going breach of a licence condition?	No
17	Does the proposed alteration require a change to a condition or schedule of the Licence?	Yes

Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Request Licence Amendment' for this proposed alteration.

To submit this request to the EPA you should locate it in the 'Request Alteration' area in LMA. Click on 'Proceed' against this saved request, and then click on the 'Request Licence Amendment' button (in STEP 2 of the process). Then you will be required to provide more detailed information about your proposed amendment.

Note: The responses you have provided in this Screening Report will form part of the information record if you decide to proceed with this alteration request.

Recommendation Date: 08/06/2021

Clerical or Technical Amendment Application Details

Proposed Alteration Description

There is a small corner section of the site which is required to be taken by Dublin Port for their road network. There is a lot of road networks being built in Dublin Port and this small corner needs to be removed so that Dublin Port can install a roundabout. The reason that the request is urgent is because Dublin Port need this section of land back to finalise this roundabout at the edge of our site.

We have included here the exit audit report by the inspector Cathal Gahan and the additional reports that were completed. This corner of land was not used by the activity and the reports reflect that. The updated site map is included in the report by AWN Consulting.

Priority	3. Urgent
Category of Amendment	(b) Facilitating the doing of any thing pursuant to a condition attached to the licence where the doing of that thing may reasonably be regarded as having been contemplated by the terms of the condition or the terms of the licence taken as a whole but which was not expressly provided for in the condition

Licence Condition Changes

Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
1.2	For the purposes of this licence, the facility is the area of land outlined in red on Drawing No. 11037\CD\022 Rev A Site Plan, attachment B.2 of the application.	Condition 1.2 For the purposes of this licence, the facility is the area of land outlined in red on Drawing No. 30021CD001 Rev A, Site Plan.
Schedule D	Table D.1.1 NM1 Easting 319763, Northing 234966 Table D.1.4 AS2 Easting 319704, Northing 235023	Table D.1.1 NM1 Easting 319765, Northing 234982 Table D.1.4 AS2 Easting 319765, Northing 234982

Questions

Q1	Is planning permission required to support the proposed alteration?	No
Q2	Does the application involve an installation boundary change?	Yes
If 'Yes', for a proposed site boundary reduction please attach an OEE Exit Audit Approval for the reduced boundary area. In the case of an installation boundary increase for an Industrial Emission Licenced activity, you are required to provide the reason that you consider a Baseline Report is not required. In the case of all boundary changes also provide an updated site boundary location map in accordance with Section B of the EPA Licence Application Form.		SV22439 - Licensee Report.pdf
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	Appropriate Screening Report.pdf

Additional Documentation

30021CD001.pdf
30021CD001_1.pdf
IE-DPO-HSE-DWG-000-0120.pdf

Licence Alteration Request



Report Indaver Boundary Realignment.pdf
ScreeningReport.pdf

Final Declaration	
Name	Grace McCormack
Position	EHS Manager

Application Details			
Selected by:	Grace McCormack	Selected date:	08/06/2021
Submitted by:	Grace McCormack	Submitted date:	24/06/2021

*For inspection purposes only.
Consent of copyright owner required for any other use.*