<u>Reference Document on Best Available Techniques for</u> <u>Energy Efficiency - February 2009</u>

BAT			
<u>Reference</u>			
<u>No.</u>	<u>BAT Statement</u>	<u>Applicable</u>	<u>Proposal</u>
4.2.1	BAT is to implement and adhere to an energy efficiency	Yes	As energy will be principally used to operate the
	management system		ventilation, lighting, feeding and water supply there are
	(ENEMS)		over riding issues with regard to animal welfare when it
			comes to energy efficiency. As a significant amount of
			energy will be used in ventilation and climate control
			within the proposed houses, external climatic factors will
			have a significant effect on the energy usage on-site.
		Putposes only any of	However it should be noted that the proposed houses will
		es a for	he constructed to a high standard to ensure the highest
		1170 lifet	be constructed to a high standard to ensure the highest
	. ე	Si toda	levels of energy efficiency.
	enting period	Her	
	i High of the control		A system will be established to review annual energy usage
	to ship		and review results.
4.2.2.2	BA1 is to identify the aspects of an installation that intuence	Yes	Energy Audit to be completed within 12 months of the
	energy efficiency by carrying out an audit. It is important		date of grant of the licence / commencement of activity.
	that an audit is coherent with a systems approach?		
			Energy Audit to address any additional BAT
			recommendations that may be deemed appropriate.
4.2.3	BAT is to optimise energy efficiency when planning a new	Yes	Houses have been /will be well constructed with high
7.2.3	installation, unit or system or a significant upgradeby	103	insulation standards and LED lights are to be
	considering all of the following:		
	a. the energy efficient design (EED) should be initiated at the		considered/recommended when considering any upgrade
	early stages of the conceptual design/basic design phase, even		of the lighting system.
	though the planned investments may not be well-defined.		
	b. the development and/or selection of energy efficient		

	technologies c. additional data collection may need to be carried out as part of the design project or separately to supplement existing data or fill gaps in knowledge d. the EED work should be carried out by an energy expert e. the initial mapping of energy consumption should also address which parties in the project organisations influence the future energy consumption, and should optimise the energy efficiency design of the future plant with them. For example, the staff in		
	the(existing) installation who may be responsible for specifying design parameters.		
4.2.8	BAT is to carry out maintenance at installations to optimise energy efficiency	Yes	Will be maintenance programme will be carried out on site to ensure that all systems are running efficiently.
4.3.10	BAT is to optimise artificial lighting systems by using the techniques such as those in Table 4.9 according to applicability	Yese of his	Will be As per 4.2.3 above.
4.3.11	BAT is to optimise drying, separation and concentration processes by using techniques such as those in Table 4.10 according to applicability, and to seek opportunities to use mechanical separation in conjunction with thermal processes:	No	
	Including but not limited to 4.3.1 – 4.3.4 inclusive, 4.3.7 and 4.3.8.	No.	Remaining recommendations are not deemed applicable to the existing/proposed development, and/or are more appropriately covered by sector specific BAT recommendations. It must also be born in mind that; 1) The house design including associated processes is already deemed to be BAT,
			and, 2)sector specific BAT recommendations on energy efficiency are already contained within

	Best Available Techniques (BAT) Referance Document for Intensive Regring of Poultry and Pigs 2017.

Consent of copyright outlet required for any other thee.

Licence Application – Mr. Jerry McAuliffe

BAT Conclusions Review