

EPA Application Form

7.7 Discharges to Storm Water - Attachment

Organisation Name:	Clondrisse Pig Farm ltd.		
Application I.D.:			



Amendments to this Application Form Attachment

Version No.	Date	Amendment since previous version	Reason
V.1.0	July 2017	N/A	Online application form attachment



Storm Water Discharge Points

Storm water is rain water run-off from roof and non-process areas

Complete the table below for all storm water discharge points – (one row per discharge point).

Note: This section is **NOT** for rain water run-off from areas used for the <u>outdoor storage of waste</u> **OR** <u>run-off from process areas likely to be contaminated</u>. (Process effluent discharges and emissions should be described in the **7.2 Emissions to Water** tab of the application form).

Discharge Point Code	Easting ¹	Northing ²	Discharges to? (enter relevant option) ³	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)
SW 1	658642	753040	Ground	Storm Water Inspection point. Weekly Visual Inspection.		
SW 2	658772	753059	Ground	Storm Water Inspection point. Weekly Visual Inspection.		
SW 3	658754	753129	Surface Water	Storm Water Inspection point. Weekly Visual Inspection.		

Six Digit GPS Irish National Grid Reference

² Six Digit GPS Irish National Grid Reference

Options: 'River', 'Ditch', 'Estuary', 'Lake', 'Land Drain', 'Foul Sewer', 'Percolation Area', 'Groundwater', 'Storm Sewer' or 'Other' (where 'Other' is selected please enter a description)



Discharge Point Code	Easting ¹	Northing ²	Discharges to? (enter relevant option) ³	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)

^{*}add rows to the table as necessary



Storm Water Discharge Monitoring Points

Enter the Discharge Point Code, the associated Monitoring Point Code and the grid reference details for each Monitoring Point location.

Discharge Point Code	Monitoring Point Code	Easting ⁴	Northing ⁵	
SW 1	SW 1	658642	753040	
SW 2	SW 2	658772	753059	
SW 3	SW 3	658754	753129	

^{*}add rows to the table as necessary

⁴ Six Digit GPS Irish National Grid Reference

⁵ Six Digit GPS Irish National Grid Reference



Storm Water Trigger Levels and Monitoring

Complete the table below with details of the trigger levels and proposed monitoring regime for each parameter.

Select parameters that are a good indicator of loss of containment on-site. Consult the EPA guidance in the setting of trigger values for storm water discharges to off-site surface wastes at EPA licensed facilities (2012).

(If different parameters or monitoring arrangements apply at different storm water discharge points include information on this within the table).

				Sampling / Monitori	ng
Parameter	Trigger Level	How was the trigger level determined?	Proposed Monitoring Frequency ⁶	Sample Method ⁷	Analysis Method and Technique ⁸
Colour	Visual		Weekly	Grab	Visual
Odour	Visual		Weekly	Grab	Visual
B.O.D. or C.O.D.	20 or 50		Quarterly	Grab	Approved Lab.

^{*}add rows to the table as necessary

If not provided for in the table above,	upload a document that includes deta	ails of how storm water is propo	osed to be monitored (select Doo	cument Type:
'Storm Water Monitoring' in the applica	tion form).			

Storm Water Monitoring document file name:	

⁶ Option list: 'Continuous', 'Hourly', 'Daily', 'Weekly', 'Monthly', 'Quarterly', 'Biannually' OR 'Annually'.

⁷ Option list: 'Continuous', '24-hour Flow Proportional Composite', '24-hour Time Proportional Composite' OR 'Grab'.

⁸ Option list: 'Gravimetric', 'Online Calibrated Suspended Solids', 'Online Flow Meter with Recorder', 'Online pH electrode/probe Meter and Recorder', 'Online Temperature Probe with Recorder', 'Standard Method', 'Visual', OR 'To be agreed by the Agency'.