

# **EPA Application Form**

# 7.7 Discharges to Storm Water - Attachment

**Organisation Name:** 

S. Wilkin and Sons ltd.

Application I.D.:



## Amendments to this Application Form Attachment

Version No.	Date	Amendment since previous version	Reason
V.1.0	July 2017	N/A	Online application form attachment



#### **Storm Water Discharge Points**

Storm water is rain water run-off from roof and non-process areas

Complete the table below for all storm water discharge points – (one row per discharge point).

Note: This section is <u>NOT</u> for rain water run-off from areas used for the <u>outdoor storage of waste</u> OR <u>run-off from process areas likely to be contaminated</u>. (Process effluent discharges and emissions should be described in the **7.2 Emissions to Water** tab of the application form).

Discharge Point Code	Easting <sup>1</sup>	Northing <sup>2</sup>	Discharges to? (enter relevant option) <sup>3</sup>	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)
SW 1 (outside eastern	262535	320103	Watercourse		Rockcorry Stream	
Boundary)						
SW 2	262362	320180	Watercourse		Tomany Stream	
SW 3	262451	320157	Ground			
SW 4	Proposed	Proposed	Watercourse		Rockcorry Stream	
SW 5	Proposed	Proposed	Ground			

<sup>&</sup>lt;sup>1</sup> Six Digit GPS Irish National Grid Reference

<sup>&</sup>lt;sup>2</sup> Six Digit GPS Irish National Grid Reference

<sup>&</sup>lt;sup>3</sup> Options: 'River', 'Ditch', 'Estuary', 'Lake', 'Land Drain', 'Foul Sewer', 'Percolation Area', 'Groundwater', 'Storm Sewer' or 'Other' (where 'Other' is selected please enter a description)



Discharge Point Code	Easting <sup>1</sup>	Northing <sup>2</sup>	Discharges to? (enter relevant option) <sup>3</sup>	Description of Discharge Point and Controls	Name of receiving water (where applicable)	Receiving Water Code (where applicable)

\*add rows to the table as necessary



#### Storm Water Discharge Monitoring Points

Enter the Discharge Point Code, the associated Monitoring Point Code and the grid reference details for each Monitoring Point location.

Discharge Point Code	Monitoring Point Code	Easting <sup>4</sup>	Northing <sup>5</sup>	
SW 1 (outside eastern Boundary)	SW 1	262535	320103	
SW 2	SW 2	262362	320180	
SW 3	SW 3	262451	320157	
SW 4	SW 4	Pending	Pending	
SW 5	SW 5	Pending	Pending	

\*add rows to the table as necessary

<sup>&</sup>lt;sup>4</sup> Six Digit GPS Irish National Grid Reference

<sup>&</sup>lt;sup>5</sup> Six Digit GPS Irish National Grid Reference



#### Storm Water Trigger Levels and Monitoring

Complete the table below with details of the trigger levels and proposed monitoring regime for each parameter.

Select parameters that are a good indicator of loss of containment on-site. Consult the EPA guidance in the setting of trigger values for storm water discharges to offsite surface wastes at EPA licensed facilities (2012).

(If different parameters or monitoring arrangements apply at different storm water discharge points include information on this within the table).

		Sampling / Monitoring			
Parameter	Trigger Level	How was the trigger level determined?	Proposed Monitoring Frequency <sup>6</sup>	Sample Method <sup>7</sup>	Analysis Method and Technique <sup>8</sup>
Visual (Color)	Inspection	Visual Inspection	Weekly	Grab	Visual
Visual (Odour)	Inspection	Sniff Test	Weekly	Grab	Sniff

\*add rows to the table as necessary

If not provided for in the table above, upload a document that includes details of how storm water is proposed to be monitored (select Document Type: 'Storm Water Monitoring' in the application form).

Storm Water Monitoring document file name:

<sup>&</sup>lt;sup>6</sup> Option list: 'Continuous', 'Hourly', 'Daily', 'Weekly', 'Monthly', 'Quarterly', 'Biannually' OR 'Annually'.

<sup>&</sup>lt;sup>7</sup> Option list: 'Continuous', '24-hour Flow Proportional Composite', '24-hour Time Proportional Composite' OR 'Grab'.

<sup>&</sup>lt;sup>8</sup> Option list: 'Gravimetric', 'Online Calibrated Suspended Solids', 'Online Flow Meter with Recorder', 'Online pH electrode/probe Meter and Recorder', 'Online Temperature Probe with Recorder', 'Standard Method', 'Visual', OR 'To be agreed by the Agency'.