Chemtest The right chemistry to deliver results Chemtest Ltd. Depot Road Newmarket CB8 0AL Tel: 01638 606070 Email: info@chemtest.co.uk

Final Report

Report No.:	18-16980-1		
Initial Date of Issue:	20-Jun-2018		
Client	IGSL		
Client Address:	M7 Business Park Naas County Kildare Ireland	6	
Contact(s):	Darren Keogh John Clancy	NOBLICATIONS	
Project	Snugborough		
Quotation No.:	NIA -	Date Received:	14-Jun-2018
Order No.:	MIDE NALDES	Date Instructed:	14-Jun-2018
No. of Samples:			
Turnaround (Wkdays):	5 AMPSHECT	Results Due:	20-Jun-2018
Date Approved:	1 AMPJHEONTO NDADEST 20-Jun-2018 SUBJECT ONDADEST		
Approved By:	(RBUT)		
M.J.	DONOTORS		
Details:	Martin Dyer, Laboratory Manager		



										ON OBLICATIONS
										DONOT DESTRUCTIVE SUBJECT TO MANDESTRUCTION OBLIGATIONS
										DONOT DISTRIBUTE.
18-160RD	18-1090	638359	LOC 1	SOIL	Carl Star Star	0.066	0.66	< 20	< 0.20	,
hamtast Joh No -	ON 00	Chemtest Sample ID.:	Client Sample ID .:	Sample Type:	Units LOD		~		0.20	
t	mest	est Sam	ent San		Units	1220 mg/l	mg/kg	450 µg/l	mg/kg	
mto	Cue	Chemte	Ü			1220	1220	1450	1450	
Chamte					'n.		z	∍	5	1
Project: Snugborougn Cliant: IGSI	A Contract of the second				Accred.	∍	-			

Page 2 of 9



-
Ο
S
Its
S
Φ
m

The right chemistry to deliver results Project: Snugborough	iver results					
Client: IGSL		Cher	Chemtest Job No.:	b No.:	18-16980	
Quotation No.:	0	hemte	Chemtest Sample ID.:	ole ID.:	638359	
		Clie	Client Sample ID .:	ple ID.:	LOC 1	
			Sample Type:	e Type:	SOIL	
			Asbestos Lab:	os Lab:	COVENTRY	
Determinand	Accred.	SOP	Units	LOD		
ACM Type	n	2192		N/A		
Asbestos Identification	D	2192	%	0.001	No Asbestos Detected	
Moisture	z	2030	%	0.020	6.5	
Boron (Hot Water Soluble)	n	2120	mg/kg	0.40	< 0.40	
Sulphur (Elemental)	D	2180	mg/kg	1.0	0 [A] 9.0	
Cyanide (Total)	С	2300	mg/kg	0.50	[A] < 0.50	
Sulphide (Easily Liberatable)	z	2325	mg/kg	0.50	[A] 5.9	
Sulpriate (Acia Soluble)	-		0/	0.0.0	k	-
Arsenic	- =	2450	mg/kg	0.4	21 2	
Cadmium	=	2450	By/Bill	010		
Chromitum	> =	2450	pa/bu	207		
Molvbdenum		2450	ma/ka	2.0		22 3
Antimony	z	2450	ma/ka	2.0		SP - SP
Copper	5	2450	mg/kg	0.50		
Mercury	n	2450	mg/kg	0.10	< 0.10	
Nickel	n	2450	mg/kg	0.50		
Lead	D	2450	mg/kg	0.50		MA M
Selenium	D	2450	mg/kg	0.20		A 12/ A
Zinc	D	2450	mg/kg	0.50		
Chromium (Trivalent)	z	2490		1.0		
Chromium (Hexavalent)	z	2490	E	0.50		25
Total Organic Carbon	- :	2625		0.20		
Mineral Oil	z	2670		10		
Aliphatic IPH >C5-C6	z	2680		1.0		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Aliphatic TPH >Co-C8 Alishatis TPH >C6 C40	z	0802		0.1		
Aliphatic TPH >C0-C10 Aliphatic TPH >C10-C12	> =	2680	ma/ka	0.1	[AC] < 1.0	A
Aliohatic TPH >C12-C16		2680		1.0	[AC] < 1.0	
Aliphatic TPH >C16-C21	D	2680		1.0	[AC] < 1.0	S.
Aliphatic TPH >C21-C35	∍	2680		1.0	[AC] < 1.0	
Aliphatic TPH >C35-C44	z	2680		1.0	[AC] < 1.0	
Total Aliphatic Hydrocarbons	z	2680	mg/kg	5.0	[AC] < 5.0	
Aromatic TPH >C5-C7	Z	2680	mg/kg	1.0	[AC] < 1.0	
Aromatic TPH >C7-C8	z	2680	mg/kg	1.0	[AC] < 1.0	
Aromatic TPH >C8-C10	D	2680	mg/kg	1.0	[AC] < 1.0	
Aromatic TPH >C10-C12	D	2680			[AC] < 1.0	
Aromatic TPH >C12-C16	∍	2680			[AC] < 1.0	
Aromatic TPH >C16-C21	5	2680			[AC] < 1.0	
Aromatic TPH >C21-C35	∍	2680	mg/kg	1.0	[AC] < 1.0	



	2	5	
(U	5	
	1	1	
	÷		
	00	D D	
1	D	Ì	L

					and the second se	T
Client: IGSL	A CONTRACTOR	Che	mtest J	Chemtest Job No.:	18-16980	
Quotation No.:		Chemte	est Sam	Chemtest Sample ID.:	638359	
		G	ent San	Client Sample ID .:	LOC 1	
			Samp	Sample Type:	SOIL	
			Asbes	Asbestos Lab:	COVENTRY	
Determinand	Accred.	SOP	Units	LOD		
Aromatic TPH >C35-C44	z	2680	mg/kg	1.0	[AC] < 1.0	
Total Aromatic Hydrocarbons	z	2680	mg/kg	_	[AC] < 5.0	
Total Petroleum Hydrocarbons	z	2680	mg/kg		[AC] < 10	
Benzene	n ,	2760	µg/kg	1.0	[AC] < 1.0	ŧ
Toluene	D	2760	µg/kg	1.0	[AC] < 1.0	
Ethylbenzene	n	2760	µg/kg	1.0	O[AC] < 1.0	
m & p-Xylene	n	2760	µg/kg	1.0	[AC] < 1.0	
o-Xylene	n	2760	µg/kg	1.0	[AC] < 1.0	
Methyl Tert-Butyl Ether	n	2760	µg/kg	1.0	0	
Naphthalene	∍	2800	mg/kg		$\langle \langle$	
Acenaphthylene	z	2800	mg/kg	0.10	< 0.10	
Acenaphthene	D	2800	mg/kg			A STA
Fluorene	D	2800	mg/kg			
Phenanthrene	D	2800	mg/kg	0.10	< 0.10	
Anthracene	∍	2800	mg/kg	_		24 24 24 24 24 24 24 24 24 24 24 24 24 2
Fluoranthene	D	2800	mg/kg			
Pyrene	∍	2800	mg/kg	0.10		
Benzo[a]anthracene	∍	2800	mg/kg	_		
Chrysene	∍	2800	mg/kg	_		M A M
Benzo[b]fluoranthene	∍	2800	mg/kg	_		Ch. T. VA
Benzo[k]fluoranthene	∍	2800	mg/kg	_		
Benzo[a]pyrene	5	2800	mg/kg			
eno(1,2,3-c,d)Pyrene	- :	2800	mg/kg	_		J.C.
Dibenz(a,h)Anthracene	z	2800		_		
Benzo[g,h,i]perylene	5	2800		-		
Coronene	z	2800				0
Total Of 17 PAH's	z	2800	mg/kg	1 2.0	< 2.0	
PCB 28	∍	2815	mg/kg		[AC] < 0.010	GA
PCB 52	∍	2815	mg/kg	_	< 0.010	
PCB 90+101	n	2815	mg/kg	0.010	[AC] < 0.010	S S S S S S S S S S S S S S S S S S S
PCB 118	n	2815	mg/kg	0.010	[AC] < 0.010	3
PCB 153	D	2815	mg/kg	9 0.010	[AC] < 0.010	
PCB 138	n	2815	mg/kg	9 0.010	[AC] < 0.010	
PCB 180	∍	2815	mg/kg	9 0.010	[AC] < 0.010	
Total PCBs (7 Congeners)	z	2815	mg/kg	0.10	[AC] < 0.10	
Total Disasta	-	0000				

Results - Single Stage WAC

18-16980 638359 LOC 1

Project: Snugborough Chemtest Sample ID:

Chemtest The right chemistry to deliver results

Chemtest Job No:

			Limits
			Stable, Non-
			reactive
		Inert Waste	hazardous
		Landfill	waste in non-
			hazardous
Units			Landfill
%	[A] 1.0	3	5
%	1.4	1	1
mg/kg	[AC] < 0.010	9	1
mg/kg	< 0.10	1	1
mg/kg	[AC] < 10	500	I
mg/kg	< 2.0	100	1
	8.2	1	>6
mol/kg	0.0040	I	To evaluate
10:1 Eluate	10:1 Eluate	Limit values	Limit values for compliance l
mg/l	mg/kg	using B	using BS EN 12457 at L/9
< 0.0010	< 0.050	0.5	2
1 0.019	< 0.50	20	100
< 0.00010	< 0.010	0.04	1
× < 0,0010	< 0.050	0.5	10
J< 0.0010	< 0.050	2	50
<pre>/ < 0.00050</pre>	< 0.0050	0.01	0.2

To evaluate

ł

ance leaching test

at L/S 10 l/kg

P

z

2670 2800 2010

PH Total WAC (Mineral Oil)

Fotal (Of 17) PAH's

otal PCBs (7 Congeners)

2760 2815

2015

Acid Neutralisation Capacity Eluate Analysis

z ą

1450 1450 1450

1450 1450

1450 1450

Aolybdenum

Vickel -ead

Selenium Antimony

S

hloride Sulphate

-luoride

Chromium Cadmium

Arsenic Barium Copper Aercury 1450 1450 1450

1450 1220 1220 1020 1920 1610

1450

300

22

100

30 40

10 10 10 0.7

0.5 0.4

< 0.0010 < 0.0010 < 0.0010 < 0.0010 0.0013 0.0088

2

202

25000 50000 100000 1000

200 500

50 15000

800

12

1.2

0.5

0.06

0.013 < 0.50

0.5 0.1

< 0.050
< 0.050
< 0.010
< 0.010

20000 60000 150

> 1000 4000

3400 4100

0.079 340 410 < 0.030

> Z

10 4

800

500

< 0.30

80

8.0

S

50

ß

Solid Information	
Dry mass of test portion/kg	0.0
Moisture (%)	6.

Dissolved Organic Carbon

otal Dissolved Solids

Phenol Index

6

Waste Acceptance Criteria

Landfill WAC analysis (specifically leaching test results) must not be used for hazardous waste classification purposes. This analysis is only applicable for hazardous waste landfill acceptance and does not give any indication as to whether a waste may be hazardous or non-hazardous.

Amazon Data Services Ireland Limited no longer considers the information contained to be of a confidential nature for the purpose of this IE Licence Application. Irrespective of the water mark below - which cannot be removed.

10

I ł ł ł

9

Accred.

SOP 2625 2610

Fotal Organic Carbon

-oss On Ignition

Total BTEX

Bottom Depth(m):

Fop Depth(m):

Sample Ref:

Sample ID:

Sampling Date:

Determinand

Hazardous Landfill Waste

Landfill Waste Acceptance Criteria

Page 5 of 9



Deviations

In accordance with UKAS Policy on Deviating Samples TPS 63. Chemtest have a procedure to ensure 'upon receipt of each sample a competent laboratory shall assess whether the sample is suitable with regard to the requested test(s)'. This policy and the respective holding times applied, can be supplied upon request. The reason a sample is declared as deviating is detailed below. Where applicable the analysis remains UKAS/MCERTs accredited but the results may be compromised.

Sample ID:	Sample Ref:	Sample ID:	Sampled Date:	Deviation Code(s):	Containers Received:
638359		LOC 1		AC	Plastic Tub 500g

PONOT DESTRABUTE. SUBJECT TO MORTESTRUCTION OBLIGATIONS



Test Methods

SOP	Title	Parameters included	Method summary
1020	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Conductivity Meter
1220	Anions, Alkalinity & Ammonium in Waters	Fluoride; Chloride; Nitrite; Nitrate; Total; Oxidisable Nitrogen (TON); Sulfate; Phosphate; Alkalinity; Ammonium	Automated colorimetric analysis using 'Aquakem 600' Discrete Analyser.
1450	Metals in Waters by ICP-MS	Metals, including: Antimony; Arsenic; Barium; Beryllium; Boron; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Tin; Vanadium; Zinc	determination by inductively coupled plasma
1 <mark>6</mark> 10	Total/Dissolved Organic Carbon in Waters	Organic Carbon	TOC Analyser using Catalytic Oxidation
1920	Phenols in Waters by HPLC	Phenolic compounds including: Phenol, Cresols, Xylenols, Trimethylphenols Note: Chlorophenols are excluded.	Determination by High Performance Liquid Chromatography (HPLC) using electrochemical detection.
2010	pH Value of Soils	рН	pH Meter
2015	Acid Neutralisation Capacity	Acid Reserve	Titration
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES
2180	Sulphur (Elemental) in Soils by HPLC	Sulphur	Dichloromethane extraction / HPLC with UV detection
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2300	Cyanides & Thiocyanate in Soils	Free (or easy liberatable) Cyanide; total Cyanide; complex Cyanide; Thiocyanate	Allkaline extraction followed by colorimetric determination using Automated Flow Injection Analyser.
2325	Sulphide in Soils	Cyanide; complex Cyanide; Thiocyanate Sulphide	Steam distillation with sulphuric acid / analysis by 'Aquakem 600' Discrete Analyser, using N,N–dimethyl-p-phenylenediamine.
2430	Total Sulphate in soils	Total Sulphate	Acid digestion followed by determination of sulphate in extract by ICP-OES.
2450	Acid Soluble Metals in Soils	Metals, including: Arsenic; Barium; Beryllium; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Vanadium; Zinc	Acid digestion followed by determination of metals in extract by ICP-MS.
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazide.
2610	Loss on Ignition	loss on ignition (LOI)	Determination of the proportion by mass that is lost from a soil by ignition at 550°C.
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.
2670	Total Petroleum Hydrocarbons (TPH) in Soils by GC-FID	TPH (C6–C40); optional carbon banding, e.g. 3- band – GRO, DRO & LRO*TPH C8–C40	Dichloromethane extraction / GC-FID
2680		Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21– C35, >C35–C44Aromatics: >C5–C7, >C7–C8, >C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35–C44	Dichloromethane extraction / GCxGC FID detection



Test Methods

SOP	Title	Parameters included	Method summary
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.
2800	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-MS	Acenaphthene*; Acenaphthylene; Anthracene*; Benzo[a]Anthracene*; Benzo[a]Pyrene*; Benzo[b]Fluoranthene*; Benzo[ghi]Perylene*; Benzo[k]Fluoranthene; Chrysene*; Dibenz[ah]Anthracene; Fluoranthene*; Fluorene*; Indeno[123cd]Pyrene*; Naphthalene*; Phenanthrene*; Pyrene*	Dichloromethane extraction / GC-MS
	Polychlorinated Biphenyls (PCB) ICES7Congeners in Soils by GC-MS	ICES7 PCB congeners	Acetone/Hexane extraction / GC-MS
2920	Phenols in Soils by HPLC	Phenolic compounds including Resorcinol, Phenol, Methylphenols, Dimethylphenols, 1- Naphthol and TrimethylphenolsNote: chlorophenols are excluded.	60:40 methanol/water mixture extraction, followed by HPLC determination using electrochemical detection.
640	Characterisation of Waste – Leaching	Waste material including soil, sludges and granular waste	ComplianceTest for Leaching of Granular Waste Material and Sludge

aste Compliane aste Compliane Waste Mat Waste Mat Manuellesendo Maturellesendo Ma

i



Report Information

Key

- U UKAS accredited
- M MCERTS and UKAS accredited
- N Unaccredited
- S This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
- SN This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
- T This analysis has been subcontracted to an unaccredited laboratory
- I/S Insufficient Sample
- U/S Unsuitable Sample
- N/E not evaluated
- < "less than"
- > "greater than"

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry

weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

- A Date of sampling not supplied
- B Sample age exceeds stability time (sampling to extraction)
- C Sample not received in appropriate containers
- D Broken Container
- E Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 45 days from the date of receipt All water samples will be retained for 14 days from the date of receipt Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to: <u>customerservices@chemtest.co.uk</u>