

PUBLIC NOTICE



Application to the Environmental Protection Agency for the Review of a Waste Water Discharge Licence

Pursuant to Regulation 9 of the European Union (Waste Water Discharge) Regulations 2007 to 2020, Irish Water, Colvill House, 24-26 Talbot Street, Dublin 1, intend to apply to the Environmental Protection Agency for the review of the Waste Water Discharge Licence (D0516-01) for the Ballycotton Agglomeration waste water works. The waste water works will consist of a proposed primary waste water treatment plant in Ballycotton at 198791E 064116N and associated sewer network and pumping stations; a Primary Discharge (SW004) and 3 no. dual function overflows i.e., can act as a stormwater or emergency overflow depending on the event, all of which discharge into Ballycotton Bay.

Details of the location of these works and associated discharges are as follows:-

Waste Water Works Item	Location / Townland	Irish National Grid Reference
Waste Water Treatment Plant	Ballycotton	198791E 064116N
Pier Pumping Station	Ballycotton	199975E 063825N
Cow Pumping Station	Ballycotton	199136E 064235N
Primary Discharge (SW004)	Ballycotton	199286E 064270N
Dual Function Overflow (SW005)	Ballycotton	199286E 064270N
Dual Function Overflow (SW006)	Ballycotton	200016E 063892N
Dual Function Overflow (SW007)	Ballycotton	199286E 064270N

A copy of –

- (i) The application for a waste water discharge licence
- (ii) Such further information relating to the application as may be furnished to the Agency in the course of the Agency's consideration of the application

shall, as soon as is practicable after receipt by the Agency, be available for inspection or purchase at a fee not exceeding the reasonable cost of making a copy at the headquarters of the Environmental Protection Agency, P.O. Box 3000, Johnstown Castle Estate, Co. Wexford; at Irish Water, Colvill House, 24-26 Talbot Street, Dublin 1 and at Cork County Council Offices, Water Services South, County Hall, Carrigrohane Road, Co. Cork.

Submissions in relation to the review application may be made to the Environmental Protection Agency at its headquarters at P.O. Box 3000, Johnstown Castle Estate, Co. Wexford, in writing within the period of 5 weeks beginning on the date of receipt by the Agency of the application.