



Electronic Copy

An Bord Pleanála

December 19, 2022

Reg. No.: D0136-02

Consultation Notice in accordance with Regulation 21(7) of the European Union (Waste Water Discharge) Regulations 2007 to 2020 in respect of a licence review from Irish Water for agglomeration named Bandon

Dear Sir or Madam,

In accordance with the provisions with Regulation 21(7) of the European Union (Waste Water Discharge) Regulations 2007 to 2020, you are being notified that an application for a licence review, was received by the Agency on 19 December 2022. The details of the application are set out below:

- Name and address of applicant:	Irish Water, Colvill House, 24-26 Talbot Street, Dublin 1, Dublin
- Location of agglomeration:	Bandon, Cork
- Relevant Inspector:	Christine Murphy
- Licence Application Reference No:	D0136-02
- Planning Application Reference No:	PL 04.247978
- Licence Type	Waste Water Discharge Licence

A copy of the application, the Environmental Impact Assessment Report (EIAR) submitted by the applicant and associated correspondence are available for inspection by you on the Agency's website www.epa.ie.

In accordance with, Regulation 21(7) of the European Union (Waste Water Discharge) Regulations 2007 to 2020, you are requested to respond to the Agency **within 4 weeks of receipt of this notice** with the following information.

1. State whether the waste water discharges to which the licence application relates is permitted by the grant of permission referred to above.
2. Furnish all documents relating to the EIA carried out by your authority in respect of the development or proposed development to which the the grant of permission refers. **Please provide the Agency with a list of the names of those documents and provide an electronic copy of the documents so that the Agency can upload them to the Agency's website for public inspection.**
3. Provide any observations your authority has in relation to the licence application.

It would be much appreciated that all documentation is submitted in electronic PDF format to licensing@epa.ie in order to facilitate the publishing of information to the Agency's website.

Please note that a response to this notice is required even if you have no observations to make and your response will be taken into consideration in the assessment of the application.

Please note that all further information received on this licence application will be made available on the Agency's website.

The application is being processed by the Agency and your observations, if any, will be considered as part of the licence application assessment process. You will be notified of the proposed determination in due course.

Yours faithfully,

Environmental Licensing Programme
Office of Environmental Sustainability
Tel: 053 – 9160600