

Our ref: IBR1279 Attachment Evidence of notice - planners

Enterprise Fund Business
Centre, Business Park
Road, Ballyraine
Letterkenny, Co. Donegal
F92 AF43
T +353 74 916 1927

Date: 19 December 2022

For the attention of Planning Department

Donegal County Council

County House

The Diamond

Lifford

Co. Donegal

F93 Y622

Ballynacarrick Landfill Site Waste Licence Review

Dear Sir /Madam

In accordance with article 9 of the Waste Management (licensing) Regulations 2004 as amended, we hereby wish to notify the planning department, that Donegal County Council are undertaking a review of the waste licence (Ref No W0024-04) for the Ballynacarrick Landfill Site, Ballynacarrick, Ballintra, Co. Donegal. The review is required to accommodate increase the existing boundary area to accommodate the installation of an Integrated Constructed Wetland and surface water discharge monitoring.

The classes of activity concerned are:


- D5 Specially engineered landfill, including placement into lined discrete cells which are capped and isolated from one another and the environment.
- D8 Biological treatment not specified elsewhere in this Annex which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D12
- D15 Storage pending any of the operations numbered D 1 to D 14 (excluding temporary storage (being preliminary storage according to the definition of 'collection' in section 5(1)), pending collection, on the site where the waste is produced).
- R3 Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes)
- R4 Recycling/reclamation of metals and metal compounds
- R5 Recycling/reclamation of other inorganic materials
- R13 Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where the waste is produced)

The Application for the review of the Waste Licence and such further information relating to the application as may be furnished to the Agency in the course of the Agency's consideration of the application will, as soon as is practicable after receipt by the Agency, be inspected on the Agency's website or inspected at or obtained from the headquarters of the Environmental Protection Agency and at the Principal Offices of Donegal County Council, County House Lifford Co Donegal during normal working hours (Monday to Friday, excluding public holidays).

Our ref: Attachment Evidence of notice - planners

We trust this is in order, however if you have any queries, please do not hesitate to contact the undersigned.

Yours sincerely,
for RPS Ireland Limited (NI)

A handwritten signature in black ink that reads "Angela McGinley". The signature is written in a cursive style with a clear, legible font.

Angela McGinley
Principal Scientist -Waste
angela.mcginley@rpsgroup.com
+44 28 9694 9946