



Electronic Copy

Mr. Paraic Fay

On behalf of M.A.G. World Limited

13 January 2023

Reg. No.: P1148-01

Regulation 10(2)(b)(ii) of the EPA (Industrial Emissions) (Licensing) Regulations 2013, in respect of a licence application from M.A.G. World Limited for an installation located at Lisgar and Corglass, Bailiaboro, County Cavan

Dear Mr. Fay,

I refer to the application for a licence received by the EPA on 12 March 2021.

Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with the above mentioned legislation. You are therefore requested, in accordance with the regulations, to supply the information detailed below.

1. Company Registered Address

It is noted that the spelling of the applicant's registered address in the application form differs from that on the Companies Registration Office (CRO) website. You are required to:

- a) Clarify the exact legal address of the applicant.

2. Site plan

- a) Update the site plan ensuring that all buildings housing animals have a unique identifying label; and
- b) Update the site plan to include the location of any wash water storage tanks.

3. Storm Water

With regards to the management of storm water onsite:

- a) Update the site plan to include an indicative location and labelling of the storm water discharge points (SW-1, SW-2, and SW-3).
- b) Provide the national grid reference (12 digit - 6E, 6N) for any existing storm water discharge points.
- c) Provide details of any appropriate mitigation measures (such as silt traps / swales / interceptors / separators) which are installed / to be installed on each of the three storm water discharge points prior to discharge;

- d) Provide a map outlining the surface water pathway(s) between storm water discharge points and the local land drains/watercourses; and
- e) Clarify how wash water is kept separate from clean storm water and how wash water is diverted to the wash water tanks.

4. **Odour**

Provide an assessment of the odour emissions from the activity and the impact on local residents.

- a) Provide a map showing the location and distance from the installation **boundary** to the closest sensitive receptors. The map should also highlight which sensitive receptors are family dwellings, and which are third party dwellings.

5. **Generator**

- a) Provide details of the storage location of the back-up generator onsite; and
- b) Provide details of the associated bunding and protections.

6. **Fuel tanks**

- a) Provide details of the capacity, location, bunding and protection of any existing/proposed fuel storage facilities onsite (including gas and diesel).

7. **Raw materials, intermediates and products to be used on-site**

Regarding raw materials, intermediates and products to be used on-site (in particular disinfectants, detergents, and any water sanitation chemicals):

- a) Provide the hazard statement, amounts stored, and amounts used annually; and
- b) Provide details of the storage facilities.

8. **BAT**

It is noted that the documentation regarding the BAT conclusions from the Commission Implementing Decision (CID) document for the Intensive Rearing of Poultry or Pigs (2010/75/EU, Feb 2017) has not been fully completed.

- a) Clearly identify the specific technique that will be used for BAT 3, BAT 4 and BAT 10.

9. **Water Supply**

In the application, there is contradictory information provided regarding water sources. With regards to the water supply for the installation, provide the following:

- a) Clarify the proposed sources of water to be used for the activity and the quantity of water usage expected per annum from each source;
- b) Clarify the location(s) on the site map, including the grid reference of any existing/proposed groundwater well(s). If a private well is utilised and is inside the site boundary, submit any monitoring results available.
- c) Provide the name of the Group Water Scheme, if applicable.

In addition to the above, please also provide an updated non-technical summary (Application Form, and EIAR where applicable) to reflect the information provided in your reply, insofar as that information impinges on the non-technical summary.

The requested information should be submitted to the Agency within *four weeks* of the date of this notice, in order to allow the Agency to process and determine your application.

It should be noted that the eight-week period within which the Agency is to decide the proposed determination will commence on the day on which this notice has been complied with. If you have any further queries please contact licensing@epa.ie.

Field Cod

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Your response to this request is to be submitted via EDEN. Guidance on how to use this portal is available on the EPA website at [IE Licence application guidance | Environmental Protection Agency \(epa.ie\)](#).

Field Cod

Please direct any queries to licensing@epa.ie.

Field Cod

Yours faithfully,

Máire Buckley
Environmental Licensing Programme
Office of Environmental Sustainability
Tel: 053 – 9160600