

Our ref: IBR1279 Attachment Evidence of notice - planners

Date: 23 January 2023

For the attention of Planning Department **Donegal County Council**

County House

The Diamond

Lifford

Co. Donegal

F93 Y622

Ballynacarrick Landfill Site Waste Licence Review

Dear Sir /Madam

In accordance with article 9 of the Waste Management (licensing) Regulations 2004 as amended, we hereby wish to notify the planning department, that Donegal County Council County House, Lifford Co Donegal, will apply to the Environmental Protection Agency (EPA), Johnstown Castle Estate, County Wexford, for a review of the waste licence (Ref No W0024-04) for the Ballynacarrick Landfill Site, Ballynacarrick, Ballintra, Co. Donegal. The review is required to accommodate increase the existing boundary area to accommodate the installation of an Integrated Constructed Wetland and surface water discharge monitoring. The National Grid Reference for the facility is 193531E 367597N.

The classes of activity concerned are specified in the Third and Fourth Schedule of the Waste

Management Act, 1996, as amended :-

- D5 Specially engineered landfill (e.g. placement into lined discrete cells which are capped and isolated • from one another and the environment, etc.)
- D8 Biological treatment not specified elsewhere in this Annex which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D12
- D15 Storage pending any of the operations numbered D 1 to D 14 (excluding temporary storage (being • preliminary storage according to the definition of 'collection' in section 5(1)), pending collection, on the site where the waste is produced).
- R3 Recycling/reclamation of organic substances which are not used as solvents (including composting . and other biological transformation processes)
- R4 Recycling/reclamation of metals and metal compounds
- R5 Recycling/reclamation of other inorganic materials •
- R13 Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where the waste is produced)

The principal activity is D8 of the Third Schedule as given above.

The Application for the review of the Waste Licence and such further information relating to the application as may be furnished to the Agency in the course of the Agency's consideration of the application, will, as soon as



Our ref: Attachment Evidence of notice - planners

is practicable after receipt by the Agency, be available for inspection on the Agency's website, and inspection or purchase, at the EPA Headquarters, Johnstown Castle Estate, County Wexford and at the Principal Offices of Donegal County Council, County House Lifford Co Donegal during normal working hours (Monday to Friday, excluding public holidays.

We trust this is in order, however if you have any queries, please do not hesitate the contact the undersigned.

Yours sincerely, for RPS Ireland Limited (NI)

Angela Me guiley

Angela McGinley Principal Scientist -Waste angela.mcginley@rpsgroup.com +44 28 9694 9946