

Sent: 08-Feb-2023

To: Cork County Council - Environ Section Spec Body
Cork County Council - Planning Section Spec Body
Marine Institute
Health Service Executive (HSE)
An Bord Pleanála
Dept of Environment, Climate and Communications - Sp Bd(2) -
Planning Advisory Division
Department of Housing, Local Government and Heritage (Water
Services)
Minister for Transport
Fáilte Ireland - Spec. Body
Inland Fisheries Ireland - Spec Body
Department of Tourism, Culture, Arts, Gaeltacht, Sport and Media
Sea Fisheries Protection Authority
Bord Iascaigh Mhara
Minister of Housing, Planning, Community & Local Government
An Taisce - The National Trust For Ireland
Department of Housing, Local Government and Heritage
(Development Applications Unit)
Department of Agriculture, Food and the Marine
Food Safety Authority of Ireland
Health & Safety Authority

From: No Reply

EPA Notification – Licence Application/Review Received

Dear Sir/Madam,

In accordance with the provisions of the applicable licensing regulations, you are being routinely notified that an application for a licence, details of which are set out below, was received by the Agency on 07 February 2023.

- Licence Type:	Waste Water Discharge
- Name and address of applicant:	Uisce Éireann, Colvill House, 24-26 Talbot Street, Dublin 1, Dublin
- Location of agglomeration:	Castlemartyr
- Reference No:	D0134-02
- EIS/EIAR submitted:	No

The application is being processed by the Agency and you will be notified of the decision in due course. In this regard any submissions in relation to this application should be forwarded to the Agency within 5 weeks from the date of receipt of the application. A copy of the application and associated correspondence are available for public inspection on the Agency's website www.epa.ie.

Please refer to the application for the National Grid reference, description of any waste water treatment plant and location of the discharge point or points.

Please direct any queries that you may have in relation to the above to licensing@epa.ie.

Please note that there is no requirement for you to acknowledge receipt of this notice.

If you have no submission to make in relation to this application, there is no requirement for you to reply to the Agency.

Yours sincerely,

Environmental Licensing Programme
Office of Environmental Sustainability

Tel: 053 – 9160600